

IENC Feature Catalogue

Edition 2.0

Introduction

The IENC Feature Catalogue is based on features, attributes and enumerations of following Data Dictionaries

Data Dictionary Name	Token	Owner	Place of Publishment
IHO S-100 Data Dictionary	S100	IHO	http://www.ukhoftp.gov.uk
Inland ENC Data Dictionary	IENC	IEHG	http://www.ukhoftp.gov.uk

Used Abbreviations

Feature Types

G	Geo
M	Meta
C	Cartographic
O	Collection
I	Information

Feature Primitives

P	Point
L	Line
A	Area
N	None

Use of Feature Attribute Bindings

O	optional
M	mandatory
C	conditional mandatory

Type of Attribute Use

F	Feature
N	National
S	Spatial
C	Cartographic

Type of Attribute Value

E	Enumeration
L	List
F	Float
I	Integer
T	Text
S	Structured text

Feature	Coverage
---------	----------

Acronym: **M_COVR**

Code: 302

Type: M

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A geographical area that describes the coverage and extent of spatial objects.

Attribute Bindings:

acronym	usage	constraints
CATCOV	M	value list = "1,2"
SORDAT	C	format = "ccyyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Quality of data
---------	-----------------

Acronym: **M_QUAL**

Code: 308

Type: M

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area within which a uniform assessment of the quality of the data exists.

Attribute Bindings:

acronym	usage	constraints
CATZOC	O	value list = "1,2,3,4,5,6"
POSACC	O	unit = "m" decimal digits = "2"
SOUACC	O	unit = "m" decimal digits = "2"
TECSOU	C	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Survey reliability
---------	--------------------

Acronym: **M_SREL**

Code: 310

Type: M

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area within which a uniform assessment of the reliability of source survey information exists.

Attribute Bindings:

acronym	usage	constraints
QUAPOS	C	value list = "4,10"
QUASOU	M	value list = "1,2,8,10,11"
SURATH	M	
SUREND	M	format = "ccyymmdd"
SURSTA	M	format = "ccyymmdd"
SURTYP	C	value list = "2"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Administration Area (Named)
---------	-----------------------------

Acronym: **ADMARE** Code: 1

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A defined (and possibly named) administration area.

Attribute Bindings:

acronym	usage	constraints
JRSDTN	M	value list = "1,2,3"
NATION	M	format = "cc"
OBJNAM	M	
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Airport/airfield
---------	------------------

Acronym: **AIRARE**

Code: 2

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area containing at least one runway, used for landing, take-off, and movement of aircraft.

Attribute Bindings:

acronym	usage	constraints
CATAIR	O	value list = "1,2,6"
OBJNAM	M	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Beacon, lateral
---------	-----------------

Acronym: **BCNLAT** Code: 7

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A beacon, is a prominent specially constructed object forming a conspicuous mark as a fixed aid to navigation or for use in hydrographic survey (IHO Dictionary, S-32, 5th Edition, 420).
A lateral beacon, is used to indicate the port or starboard hand side of the route to be followed. They are generally used for well defined channels and are used in conjunction with a conventional direction of buoyage. (UKHO NP 735, 5th Edition)

Attribute Bindings:

acronym	usage	constraints
BCNSHP	M	value list = "1,5"
CATLAM	M	value list = "1,2,3,4"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Buoy, cardinal
---------	----------------

Acronym: **BOYCAR**

Code: 14

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A buoy, is a floating object moored to the bottom in a particular place, as an aid to navigation or for other specific purposes. (IHO Dictionary S-32 5th Edition, 565). A cardinal buoy, is used in conjunction with the compass to indicate where the mariner may find the best navigable water. It is placed in one of the four quadrants (North, East, South and West), bounded by inter-cardinal bearings from the point marked. (UKHO NP 735, 5th Edition)

Attribute Bindings:

acronym	usage	constraints
BOYSHP	M	value list = "1,2,3,4,5,6,8"
CATCAM	M	value list = "1,2,3,4"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
CONRAD	O	value list = "3"
NOBJNM	C	
OBJNAM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Buoy, lateral
---------	---------------

Acronym: **BOYLAT**

Code: 17

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A buoy, is a floating object moored to the bottom in a particular place, as an aid to navigation or for other specific purposes. (IHO Dictionary, S-32, 5th Edition, 565). A lateral buoy, is used to indicate the port or starboard hand side of the route to be followed. They are generally used for well defined channels and are used in conjunction with a conventional direction of buoyage. (UKHO NP 735, 5th Edition)

Attribute Bindings:

acronym	usage	constraints
BOYSHP	M	value list = "1,2,3,4,5,6,8"
CATLAM	M	value list = "1,2,3,4"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
CONRAD	O	value list = "3"
NOBJNM	C	
OBJNAM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Buoy, safe water
---------	------------------

Acronym: **BOYSAW**

Code: 18

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A buoy, is a floating object moored to the bottom in a particular place, as an aid to navigation or for other specific purposes. (IHO Dictionary, S-32, 5th Edition, 565). A safe water buoy, is used to indicate that there is navigable water around the mark. (UKHO NP735, 5th Edition)

Attribute Bindings:

acronym	usage	constraints
BOYSHP	M	value list = "1,2,3,4,5,6,8"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	M	value list = "1,2,3,4,5,6"
CONRAD	C	value list = "3"
NOBJNM	O	
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Buoy, special purpose/general
---------	-------------------------------

Acronym: **BOYSPP** Code: 19

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A buoy, is a floating object moored to the bottom in a particular place, as an aid to navigation or for other specific purposes. (IHO Dictionary, S-32, 5th Edition, 565). A special purpose buoy, is primarily used to indicate an area or feature, the nature of which is apparent from reference to a chart, Sailing Directions or Notices to Mariners. (UKHO NP 735, 5th Edition).
Buoy in general: A buoy, whose appearance or purpose is not adequately known.

Attribute Bindings:

acronym	usage	constraints
BOYSHP	M	value list = "1,2,3,4,5,6,8"
CATSPM	M	value list = "6,10,12,37,39,41,45,50,54,55"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
CONRAD	O	value list = "3"
NOBJNM	O	
OBJNAM	O	
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Built-up area
---------	---------------

Acronym: **BUAARE**

Code: 13

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area containing a concentration of buildings and the supporting road or rail infrastructure.

Attribute Bindings:

acronym	usage	constraints
CATBUA	O	value list = "1,2,3,4,5"
OBJNAM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Building, single
---------	------------------

Acronym: **BUISGL** Code: 12

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A relatively permanent structure, roofed and usually walled. It is designed for some particular use which it may be important to indicate. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
FUNCTN	C	value list = "2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,3"
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Canal
---------	-------

Acronym: **CANALS**

Code: 23

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An artificial waterway with no flow, or a controlled flow, used for navigation, or for draining or irrigating land (ditch). (United States Geological Survey, Jan.89)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Cable area
---------	------------

Acronym: **CBLARE**

Code: 20

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area which contains one or more submarine cables.

Attribute Bindings:

acronym	usage	constraints
CATCBL	M	value list = "1,3,4,5,6"
OBJNAM	O	
RESTRN	O	value list = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Cable, submarine
---------	------------------

Acronym: **CBLSUB** Code: 22

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An assembly of wires or fibres, or a wire rope or chain which has been laid underwater or buried beneath the seabed (Hydrographic Service, Royal Australian Navy)

Attribute Bindings:

acronym	usage	constraints
CATCBL	M	value list = "1,3,4,5,6"
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Coastline
---------	-----------

Acronym: **COALNE** Code: 30

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The line where shore and water meet. Although the terminology of coasts and shores is rather confused, shoreline and coastline are generally used as synonyms. (IHO Dictionary, S-32, 5th Edition, 858,4695)

Attribute Bindings:

acronym	usage	constraints
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Caution area
---------	--------------

Acronym: **CTNARE**

Code: 27

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: Generally, an area where the mariner has to be made aware of circumstances influencing the safety of navigation.

Attribute Bindings:

acronym	usage	constraints
NOBJNM	O	
OBJNAM	O	
INFORM	M	
NINFOM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Conveyor
---------	----------

Acronym: **CONVYR**

Code: 34

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A mechanical apparatus for moving bulk material or people from place to place (as by a moving belt or chain of receptacles).

Attribute Bindings:

acronym	usage	constraints
CATCON	M	value list = "2"
OBJNAM	O	
PRODC	O	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
VERCLR	O	unit = "m" decimal digits = "2"
SCAMIN	M	min = "1"
TXDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Crane
---------	-------

Acronym: **CRANES** Code: 35

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A machine for lifting, shifting and lowering objects or materials by means of a swinging boom or with a lifting apparatus supported on an overhead track. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
CATCRN	M	value list = "2"
OBJNAM	O	
VERCLR	O	unit = "m" decimal digits = "2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Dam
---------	-----

Acronym: **DAMCON**

Code: 38

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A barrier to check or confine anything in motion; particularly one constructed to hold back water and raise its level to form a reservoir, or to prevent flooding. (IHO Dictionary, S-32, 5th Edition, 1196)

Attribute Bindings:

acronym	usage	constraints
CATDAM	M	value list = "1,2"
NATCON	O	value list = "1,2,3,4,5,6,7,8,9"
OBJNAM	M	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Daymark
---------	---------

Acronym: **DAYMAR** Code: 39

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The identifying characteristics of an aid to navigation which serve to facilitate its recognition against a daylight viewing background. On those structures that do not by themselves present an adequate viewing area to be seen at the required distance, the aid is made more visible by affixing a daymark to the structure. A daymark so affixed has a distinctive colour and shape depending on the purpose of the aid. (IHO Dictionary, S-32, 5th Edition, 1248)

Attribute Bindings:

acronym	usage	constraints
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
TOPSHP	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33"
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Depth area
---------	------------

Acronym: **DEPARE**

Code: 42

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A depth area is a water area whose depth is within a defined range of values.

Attribute Bindings:

acronym	usage	constraints
DRVAL1	M	unit = "m" decimal digits = "2"
DRVAL2	M	unit = "m" decimal digits = "2"
INFORM	C	
QUASOU	C	value list = "1,2,8,10,11"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Depth contour
---------	---------------

Acronym: **DEPCNT** Code: 43

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A line connecting points of equal water depth which is sometimes significantly displaced outside of soundings, symbols and other chart detail for clarity as well as generalization. Depth contours, therefore, often represent an approximate location of the line of equal depth as related to the surveyed line delineated on the source. Also referred to as depth curve. (IHO Dictionary, S-32, 5th Edition, 1314, 1315)

Attribute Bindings:

acronym	usage	constraints
VALDCO	M	unit = "m" decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Dredged area
---------	--------------

Acronym: **DRGARE**

Code: 46

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area of the bottom of a body of water which has been deepened by dredging. (IHO Dictionary, S-32, 5th Edition, 1462)

Attribute Bindings:

acronym	usage	constraints
DRVAL1	O	unit = "m" decimal digits = "2"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Dry dock
---------	----------

Acronym: **DRYDOC**

Code: 47

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An artificial basin fitted with a gate or caisson, into which vessels can be floated and the water pumped out to expose the vessel's bottom. Also called graving dock. (IHO Dictionary, S-32, 5th Edition, 1426)

Attribute Bindings:

acronym	usage	constraints
DRVAL1	O	unit = "m" decimal digits = "2"
HORCLR	O	unit = "m" decimal digits = "2"
HORLEN	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Dyke
---------	------

Acronym: **DYKCON**

Code: 49

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A dyke (or dike) is an artificial embankment to contain or hold back water.(IHO Dictionary, S-32, 5th Edition, 1361)

Attribute Bindings:

acronym	usage	constraints
HEIGHT	O	unit = "m" decimal digits = "2"
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Fairway
---------	---------

Acronym: **FAIRWY** Code: 51

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: That part of a river, harbour and so on, where the main navigable channel for vessels of larger size lies. It is also the usual course followed by vessels entering or leaving harbours, called 'ship channel'. (International Maritime Dictionary, 2nd Ed.)

Attribute Bindings:

acronym	usage	constraints
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Ferry route
---------	-------------

Acronym: **FERYRT** Code: 53

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A route in a body of water where a ferry crosses from one shoreline to another. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
CATFRY	M	value list = "1,2"
OBJNAM	O	
STATUS	C	value list = "2,3,4,8,9,12,14,16,17"
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Floating dock
---------	---------------

Acronym: **FLODOC**

Code: 57

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A form of dry dock consisting of a floating structure of one or more sections which can be partly submerged by controlled flooding to receive a vessel, then raised by pumping out the water so that the vessel's bottom can be exposed. (IHO Dictionary, S-32, 5th Edition, 1427)

Attribute Bindings:

acronym	usage	constraints
HORCLR	O	unit = "m" decimal digits = "2"
HORLEN	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Fence/wall
---------	------------

Acronym: **FNCLNE** Code: 52

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A natural or man-made barrier used as an enclosure or boundary or for protection. (adapted from Digital Geographic Information Working Group, Oct.1987)

Attribute Bindings:

acronym	usage	constraints
CATFNC	M	value list = "1,4"
OBJNAM	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Fog signal
---------	------------

Acronym: **FOGSIG** Code: 58

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A warning signal transmitted by a vessel, or aid to navigation, during periods of low visibility. Also, the device producing such a signal. (IHO Dictionary, S-32, 5th Edition, 1890)

Attribute Bindings:

acronym	usage	constraints
CATFOG	M	value list = "1,2,3,4,5,6,7,8,9,10"
SIGFRQ	O	unit = "Hz" min = "0"
SIGGEN	O	value list = "1,2"
SIGGRP	C	format = "(c)(c)..."
SIGPER	C	unit = "s" decimal digits = "2"
SIGSEQ	C	format = "1.11+(e.ee)"
VALMXR	O	unit = "nm" decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Free port area
---------	----------------

Acronym: **FRPARE** Code: 60

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A port where certain import and export duties are waived (unless goods pass into the country) to facilitate reshipment to other countries. (IHO Dictionary, S-32, 5th Edition, 1927)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Gate
---------	------

Acronym: **GATCON**

Code: 61

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A structure that may be swung, drawn, or lowered to block an entrance or passageway. (United States Geological Survey, Jan.89)

Attribute Bindings:

acronym	usage	constraints
CATGAT	M	value list = "4"
HORCLR	M	unit = "m" decimal digits = "2"
VERCLR	O	unit = "m" decimal digits = "2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Harbour facility
---------	------------------

Acronym: **HRBFAC**

Code: 64

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A harbour installation with a service or commercial operation of public interest.

Attribute Bindings:

acronym	usage	constraints
CATHAF	M	value list = "5"
OBJNAM	M	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Hulk
---------	------

Acronym: **HULKES**

Code: 65

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A permanently moored ship.

Attribute Bindings:

acronym	usage	constraints
CATHLK	M	value list = "1,2,3,4,5"
OBJNAM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Lake
---------	------

Acronym: **LAKARE**

Code: 69

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A large body of water entirely surrounded by land. (IHO Dictionary, S-32, 5th Edition, 2629)

Attribute Bindings:

acronym	usage	constraints
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Light
---------	-------

Acronym: **LIGHTS** Code: 75

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A luminous or lighted aid to navigation. (adapted from IHO Dictionary, S-32, 5th Edition, 2766)

Attribute Bindings:

acronym	usage	constraints
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
EXCLIT	C	value list = "1,2,3,4"
LITCHR	M	value list = "1,2,3,4,7,9"
MLTYLT	C	min = "2"
ORIENT	M	unit = "deg" decimal digits = "2"
SIGGRP	C	format = "(c)(c)..."
SIGPER	C	unit = "s" decimal digits = "2"
SIGSEQ	C	format = "l.ll+(e. ee)"
STATUS	C	value list = "2,3,4,8,9,12,14,16,17"
INFORM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Land area
---------	-----------

Acronym: **LNDARE**

Code: 71

Type: G

Primitive: P,L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The solid portion of the Earth's surface, as opposed to sea, water. (IHO Dictionary, S-32, 5th Edition, 2635)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Landmark
---------	----------

Acronym: **LNDMRK**

Code: 74

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A prominent object at a fixed location which can be used in determining a location or a direction. (adapted from IHO Dictionary, S-32, 5th Edition, 2643).

Attribute Bindings:

acronym	usage	constraints
CATLMK	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22"
CONVIS	M	value list = "1,2"
FUNCTN	C	value list = "2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,3"
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Land region
---------	-------------

Acronym: **LNDRGN**

Code: 73

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An area of natural scenery on land. It is defined by its geographical characteristics and may be known by its proper name.

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Mooring/Warping facility
---------	--------------------------

Acronym: **MORFAC**

Code: 84

Type: G

Primitive: P,L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The equipment or structure used to secure a vessel (adapted from IHO Dictionary, S-32, 5th Edition, 3322)

Attribute Bindings:

acronym	usage	constraints
CATMOR	M	value list = "1,5,7"
NATCON	O	value list = "1,2,3,4,5,6,7,8,9"
OBJNAM	M	
WATLEV	O	value list = "1,2,3,4,5"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Navigation line
---------	-----------------

Acronym: **NAVLNE** Code: 85

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A navigation line is a straight line extending towards an area of navigational interest and generally generated by two navigational aids or one navigational aid and a bearing. (Service Hydrographique et Océanographique de la Marine, France)

Attribute Bindings:

acronym	usage	constraints
CATNAV	M	value list = "1,2,3"
ORIENT	M	unit = "deg" decimal digits = "2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Obstruction
---------	-------------

Acronym: **OBSTRN** Code: 86

Type: G

Primitive: P,L,A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: In marine navigation, anything that hinders or prevents movement, particularly anything that endangers or prevents passage of a vessel. The term is usually used to refer to an isolated danger to navigation... (IHO Dictionary, S-32, 5th Edition, 3503)

Attribute Bindings:

acronym	usage	constraints
CATOBS	O	value list = "1,2,3,4,5,6,7,8,9,10"
VALSOU	C	unit = "m" decimal digits = "2"
WATLEV	C	value list = "1,2,3,4,5"
INFORM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Oil barrier
---------	-------------

Acronym: **OILBAR**

Code: 89

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A construction to dam oil flow on water.

Attribute Bindings:

acronym	usage	constraints
CATOLB	O	value list = "1,2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pile
---------	------

Acronym: **PILPNT** Code: 90

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A long heavy timber or section of steel, wood, concrete, etc.. forced into the earth which may serve as a support, as for a pier, or a free standing pole within a marine environment.
(Adapted from IHO Dictionary, S-32, 5th Edition, 3840)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pipeline area
---------	---------------

Acronym: **PIPARE** Code: 92

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: An area containing one or more pipelines.

Attribute Bindings:

acronym	usage	constraints
CATPIP	M	value list = "2,3,4,6"
OBJNAM	O	
PRODC	M	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
RESTRN	M	value list = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pipeline, submarine/on land
---------	-----------------------------

Acronym: **PIPSOL** Code: 94

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A pipeline is a string of interconnected pipes used for the transport of matter, nowadays mainly oil or gas. (IHO Dictionary, S-32, 5th Edition, 3857). A submarine or land pipeline is a pipeline lying on or buried under the seabed or the land.

Attribute Bindings:

acronym	usage	constraints
CATPIP	M	value list = "2,3,4,6"
OBJNAM	O	
PRODCT	M	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pontoon
---------	---------

Acronym: **PONTON**

Code: 95

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A floating structure, usually rectangular in shape which serves as landing, pier head or bridge support. (IHO Dictionary, S-32, 5th Edition, 3947)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Pylon/bridge support
---------	----------------------

Acronym: **PYLONS**

Code: 98

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A vertical construction consisting, for example, of a steel framework or pre-stressed concrete to carry cables, a bridge, etc.

Attribute Bindings:

acronym	usage	constraints
CATPYL	M	value list = "1,2,3,4,5"
WATLEV	M	value list = "1,2,3,4,5"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Radar station
---------	---------------

Acronym: **RADSTA** Code: 102

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A station with a transmitter emitting pulses of ultra-high frequency radio waves which are reflected by solid objects and are detected upon their return to the sending station.
(International Maritime Dictionary, 2nd Ed.)

Attribute Bindings:

acronym	usage	constraints
CATRAS	O	value list = "1"
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Railway
---------	---------

Acronym: **RAILWY**

Code: 106

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A rail or set of parallel rails on which a train or tram runs. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Recommended track
---------	-------------------

Acronym: **RECTRC** Code: 109

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A track recommended to all or only certain vessels. (IHO Dictionary, S-32, 5th Edition, 5576)

Attribute Bindings:

acronym	usage	constraints
CATTRK	M	value list = "1,2"
ORIENT	M	unit = "deg" decimal digits = "2"
TRAFIC	M	value list = "1,2,3,4"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Restricted area
---------	-----------------

Acronym: **RESARE** Code: 112

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A specified area designated by an appropriate authority within which navigation is restricted in accordance with certain specified conditions. (adapted from IHO Dictionary, S-32, 5th Edition, 4366)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
RESTRN	M	value list = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	River
---------	-------

Acronym: **RIVERS** Code: 114

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A relatively large natural stream of water. (IHO Dictionary, S-32, 5th Edition, 4405)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Road
---------	------

Acronym: **ROADWY** Code: 116

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A road is an open way for the passage of vehicles. (United States Geological Survey, Jan.89)

Attribute Bindings:

acronym	usage	constraints
CATROD	M	value list = "1,2,3,4"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Radar transponder beacon
---------	--------------------------

Acronym: **RTPBCN** Code: 103

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A transponder beacon, transmitting a coded signal on radar frequency, permitting an interrogating craft to determine the bearing and range of the transponder. Also called racon. (IHO Dictionary, S-32, 5th Edition, 4137)

Attribute Bindings:

acronym	usage	constraints
CATRTB	M	value list = "1,2,3"
RADWAL	O	format = "xx.x-b,xx.x-b,...] xx.x = value in meter, b = band"
SIGGRP	O	format = "(c)(c)..."
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Sea area/named water area
---------	---------------------------

Acronym: **SEAARE**

Code: 119

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A geographically defined part of the sea or other navigable waters. It may be specified within its limits by its proper name.

Attribute Bindings:

acronym	usage	constraints
CATSEA	O	value list = "51,53"
OBJNAM	M	
INFORM	C	
TXTDSC	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Silo/tank
---------	-----------

Acronym: **SILTnk**

Code: 125

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An enclosed container, used for storage (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
PRODC	O	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
INFORM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Shoreline construction
---------	------------------------

Acronym: **SLCONS**

Code: 122

Type: G

Primitive: P,L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A fixed (not afloat) artificial structure between the water and the land, i.e. a man-made coastline.

Attribute Bindings:

acronym	usage	constraints
CATSLC	M	value list = "1,2,4,5,6,7,8,9,10,11,12,13,14,15,16"
NATCON	C	value list = "1,2,3,4,5,6,7,8,9"
OBJNAM	C	
STATUS	C	value list = "2,3,4,8,9,12,14,16,17"
WATLEV	O	value list = "1,2,3,4,5"
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Sloping ground
---------	----------------

Acronym: **SLOGRD**

Code: 127

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: An inclined surface (adapted from IHO Dictionary, S-32, 5th Edition, 4776).

Attribute Bindings:

acronym	usage	constraints
CATSLO	M	value list = "2,3"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Slope topline
---------	---------------

Acronym: **SLOTOP**

Code: 126

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The upper marking of a slope, e.g. the ridge line or the separation line between two different gradients.

Attribute Bindings:

acronym	usage	constraints
CATSLO	M	value list = "2,3"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Small craft facility
---------	----------------------

Acronym: **SMCFAC**

Code: 128

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A place at which a service generally of interest to small craft or pleasure boats is available.

Attribute Bindings:

acronym	usage	constraints
CATSCF	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33"
OBJNAM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Sounding
---------	----------

Acronym: **SOUNDG**

Code: 129

Type: G

Primitive:	P
------------	---

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A measured water depth or spot which has been reduced to a vertical datum (may be a drying height).

Attribute Bindings:

acronym usage constraints

SCAMIN	M	min = "1"
--------	---	-----------

```
SORDAT      C      format = "ccyyymmdd"
```

SORIND	C	format = "cc,cc,cccc,c..."
--------	---	----------------------------

Feature	Topmark
---------	---------

Acronym: **TOPMAR** Code: 144

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A characteristic shape secured at the top of a buoy, or beacon, to aid in its identification. (IHO Dictionary, S-32, 5th Edition, 5548)

Attribute Bindings:

acronym	usage	constraints
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
TOPSHP	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Tunnel
---------	--------

Acronym: **TUNNEL**

Code: 151

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A passage that is open to the atmosphere at both ends, buried under the sea bed or laid over the sea floor or bored under the ground or through mountains.

Attribute Bindings:

acronym	usage	constraints
BURDEP	O	unit = "m" decimal digits = "1"
HORCLR	M	unit = "m" decimal digits = "2"
OBJNAM	O	
VERCLR	M	unit = "m" decimal digits = "2"
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Two-way route part
---------	--------------------

Acronym: **TWRTPT** Code: 152

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A two-way route is a route within defined limits inside which two-way traffic is established, aimed at providing safe passage of ships through waters where navigation is difficult or dangerous. (IHO Dictionary, S-32, 5th Edition, 5712). A two-way route part is an area of a two-way route within which traffic flow is generally along one bearing (and possibly its reciprocal).

Attribute Bindings:

acronym	usage	constraints
ORIENT	M	unit = "deg" decimal digits = "2"
TRAFIC	M	value list = "1,2,3,4"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Underwater/awash rock
---------	-----------------------

Acronym: **UWTROC**

Code: 153

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: A concreted mass of stony material or coral which dries, is awash or is below the water surface.

Attribute Bindings:

acronym	usage	constraints
VALSOU	M	unit = "m" decimal digits = "2"
WATLEV	M	value list = "1,2,3,4,5"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Vegetation
---------	------------

Acronym: **VEGATN**

Code: 155

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: Collections of, or individual plants.

Attribute Bindings:

acronym	usage	constraints
CATVEG	M	value list = "6,13"
CONVIS	O	value list = "1,2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Wreck
---------	-------

Acronym: **WRECKS** Code: 159

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The ruined remains of a stranded or sunken vessel which has been rendered useless. (IHO Dictionary, S-32, 5th Edition, 6027)

Attribute Bindings:

acronym	usage	constraints
CATWRK	M	value list = "1,2"
VALSOU	C	unit = "m" decimal digits = "2"
WATLEV	O	value list = "1,2,3,4,5"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Aggregation
---------	-------------

Acronym: **C_AGGR** Code: 400

Type: O

Primitive: N

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: Used to identify an aggregation of two or more objects. This aggregation may be named.

Attribute Bindings:

acronym	usage	constraints
NOBJNM	O	
OBJNAM	O	
INFORM	O	
NINFOM	O	
NTXTDS	O	
PICREP	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Anchor berth
---------	--------------

Acronym: **achbrt**

Code: 17000

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A designated area of water where a single vessel, sea plane, etc... may anchor.

Attribute Bindings:

acronym	usage	constraints
catach	O	value list = "1,2,3,4,5,6,7,9,10,11"
clsdng	O	value list = "1,2,3,4"
OBJNAM	O	
restrn	O	value list = "1,2,7,8,13,14,27,28,29,30,31,32,33,34,35,36"
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
unlocd	C	
INFORM	O	
NINFOM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Anchorage area
---------	----------------

Acronym: **achare** Code: 17001

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: An area in which vessels anchor or may anchor. (IHO Dictionary, S-32, 5th Edition, 130)

Attribute Bindings:

acronym	usage	constraints
catach	O	value list = "1,2,3,4,5,6,7,9,10,11"
clsdng	O	value list = "1,2,3,4"
OBJNAM	O	
restrn	O	value list = "1,2,7,8,13,14,27,28,29,30,31,32,33,34,35,36"
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
unlocd	C	
INFORM	O	
NINFOM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Beacon, lateral
---------	-----------------

Acronym: **bcnlat**

Code: 17028

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A beacon, is a prominent specially constructed object forming a conspicuous mark as a fixed aid to navigation or for use in hydrographic survey (IHO Dictionary, S-32, 5th Edition, 420). A lateral beacon, is used to indicate the port or starboard hand side of the route to be followed. They are generally used for well defined channels and are used in conjunction with a conventional direction of buoyage. (UKHO NP 735, 5th Edition)

Attribute Bindings:

acronym	usage	constraints
BCNSHP	M	value list = "1,5"
catlam	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
dirimp	C	value list = "1,2,3,4"
NOBJNM	O	
OBJNAM	O	
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."



Feature	Berth
---------	-------

Acronym: **berths** Code: 17010

Type: G

Primitive: P,L,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A named or numbered place where a vessel is moored at a wharf. (IHO Dictionary, S-32, 5th Edition, 470)

Attribute Bindings:

acronym	usage	constraints
catbrt	O	value list = "1,2,3,4,5,6,7,8"
clsdng	O	value list = "1,2,3,4"
DRVAL1	O	unit = "m" decimal digits = "2"
OBJNAM	O	
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
trshgd	O	value list = "1,2,3,4,5,6,7,8,9,10"
unlocd	C	
INFORM	O	
NINFOM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."



Feature	Bridge
---------	--------

Acronym: **bridge** Code: 17011

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A structure erected over a depression or an obstacle such as a body of water, railroad, etc... to provide a roadway for vehicles, pedestrians or to carry utility services. (IHO Dictionary, S-32, 5th Edition, 544)

Attribute Bindings:

acronym	usage	constraints
CATBRG	M	value list = "1,3,4,5,12"
HORCLR	O	unit = "m" decimal digits = "2"
VERCCL	C	unit = "m" decimal digits = "2"
VERCLR	C	unit = "m" decimal digits = "2"
VERCOP	C	unit = "m" decimal digits = "2"
unlocd	C	
verdat	C	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
wtwdis	M	decimal digits = "1"
INFORM	C	
PICREP	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."



Feature	Bunker station
---------	----------------

Acronym: **bunsta**

Code: 17054

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A station, at which a ship is able to bunker fuel, water or ballast

Attribute Bindings:

acronym	usage	constraints
bunves	M	value list = "1,2"
catbun	O	value list = "1,2,3"
OBJNAM	O	
unlocd	C	
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Buoy, lateral
---------	---------------

Acronym: **boylat** Code: 17029

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A buoy, is a floating object moored to the bottom in a particular place, as an aid to navigation or for other specific purposes. (IHO Dictionary, S-32, 5th Edition, 565). A lateral buoy, is used to indicate the right-hand or left-hand side of a channel limit in the waterway.

Attribute Bindings:

acronym	usage	constraints
BOYSHP	M	value list = "1,2,3,4,5,6,8"
catlam	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23"
COLOUR	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13"
COLPAT	C	value list = "1,2,3,4,5,6"
CONRAD	O	value list = "3"
marsys	C	value list = "1,2,9,10,11,12"
NOBJNM	O	
OBJNAM	C	
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Cable, overhead
---------	-----------------

Acronym: **cblohd** Code: 17012

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: An overhead cable is an assembly of wires or fibres, or a wire rope or chain, which is supported by structures such as poles or pylons and passing over or nearby navigable waters.
(Hydrographic Service, Royal Australian Navy).

Attribute Bindings:

acronym	usage	constraints
CATCBL	M	value list = "1,3,4,5,6"
VERCLR	M	unit = "m" decimal digits = "2"
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
wtwdis	O	decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Checkpoint
---------	------------

Acronym: **chkpnt**

Code: 17027

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: An official place to register, declare or check goods and people.

Attribute Bindings:

acronym	usage	constraints
catchp	M	value list = "1,2"
NATION	M	format = "cc"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
schref	O	
TXTDSC	O	
SORDAT	C	format = "ccyyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Communication area
---------	--------------------

Acronym: **comare** Code: 17055

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Indicates the coverage of an area, in which a vessel has to report or may request information.

Attribute Bindings:

acronym	usage	constraints
catcom	O	value list = "1,2,3,4,5,6,7,8"
COMCHA	M	format = "xxxx;xxxx;...."
OBJNAM	O	
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Conveyor
---------	----------

Acronym: **convyr**

Code: 17034

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A mechanical apparatus for moving bulk material or people from place to place (as by a moving belt or chain of receptacles).

Attribute Bindings:

acronym	usage	constraints
CATCON	M	value list = "2"
OBJNAM	O	
PRODC	O	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
VERCLR	O	unit = "m" decimal digits = "2"
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
TXDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Crane
---------	-------

Acronym: **cranes** Code: 17030

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A machine for lifting, shifting and lowering objects or materials by means of a swinging boom or with a lifting apparatus supported on an overhead track. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
CATCRN	M	value list = "2"
OBJNAM	O	
VERCLR	O	unit = "m" decimal digits = "2"
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Current, non-gravitational
---------	----------------------------

Acronym: **curent**

Code: 17019

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Currents (non-gravitational) include either singly or in combination: ocean currents (wind and/or density driven), inter-oceanic equalising currents, currents of navigable rivers, river outflow effects offshore and other non-tidal flows.

Attribute Bindings:

acronym	usage	constraints
curvhw	C	unit = "km/h" decimal digits = "1"
curvlw	C	unit = "km/h" decimal digits = "1"
curvmw	C	unit = "km/h" decimal digits = "1"
curvow	C	unit = "km/h" decimal digits = "1"
dirimp	C	value list = "1,2,3,4"
hignam	C	
lownam	C	
meanam	C	
othnam	C	
ORIENT	C	unit = "deg" decimal digits = "2"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Depth area
---------	------------

Acronym: **depare**

Code: 17003

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A depth area is a water area whose depth is within a defined range of values.

Attribute Bindings:

acronym	usage	constraints
DRVAL1	M	unit = "m" decimal digits = "2"
DRVAL2	M	unit = "m" decimal digits = "2"
eleva1	C	unit = "m" decimal digits = "2"
eleva2	C	unit = "m" decimal digits = "2"
wtwdis	M	decimal digits = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	distance mark
---------	---------------

Acronym: **dismar** Code: 17004

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A distance mark indicates the distance measured from an origin and consists of either a solid visible structure or a distinct location without special installation. Usually found on canals or rivers.

Attribute Bindings:

acronym	usage	constraints
CATDIS	M	value list = "1,2,3,4"
hunits	M	value list = "1,2,3,4,5,6"
unlocd	C	
wtwdis	M	decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Exceptional navigation structure
---------	----------------------------------

Acronym: **excnst**

Code: 17070

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: An exceptional navigational construction like aqueduct, lift-lock, etc.

Attribute Bindings:

acronym	usage	constraints
catexs	M	value list = "1,2,3,4,5"
DRVAL1	M	unit = "m" decimal digits = "2"
unlocd	C	
verdat	M	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
wtwdis	M	decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Ferry route
---------	-------------

Acronym: **feryrt** Code: 17013

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A route in a body of water where a ferry crosses from one shoreline to another. (Digital Geographic Information Working Group, Oct.87)

Attribute Bindings:

acronym	usage	constraints
catfry	M	value list = "4"
NOBJNM	O	
OBJNAM	O	
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
INFORM	O	
NINFOM	O	
NTXTDS	O	
PICREP	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Floating dock
---------	---------------

Acronym: **flodoc**

Code: 17025

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A form of dry dock consisting of a floating structure of one or more sections which can be partly submerged by controlled flooding to receive a vessel, then raised by pumping out the water so that the vessel's bottom can be exposed. (IHO Dictionary, S-32, 5th Edition, 1427)

Attribute Bindings:

acronym	usage	constraints
HORCLR	O	unit = "m" decimal digits = "2"
HORLEN	O	unit = "m" decimal digits = "2"
horcll	O	unit = "m" decimal digits = "2"
horclw	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Gate
---------	------

Acronym: **gatcon** Code: 17031

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A structure that may be swung, drawn, or lowered to block an entrance or passageway. (United States Geological Survey, Jan.89)

Attribute Bindings:

acronym	usage	constraints
CATGAT	M	value list = "4"
HORCLR	M	unit = "m" decimal digits = "2"
VERCLR	O	unit = "m" decimal digits = "2"
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Harbour area (administrative)
---------	-------------------------------

Acronym: **hrbare**

Code: 17014

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The term "harbour" applies only to the area of water with the works necessary for its formation, protections and maintenance (International Maritime Dictionary, 2d. Edition).
A harbour area not only covers the area of water but also the area of land which supplies the harbour installations.

Attribute Bindings:

acronym	usage	constraints
cathbr	O	value list = "1,2,3,4"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Harbour basin
---------	---------------

Acronym: **hrbbsn** Code: 17056

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: An enclosed area of water surrounded by quay walls constructed to provide means for the transfer of cargos from and to ships (International Maritime Dictionary, 2d. Edition).

Attribute Bindings:

acronym	usage	constraints
HORLEN	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Harbour facility
---------	------------------

Acronym: **hrbfac**

Code: 17015

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A harbour installation with a service or commercial operation of public interest.

Attribute Bindings:

acronym	usage	constraints
cathaf	M	value list = "4,6,9,12,13,16,17"
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Hulk
---------	------

Acronym: **hulkes** Code: 17020

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A permanently moored ship.

Attribute Bindings:

acronym	usage	constraints
cathlk	O	value list = "1,2,3,4,5,6"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Lock basin
---------	------------

Acronym: **lokbsn**

Code: 17016

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A lock basin is a wet dock in a waterway, permitting a ship to pass from one level to another. (adapted from IHO Dictionary, S-32, 5th Edition, 2881)

Attribute Bindings:

acronym	usage	constraints
horcll	M	unit = "m" decimal digits = "2"
horclw	M	unit = "m" decimal digits = "2"
HORLEN	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Lock basin part
---------	-----------------

Acronym: **lkbspt** Code: 17058

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A lock basin is divided into several lock basin parts, if this lock basin has one ground level but several gates.

Attribute Bindings:

acronym	usage	constraints
horcll	M	unit = "m" decimal digits = "2"
horclw	M	unit = "m" decimal digits = "2"
HORLEN	O	unit = "m" decimal digits = "2"
HORWID	O	unit = "m" decimal digits = "2"
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Maximum permitted ship dimensions
---------	-----------------------------------

Acronym: **lg_sdm**

Code: 18001

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Waterway or waterway section for which a juridical regulation with respect to the maximum permitted vessel dimensions exists.

Attribute Bindings:

acronym	usage	constraints
lg_rel	O	value list = "1,2,3,4"
lg_des	O	
lc_csi	O	value list = "1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32"
lc_cse	O	value list = "1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32"
lc_asi	O	value list = "1,2,3,5,6,7,8,9,10"
lc_ase	O	value list = "1,2,3,5,6,7,8,9,10"
lc_cci	O	value list = "1,2,4,5,6,7,8,9"
lc_cce	O	value list = "1,2,4,5,6,7,8,9"
lg_bme	O	unit = "m" decimal digits = "2"
lg_lgs	O	unit = "m" decimal digits = "2"
lg_drt	O	unit = "m" decimal digits = "2"
lg_wdp	O	decimal digits = "1"
lg_wdu	O	value list = "1,2,3"

acronym	usage	constraints
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."
lg_pbr	O	

Feature	Maximum permitted vessel speed
---------	--------------------------------

Acronym: **lg_vsp**

Code: 18002

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Waterway or waterway section for which a juridical regulation with respect to the maximum permitted vessel speed exists.

Attribute Bindings:

acronym	usage	constraints
lg_rel	O	value list = "1,2,3,4"
lg_des	O	
lc_csi	O	value list = "1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32"
lc_cse	O	value list = "1,2,3,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32"
lc_asl	O	value list = "1,2,3,5,6,7,8,9,10"
lc_ase	O	value list = "1,2,3,5,6,7,8,9,10"
lc_cci	O	value list = "1,2,4,5,6,7,8,9"
lc_cce	O	value list = "1,2,4,5,6,7,8,9"
lc_wd1	O	decimal digits = "1"
lc_wd2	O	decimal digits = "1"
lg_wdu	O	value list = "1,2,3"
lg_spd	O	unit = "km/h" decimal digits = "2"
lg_spr	O	value list = "1,2,3"

acronym	usage	constraints
lc_bm1	O	unit = "m" decimal digits = "2"
lc_bm2	O	unit = "m" decimal digits = "2"
lc_lg1	O	unit = "m" decimal digits = "2"
lc_lg2	O	unit = "m" decimal digits = "2"
lc_dr1	O	unit = "m" decimal digits = "2"
lc_dr2	O	unit = "m" decimal digits = "2"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."
lg_pbr	O	

Feature	Navigational system of marks
---------	------------------------------

Acronym: **m_nsys**

Code: 17018

Type: M

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: An area within which a specific system of navigational marks applies and/or a common direction of buoyage.

Attribute Bindings:

acronym	usage	constraints
marsys	M	value list = "1,2,9,10,11,12"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Notice mark
---------	-------------

Acronym: **notmrk** Code: 17050

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A signboard used to indicate prohibitions, regulations, restrictions, recommendations and general information which apply to a waterway or a section of a waterway

Attribute Bindings:

acronym	usage	constraints
addmrk	O	value list = "1,2,3,4,5"
catnmk	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,3"
dirimp	O	value list = "1,2,3,4"
disipd	O	unit = "m" decimal digits = "1"
disipu	O	unit = "m" decimal digits = "1"
disbk1	O	unit = "m" decimal digits = "1"
disbk2	O	unit = "m" decimal digits = "1"
fnctnm	M	value list = "1,2,3,4,5"
marsys	O	value list = "1,2,9,10,11,12" ORIENT
	C	unit = "deg" decimal digits = "2"
STATUS	O	value list = "2,3,4,8,9,12,14,16,17"
INFORM	O	
NINFOM	O	
SCAMIN	M	min = "1"

acronym	usage	constraints
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pipeline, overhead
---------	--------------------

Acronym: **pipohd** Code: 17024

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A pipeline is a string of interconnected pipes used for the transport of matter, nowadays mainly oil or gas. (IHO Dictionary, S-32, 5th Edition, 3857). An overhead pipeline is a pipeline supported by pylons and passing over or nearby navigable waters.

Attribute Bindings:

acronym	usage	constraints
CATPIP	M	value list = "2,3,4,6"
PRODCT	M	value list = "1,2,3,4,5,6,7,8,14,15,17,21,22"
VERCLR	M	unit = "m" decimal digits = "2"
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
wtwdis	O	decimal digits = "1"
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Pontoon
---------	---------

Acronym: **ponton**

Code: 17021

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A floating structure, usually rectangular in shape which serves as landing, pier head or bridge support. (IHO Dictionary, S-32, 5th Edition, 3947)

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	port area
---------	-----------

Acronym: **prtare** Code: 17059

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Apart from harbours a port includes a city or borough with accommodation and facilities for landing passengers and goods and some amount of overseas trade. A port may possess a harbour but a harbour is not necessarily a port (International Maritime Dictionary, 2d. Edition).

Attribute Bindings:

acronym	usage	constraints
OBJNAM	O	
unlocd	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Radio calling-in point
---------	------------------------

Acronym: **rdocal**

Code: 17017

Type: G

Primitive: P,L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Also called radio reporting points, they have been established in certain busy waterways and port approaches to assist traffic control. On passing these points or crossing a defined line vessels are required to report on VHF to a Traffic Control Centre. (adapted from IHO Chart Specifications, M-4)

Attribute Bindings:

acronym	usage	constraints
catcom	O	value list = "1,2,3,4,5,6,7,8"
COMCHA	M	format = "xxxx;xxxx;...."
OBJNAM	O	
ORIENT	M	unit = "deg" decimal digits = "2"
TRAFIC	M	value list = "1,2,3,4"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	refuse dump
---------	-------------

Acronym: **refdmp**

Code: 17062

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: At a refuse dump ships are able to unload their refuse like waste oil or black water.

Attribute Bindings:

acronym	usage	constraints
catrfd	O	value list = "1,2,3,4"
OBJNAM	O	
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Restricted area
---------	-----------------

Acronym: **resare**

Code: 17005

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A specified area designated by an appropriate authority within which navigation is restricted in accordance with certain specified conditions. (adapted from IHO Dictionary, S-32, 5th Edition, 4366)

Attribute Bindings:

acronym	usage	constraints
CATREA	O	value list = "4,5,9,12,19,22,23,25,26"
restrn	M	value list = "1,2,7,8,13,14,27,28,29,30,31,32,33,34,35,36"
NOBJNM	O	
OBJNAM	O	
NINFOM	O	
INFORM	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Shoreline Construction
---------	------------------------

Acronym: **slcons** Code: 17032

Type: G

Primitive: L,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A fixed (not afloat) artificial structure between the water and the land, i.e. a man-made coastline.

Attribute Bindings:

acronym	usage	constraints
CATSLC	M	value list = "1,2,4,5,6,7,8,9,10,11,12,13,14,15,16"
NATCON	O	value list = "1,2,3,4,5,6,7,8,9"
OBJNAM	C	
watlev	C	value list = "1,2,3,8,9"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Signal station, traffic
---------	-------------------------

Acronym: **sistat**

Code: 17007

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A signal station is a place on shore from which signals are made to ships at sea. (IHO Dictionary, S-32, 5th Edition, 4742). Traffic signal stations regulate the movement of traffic. (IHO Chart Specifications, M-4)

Attribute Bindings:

acronym	usage	constraints
catsit	M	value list = "2,6,8,10"
dirimp	O	value list = "1,2,3,4"
NOBJNM	O	
OBJNAM	C	
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Signal station, warning
---------	-------------------------

Acronym: **sistaw** Code: 17008

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A signal station is a place on shore from which signals are made to ships at sea. (IHO Dictionary, S-32, 5th Edition, 4742)

Attribute Bindings:

acronym	usage	constraints
catsiw	M	value list = "15,16,18"
INFORM	O	
SCAMIN	M	min = "1"
TXTDSC	C	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Sounding datum
---------	----------------

Acronym:	m_sdat	Code: 17022
Type:	M	
Primitive:	A	

Data Dictionary (DD) Reference:

DD Name: IENC	Date accepted: 2001-05-31
Definition:	An area of uniform sounding datum.

Attribute Bindings:

acronym	usage	constraints
verdat	M	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	terminal
---------	----------

Acronym: **termnl** Code: 17064

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A terminal covers that area on shore which provides buildings and constructions for the trans-fer of cargos from and to ships.

Attribute Bindings:

acronym	usage	constraints
cathaf	M	value list = "1,3,7,8,10,11"
OBJNAM	O	
trshgd	O	value list = "1,2,3,4,5,6,7,8,9,10"
unlocd	C	
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Time Schedule - in general
---------	----------------------------

Acronym: **tisdge**

Code: 17068

Type: O

Primitive: N

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A schedule listing events and the times at which they will take place
(www.wordiq.com/dictionary).

Attribute Bindings:

acronym	usage	constraints
aptref	O	
cattab	M	value list = "1,2"
dirimp	O	value list = "1,2,3,4"
schref	M	
shptyp	M	value list = "1,2,3,4,5,6,7,8,9,10,11,12,13,14,15"
useshp	M	value list = "1,2,3"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	turning basin
---------	---------------

Acronym: **trnbsn** Code: 17065

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: An area of water or enlargement of a channel used for turning vessels (International Maritime Dictionary, 2d Edition).

Attribute Bindings:

acronym	usage	constraints
HORCLR	O	unit = "m" decimal digits = "2"
OBJNAM	O	
unlocd	C	
INFORM	O	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Underwater rock / awash rock
---------	------------------------------

Acronym: **uwtroc**

Code: 17033

Type: G

Primitive: P

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: A concreted mass of stony material or coral which dries, is awash or is below the water surface.

Attribute Bindings:

acronym	usage	constraints
VALSOU	M	unit = "m" decimal digits = "2"
watlev	M	value list = "1,2,3,8,9"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Vehicle transfer
---------	------------------

Acronym: **vehtrf** Code: 17069

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A place where vehicles can be loaded or unloaded from the inland vessel with onboard or on-shore facilities.

Attribute Bindings:

acronym	usage	constraints
catvtr	M	value list = "1,2,3,4,5,6"
HEIGHT	M	unit = "m" decimal digits = "2"
unlocd	C	
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,ccccc,c..."

Feature	Vertical datum
---------	----------------

Acronym: **m_vdat**

Code: 17023

Type: M

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: An area of uniform vertical datum.

Attribute Bindings:

acronym	usage	constraints
verdat	M	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
INFORM	O	
NINFOM	O	
NTXTDS	O	
TXTDSC	O	
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Waterway area
---------	---------------

Acronym: **wtware** Code: 17066

Type: G

Primitive: A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: An area in which uniform general information of the waterway exists.

Attribute Bindings:

acronym	usage	constraints
catccl	M	value list = "1,2,3,4,5,6,7,8,9,10,11"
dirimp	M	value list = "1,2,3,4"
unlocd	C	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	waterway axis
---------	---------------

Acronym: **wtwaxs**

Code: 17051

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The waterway axis can be defined by e.g.: - the middle line of a fairway, (Definition of fairway: That part of a river, harbour; etc. where the main navigable channel for vessels of larger size lies. It is also the usual course followed by vessels entering or leaving harbours, called 'ship channel'. (International Maritime Dictionary, 2nd Ed.). - the middle line of a water way (Definition of waterway: The waterway covers the entire area of a river or canal).

Attribute Bindings:

acronym	usage	constraints
catccl	O	value list = "1,2,3,4,5,6,7,8,9,10,11"
NOBJNM	O	
OBJNAM	M	
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	Waterway gauge
---------	----------------

Acronym: **wtwgag** Code: 17067

Type: G

Primitive: P,A

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A waterway gauge is an instrument for measuring water levels

Attribute Bindings:

acronym	usage	constraint ;
catgag	O	value list = "1,2,3,4,5"
disipd	O	unit = "m" decimal digits = "1"
disipu	O	unit = "m" decimal digits = "1"
ELEVAT	O	unit = "m" decimal digits = "2"
higwat	O	unit = "m" decimal digits = "2"
hignam	O	
lowwat	O	unit = "m" decimal digits = "2"
lownam	O	
meawat	O	unit = "m" decimal digits = "2"
meanam	O	
NOBJNM	O	
OBJNAM	C	
othwat	O	unit = "m" decimal digits = "2"
othnam	O	
reflev	O	value list = "1,2,3,4,5,6,7,8,9"

acronym	usage	constraints
sdrlev	O	
unlocd	C	
vcrlev	O	
verdat	O	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
wtwdis	O	decimal digits = "1"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Feature	waterway profile
---------	------------------

Acronym: **wtwprf** Code: 17052

Type: G

Primitive: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: A waterway profile is a physically non-existent line which is normally the connection of two op-posite distance marks. Waterway profiles can be used to define a special water level.

Attribute Bindings:

acronym	usage	constraints
wtwdis	M	decimal digits = "1"
HEIGHT	C	unit = "m" decimal digits = "2"
reflev	C	value list = "1,2,3,4,5,6,7,8,9"
verdat	C	value list = "12,31,32,33,34,35,36,37,38,39,40,41"
SCAMIN	M	min = "1"
SORDAT	C	format = "ccyymmdd"
SORIND	C	format = "cc,cc,cccc,c..."

Attribute	Beacon shape
-----------	--------------

Acronym: **BCNSHP** Code: 2

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: BCNSHP_1 Date accepted: 2000-11-01

Name: stake, pole, perch, post

Definition: an elongated wood or metal pole, embedded in the bottom to serve as a navigational aid or a support for a navigational aid. (adapted from IHO Dictionary S-32, 5th Edition, 4960)

5 DD Name: S100 Code: BCNSHP_5 Date accepted: 2000-11-01

Name: pile beacon

Definition: a long heavy timber(s) or section(s) of steel, wood, concrete, etc., forced into the seabed to serve as an aid to navigation or as a support for an aid to navigation. (Adapted from IHO Dictionary, S-32, 5th Edition, 3840 and Navigation Dictionary, US National Oceanic and Atmospheric Administration - NOAA, 1969)

Attribute	Buoy shape
-----------	------------

Acronym: **BOYSHP** Code: 4

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: BOYSHP_1 Date accepted: 2000-11-01
Name: conical (nun, ogival)
Definition: the upper part of the body above the water-line, or the greater part of the superstructure, has approximately the shape or the appearance of a pointed cone with the point upwards.

2 DD Name: S100 Code: BOYSHP_2 Date accepted: 2000-11-01
Name: can (cylindrical)
Definition: the upper part of the body above the water-line, or the greater part of the superstructure, has the shape of a cylinder, or a truncated cone that approximates to a cylinder, with a flat end uppermost.

3 DD Name: S100 Code: BOYSHP_3 Date accepted: 2000-11-01
Name: spherical
Definition: the upper part of the body above the water-line, or the greater part of the superstructure, has the shape of a part of a sphere.

4 DD Name: S100 Code: BOYSHP_4 Date accepted: 2000-11-01
Name: pillar

Value Data Dictionary (DD) Reference

Definition: the upper part of the body above the water-line, or the greater part of the superstructure is a narrow vertical structure, pillar or lattice tower.

5 DD Name: S100 Code: BOYSHP_5 Date accepted: 2000-11-01

Name: spar (spindle)

Definition: the upper part of the body above the water-line, or the greater part of the superstructure, has the form of a pole, or of a very long cylinder, floating upright.

6 DD Name: S100 Code: BOYSHP_6 Date accepted: 2000-11-01

Name: barrel (tun)

Definition: the upper part of the body above the water-line, or the greater part of the superstructure, has the form of a barrel or cylinder floating horizontally.

8 DD Name: S100 Code: BOYSHP_8 Date accepted: 2000-11-01

Name: ice buoy

Definition: a specially constructed shuttle shaped buoy which is used in ice conditions.

Attribute	Buried depth
-----------	--------------

Acronym: **BURDEP**

Code: 5

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The depth below the sea bed to which an object is buried.

Attribute	Category of airport/airfield
-----------	------------------------------

Acronym: **CATAIR** Code: 7

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATAIR_1 Date accepted: 2000-11-01

Name: military aeroplane airport

Definition: a large military airfield usually equipped with a control tower, hangars and accommodation for the receiving and discharging of passengers or cargo. (adapted from The Macquarie Dictionary, 1988)

2 DD Name: S100 Code: CATAIR_2 Date accepted: 2000-11-01

Name: civil aeroplane airport

Definition: a large airfield usually equipped with a control tower, hangars and accommodation for the receiving and discharging of passengers or cargo. (The Macquarie Dictionary, 1988)

6 DD Name: S100 Code: CATAIR_6 Date accepted: 2000-11-01

Name: small planes airfield

Definition: an area of land set aside for the take-off and landing of small aeroplanes.

Attribute	Category of bridge
-----------	--------------------

Acronym: **CATBRG**

Code: 9

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATBRG_1 Date accepted: 2000-11-01

Name: fixed bridge

Definition: a bridge having permanent horizontal and vertical alignment. (McGraw-Hill Dictionary of Scientific and Technical Terms, 3rd Edition, 1984)

3 DD Name: S100 Code: CATBRG_3 Date accepted: 2000-11-01

Name: swing bridge

Definition: a movable bridge (or span thereof) which rotates in a horizontal plane about a vertical pivot to allow the passage of vessels. (adapted from McGraw-Hill Encyclopaedia of Science and Technology, 7th Edition, 1992)

4 DD Name: S100 Code: CATBRG_4 Date accepted: 2000-11-01

Name: lifting bridge

Definition: a movable bridge (or span thereof) which is capable of being lifted vertically to allow vessels to pass beneath. (adapted from IHO Dictionary, S-32, 5th Edition, 547)

5 DD Name: S100 Code: CATBRG_5 Date accepted: 2000-11-01

Name: bascule bridge

Definition: a counterpoise bridge rotated in a vertical plane about an axis at one or both ends. Also called a balance. (IHO Dictionary, S-32, 5th Edition, 545)

Value Data Dictionary (DD) Reference

12 DD Name: S100 Code: CATBRG_12 Date accepted: 2000-11-01

Name: suspension bridge

Definition: a fixed bridge consisting of either a roadway or a truss suspended from two or more cables which pass over towers and are anchored by backstays to a firm foundation. (McGraw-Hill Encyclopaedia of Science and Technology, 7th Edition, 1992)

Attribute	Category of built-up area
-----------	---------------------------

Acronym: **CATBUA**

Code: 10

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATBUA_1 Date accepted: 2000-11-01

Name: urban area

Definition: an area predominantly occupied by man-made structures used for residential, commercial, and industrial purposes. (Nautical Chart Manual, US Department of Commerce, 1992)

2 DD Name: S100 Code: CATBUA_2 Date accepted: 2000-11-01

Name: settlement

Definition: a small collection of dwellings in a remote area.

3 DD Name: S100 Code: CATBUA_3 Date accepted: 2000-11-01

Name: village

Definition: a collection of houses in a rural district, usually smaller than a town.

4 DD Name: S100 Code: CATBUA_4 Date accepted: 2000-11-01

Name: town

Definition: any considerable collection of dwellings and other buildings larger than a village, but not incorporated as a city.

5 DD Name: S100 Code: CATBUA_5 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: city

Definition: a major town inhabited by a large permanent community with all essential services.

Attribute	Category of cable
-----------	-------------------

Acronym: **CATCBL**

Code: 11

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATCBL_1 Date accepted: 2000-11-01

Name: power line

Definition: a cable used for the supply of electricity.

3 DD Name: S100 Code: CATCBL_3 Date accepted: 2000-11-01

Name: transmission line

Definition: multiple un-insulated cables usually supported by steel lattice towers. Such features are generally more prominent than normal power lines.

4 DD Name: S100 Code: CATCBL_4 Date accepted: 2000-11-01

Name: telephone

Definition: a cable used for the transmission of telephone signals.

5 DD Name: S100 Code: CATCBL_5 Date accepted: 2000-11-01

Name: telegraph

Definition: a cable used for the transmission of telegraph signals.

6 DD Name: S100 Code: CATCBL_6 Date accepted: 2000-11-01

Name: mooring cable/chain

Value Data Dictionary (DD) Reference

Definition: a cable or chain used to secure a mooring buoy or other floating structure.

Attribute	Category of cardinal mark
-----------	---------------------------

Acronym: **CATCAM**

Code: 13

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATCAM_1 Date accepted: 2000-11-01

Name: north cardinal mark

Definition: Quadrant bounded by the true bearing NW-NE taken from the point of interest it should be passed to the north side of the mark.

2 DD Name: S100 Code: CATCAM_2 Date accepted: 2000-11-01

Name: east cardinal mark

Definition: Quadrant bounded by the true bearing NE-SE taken from the point of interest it should be passed to the east side of the mark.

3 DD Name: S100 Code: CATCAM_3 Date accepted: 2000-11-01

Name: south cardinal mark

Definition: Quadrant bounded by the true bearing SE-SW taken from the point of interest it should be passed to the south side of the mark.

4 DD Name: S100 Code: CATCAM_4 Date accepted: 2000-11-01

Name: west cardinal mark

Definition: Quadrant bounded by the true bearing SW-NW taken from the point of interest it should be passed to the west side of the mark.

Attribute	Category of conveyor
-----------	----------------------

Acronym: **CATCON** Code: 17

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: CATCON_2 Date accepted: 2000-11-01

Name: belt conveyor

Definition: a conveyor along which material or people are transported by means of a moving belt.

Attribute	Category of coverage
-----------	----------------------

Acronym: **CATCOV** Code: 18

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATCOV_1 Date accepted: 2000-11-01

Name: coverage available

Definition: continuous coverage of spatial objects is available within this area.

2 DD Name: S100 Code: CATCOV_2 Date accepted: 2000-11-01

Name: no coverage available

Definition: an area containing no spatial objects.

Attribute	Category of crane
-----------	-------------------

Acronym: **CATCRN**

Code: 19

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: CATCRN_2 Date accepted: 2000-11-01

Name: container crane/gantry

Definition: a high speed, shore-based crane used in the lift-on/lift-off operation of specially constructed containers. (adapted from Nautical Chart Manual, US Department of Commerce, Coast and Geodetic Survey, 7th Edition)

Attribute	Category of dam
-----------	-----------------

Acronym: **CATDAM** Code: 20

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATDAM_1 Date accepted: 2000-11-01

Name: weir

Definition: a dam erected across a river to raise the level of the water. A fence of stakes set in a river or along the shore as a trap for fish.

2 DD Name: S100 Code: CATDAM_2 Date accepted: 2000-11-01

Name: dam

Definition: a barrier to check or confine anything in motion; particularly one constructed to hold back water and raise its level to form a reservoir, or to prevent flooding. (IHO Dictionary, S-32, 5th Edition, 1196)

Attribute	Category of distance mark
-----------	---------------------------

Acronym: **CATDIS**

Code: 21

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATDIS_1 Date accepted: 2000-11-01

Name: distance mark not physically installed

Definition: a point at which a distance from an origin along a feature is given for information, but at which no specific marker exists.

2 DD Name: S100 Code: CATDIS_2 Date accepted: 2000-11-01

Name: visible mark, pole

Definition: a point at which a distance from an origin along a feature is given for information and which is marked by a pole.

3 DD Name: S100 Code: CATDIS_3 Date accepted: 2000-11-01

Name: visible mark, board

Definition: a point at which a distance from an origin along a feature is given for information and which is marked by a board.

4 DD Name: S100 Code: CATDIS_4 Date accepted: 2000-11-01

Name: visible mark, unknown shape

Definition: a point at which a distance from an origin along a feature is given for information and which is physically marked, but the shape of the mark is not known or not given.

Attribute	Category of fence/wall
-----------	------------------------

Acronym: **CATFNC**

Code: 24

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATFNC_1 Date accepted: 2000-11-01

Name: fence

Definition: a man made barrier used as an enclosure or boundary or for protection. (Digital Geographic Information Working Group -DGIWG, Oct. 1987)

4 DD Name: S100 Code: CATFNC_4 Date accepted: 2000-11-01

Name: wall

Definition: a fence constructed from masonry or stone.

Attribute	Category of fog signal
-----------	------------------------

Acronym: **CATFOG**

Code: 27

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATFOG_1 Date accepted: 2000-11-01

Name: explosive

Definition: a signal produced by the firing of explosive charges. (Admiralty List of Lights and Fog Signals)

2 DD Name: S100 Code: CATFOG_2 Date accepted: 2000-11-01

Name: diaphone

Definition: a diaphone uses compressed air and generally emits a powerful low-pitched sound, which often concludes with a brief sound of suddenly lowered pitch, termed the 'grunt'. (Admiralty List of Lights and Fog Signals)

3 DD Name: S100 Code: CATFOG_3 Date accepted: 2000-11-01

Name: siren

Definition: a siren uses compressed air and exists in a variety of types which differ considerably in their sound and power. (Admiralty List of Lights and Fog Signals)

4 DD Name: S100 Code: CATFOG_4 Date accepted: 2000-11-01

Name: nautoophone

Definition: a horn having a diaphragm oscillated by electricity (IHO Dictionary, S-32, 5th Edition, 3371).

Value	Data Dictionary (DD) Reference		
5	DD Name: S100 Name: reed Definition: a reed uses compressed air and emits a weak, high pitched sound. (Admiralty List of Lights and Fog Signals)	Code: CATFOG_5	Date accepted: 2000-11-01
6	DD Name: S100 Name: tyfon Definition: a diaphragm horn which operates under the influence of compressed air or steam (IHO Dictionary, S-32, 5th Edition, 5717).	Code: CATFOG_6	Date accepted: 2000-11-01
7	DD Name: S100 Name: bell Definition: a ringing sound with a short range. The apparatus may be operated automatically, by hand or by wave action. (IHO Chart Specifications, M-4, 452.5)	Code: CATFOG_7	Date accepted: 2000-11-01
8	DD Name: S100 Name: whistle Definition: a distinctive sound made by a jet of air passing through an orifice. The apparatus may be operated automatically, by hand or by air being forced up a tube by waves acting on a buoy. (IHO Chart Specifications, M-4, 452.6)	Code: CATFOG_8	Date accepted: 2000-11-01
9	DD Name: S100 Name: gong Definition: a sound produced by vibration of a disc when struck. The apparatus may be operated automatically, by hand or by wave action. (IHO Chart Specifications, M-4, 452.7)	Code: CATFOG_9	Date accepted: 2000-11-01
10	DD Name: S100 Name: horn Definition: a horn uses compressed air or electricity to vibrate a diaphragm and exists in a variety of types which differ greatly in their sound and power. (Admiralty List of Lights and Fog Signals)	Code: CATFOG_10	Date accepted: 2000-11-01

Attribute	Category of ferry
-----------	-------------------

Acronym: **CATFRY** Code: 25

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATFRY_1 Date accepted: 2000-11-01

Name: 'free-moving' ferry

Definition: a ferry which may have routes that vary with weather, tide and traffic. (adapted from M-4)

2 DD Name: S100 Code: CATFRY_2 Date accepted: 2000-11-01

Name: cable ferry

Definition: a ferry that follows a fixed route guided by a cable. (adapted from IHO Specifications, M-4)

Attribute	Category of gate
-----------	------------------

Acronym: **CATGAT** Code: 29

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

4 DD Name: S100 Code: CATGAT_4 Date accepted: 2000-11-01

Name: lock gate

Definition: lock gates are the massive hinged doors at each end of a lock. (adapted from IHO Dictionary, S-32, 5th Edition, 2882)

Attribute	Category of harbour facility
-----------	------------------------------

Acronym: **CATHAF** Code: 30

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

5 DD Name: S100 Code: CATHAF_5 Date accepted: 2000-11-01

Name: yacht harbour/marina

Definition: a harbour with facilities for small boats and yachts (IHO Dictionary, S-32, 5th Edition, 3095).

Attribute	Category of hulk
-----------	------------------

Acronym: **CATHLK**

Code: 31

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATHLK_1 Date accepted: 2000-11-01

Name: floating restaurant

Definition: a permanently moored floating structure, such as an old ship, used as a restaurant.

2 DD Name: S100 Code: CATHLK_2 Date accepted: 2000-11-01

Name: historic ship

Definition: a ship of historical interest permanently moored as a tourist attraction.

3 DD Name: S100 Code: CATHLK_3 Date accepted: 2000-11-01

Name: museum

Definition: a permanently moored floating structure, such as an old ship, used as a museum.

4 DD Name: S100 Code: CATHLK_4 Date accepted: 2000-11-01

Name: accommodation

Definition: a permanently moored floating structure, such as an old ship, used for accommodation.

5 DD Name: S100 Code: CATHLK_5 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: floating breakwater

Definition: a permanently moored floating structure, often constructed from old ships, used as a breakwater.

Attribute	Category of lateral mark
-----------	--------------------------

Acronym: **CATLAM**

Code: 36

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATLAM_1 Date accepted: 2000-11-01

Name: port-hand lateral mark

Definition: indicates the port boundary of a navigational channel or suggested route when proceeding in the 'conventional direction of buoyage'.

2 DD Name: S100 Code: CATLAM_2 Date accepted: 2000-11-01

Name: starboard-hand lateral mark

Definition: indicates the starboard boundary of a navigational channel or suggested route when proceeding in the 'conventional direction of buoyage'.

3 DD Name: S100 Code: CATLAM_3 Date accepted: 2000-11-01

Name: preferred channel to starboard lateral mark

Definition: at a point where a channel divides, when proceeding in the 'conventional direction of buoyage', the preferred channel (or primary route) is indicated by a modified port-hand lateral mark.

4 DD Name: S100 Code: CATLAM_4 Date accepted: 2000-11-01

Name: preferred channel to port lateral mark

Value Data Dictionary (DD) Reference

Definition: at a point where a channel divides, when proceeding in the 'conventional direction of buoyage', the preferred channel (or primary route) is indicated by a modified starboard-hand lateral mark.

Attribute	Category of landmark
-----------	----------------------

Acronym: **CATLMK**

Code: 35

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATLMK_1 Date accepted: 2000-11-01

Name: cairn

Definition: a mound of stones, usually conical or pyramidal, raised as a landmark or to designate a point of importance in surveying. (IHO Dictionary, S-32, 5th Edition, 601)

2 DD Name: S100 Code: CATLMK_2 Date accepted: 2000-11-01

Name: cemetery

Definition: an area of land for burying the dead.

3 DD Name: S100 Code: CATLMK_3 Date accepted: 2000-11-01

Name: chimney

Definition: a vertical structure containing a passage or flue for discharging smoke and gases. (Digital Geographic Information Standard - DIGEST)

4 DD Name: S100 Code: CATLMK_4 Date accepted: 2000-11-01

Name: dish aerial

Definition: a parabolic aerial for the receipt and transmission of high frequency radio signals. (IHO Dictionary, S-32, 5th Edition, 1400)

5 DD Name: S100 Code: CATLMK_5 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	flagstaff (flagpole)	
	Definition:	a staff or pole on which flags are raised. (Digital Geographic Information Standard - DIGEST 1.28)	
6	DD Name: S100	Code: CATLMK_6	Date accepted: 2000-11-01
	Name:	flare stack	
	Definition:	a tall structure used for burning-off waste oil or gas. (IHO Dictionary, S-32, 5th Edition, 1836). Normally showing a flame and located at refineries (IHO Chart specifications, M-4).	
7	DD Name: S100	Code: CATLMK_7	Date accepted: 2000-11-01
	Name:	mast	
	Definition:	a straight vertical piece of timber or a hollow cylinder. (adapted from Digital Geographic Information Standard - DIGEST)	
8	DD Name: S100	Code: CATLMK_8	Date accepted: 2000-11-01
	Name:	wind sock	
	Definition:	a tapered fabric sleeve mounted so as to catch and swing with the wind, thus indicating the wind direction. (Navigation dictionary, US National Oceanic and Atmospheric Administration - NOAA, 1969)	
9	DD Name: S100	Code: CATLMK_9	Date accepted: 2000-11-01
	Name:	monument	
	Definition:	a structure erected or maintained as a memorial to a person or event. (Digital Geographic Information Standard - DIGEST)	
10	DD Name: S100	Code: CATLMK_10	Date accepted: 2000-11-01
	Name:	column (pillar)	
	Definition:	a cylindrical or slightly tapering body of considerably greater length than diameter erected vertically. (Oxford English Dictionary)	
11	DD Name: S100	Code: CATLMK_11	Date accepted: 2000-11-01
	Name:	memorial plaque	
	Definition:	a slab of metal, usually ornamented, erected as a memorial to a person or event.	

Value Data Dictionary (DD) Reference

12 DD Name: S100 Code: CATLMK_12 Date accepted: 2000-11-01

Name: obelisk

Definition: a tapering shaft usually of stone or concrete, square or rectangular in section, with a pyramidal apex. (Adapted from Oxford English Dictionary)

13 DD Name: S100 Code: CATLMK_13 Date accepted: 2000-11-01

Name: statue

Definition: a representation of a human, animal or fantasy figure in marble, bronze, etc.

14 DD Name: S100 Code: CATLMK_14 Date accepted: 2000-11-01

Name: cross

Definition: a monument, or other structure in form of a cross. (Funk and Wagnalls Dictionary)

15 DD Name: S100 Code: CATLMK_15 Date accepted: 2000-11-01

Name: dome

Definition: a landmark comprising a hemispherical or spheroidal shaped structure (adapted from the Macquarie Dictionary).

16 DD Name: S100 Code: CATLMK_16 Date accepted: 2000-11-01

Name: radar scanner

Definition: a device used for directing a radar beam through a search pattern (adapted from Navigation Dictionary, US National Oceanic and Atmospheric Administration - NOAA, 1969)

17 DD Name: S100 Code: CATLMK_17 Date accepted: 2000-11-01

Name: tower

Definition: a relatively tall structure which may be used for observation, support, storage or communication etc. (Digital Geographic Information Working Group -DGIWG, Oct. 1987)

18 DD Name: S100 Code: CATLMK_18 Date accepted: 2000-11-01

Name: windmill

Definition: a wind driven system of vanes attached to a tower like structure (excluding wind-generated power plants). (Digital Geographic Information Standard - DIGEST)

19 DD Name: S100 Code: CATLMK_19 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: windmotor

Definition: a modern structure for the use of windpower. (IHO Chart Specifications, M-4)

20 DD Name: S100 Code: CATLMK_20 Date accepted: 2000-11-01

Name: spire/minaret

Definition: a tall conical or pyramid-shaped structure often built on the roof or tower of a building, especially a church or mosque. (adapted from The New Shorter Oxford English Dictionary, 1993)

21 DD Name: S100 Code: CATLMK_21 Date accepted: 2000-11-01

Name: large rock or boulder on land

Definition: an isolated rocky formation or a single large stone (IHO Dictionary, S-32, 5th Edition).

22 DD Name: S100 Code: CATLMK_22 Date accepted: 2000-11-01

Name: large rock or boulder on land

Definition: an isolated rocky formation or a single large stone (IHO Dictionary, S-32, 5th Edition).

Attribute	Category of mooring/warping facility
-----------	--------------------------------------

Acronym: **CATMOR**

Code: 40

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATMOR_1 Date accepted: 2000-11-01

Name: dolphin

Definition: a post or group of posts, which may support a deck, used for mooring or warping a vessel. (IHO Dictionary, S-32, 5th Edition, 1433)

5 DD Name: S100 Code: CATMOR_5 Date accepted: 2000-11-01

Name: post or pile

Definition: a long heavy timber or section of steel, wood, concrete, etc., forced into the seabed to serve as a mooring facility. (IHO Dictionary, S-32, 5th Edition, 3840)

7 DD Name: S100 Code: CATMOR_7 Date accepted: 2000-11-01

Name: mooring buoy

Definition: a buoy secured to the bottom by permanent moorings with means for mooring a vessel by use of its anchor chain or mooring lines. (IHO Dictionary, S-32, 5th Edition, 575)

Attribute	Category of navigation line
-----------	-----------------------------

Acronym: **CATNAV** Code: 41

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATNAV_1 Date accepted: 2000-11-01

Name: clearing line

Definition: a straight line that marks the boundary between a safe and a dangerous area or that passes clear of a navigational danger. (adapted from IHO Dictionary, S-32, 5th Edition, 826)

2 DD Name: S100 Code: CATNAV_2 Date accepted: 2000-11-01

Name: transit line

Definition: a line passing through one or more fixed marks.

3 DD Name: S100 Code: CATNAV_3 Date accepted: 2000-11-01

Name: leading line bearing a recommended track

Definition: a line passing through one or more clearly defined objects, along the path of which a vessel can approach safely up to a certain distance off. (Adapted from IHO Dictionary, S-32, 5th Edition, 2696)

Attribute	Category of obstruction
-----------	-------------------------

Acronym: **CATOBS**

Code: 42

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATOBS_1 Date accepted: 2000-11-01

Name: snag/stump

Definition: a tree, branch or broken pile embedded in the ocean floor, river or lake bottom and not visible on the surface, forming thereby a hazard to vessels. (IHO Dictionary, S-32, 5th Edition, 4794)

2 DD Name: S100 Code: CATOBS_2 Date accepted: 2000-11-01

Name: wellhead

Definition: a submarine structure projecting some distance above the seabed and capping a temporarily abandoned or suspended oil or gas well. (IHO Dictionary, S-32, 5th Edition, 5976)

3 DD Name: S100 Code: CATOBS_3 Date accepted: 2000-11-01

Name: diffuser

Definition: a structure on an outfall through which liquids are discharged. The structure will usually project above the level of the outfall and can be an obstruction to navigation.

4 DD Name: S100 Code: CATOBS_4 Date accepted: 2000-11-01

Name: crib

Definition: a permanent structure set in the water, framed with wooden beams and filled with rocks or boulders. They are used to anchor log booms or support other constructions,

Value Data Dictionary (DD) Reference

e.g. submerged outfalls, diffusers etc.. They may always be dry, submerged or cover and uncover.

5 DD Name: S100 Code: CATOBS_5 Date accepted: 2000-11-01

Name: fish haven

Definition: areas established by private interests, usually sport fishermen, to simulate natural reefs and wrecks that attract fish. The reefs are constructed by dumping assorted junk in areas which may be of very small extent or may stretch a considerable distance along a depth contour. Also called fishery reefs.

6 DD Name: S100 Code: CATOBS_6 Date accepted: 2000-11-01

Name: foul area

Definition: an area of numerous unidentified dangers to navigation. The area serves as a warning to the mariner that all dangers are not identified individually and that navigation through the area may be hazardous. Commonly used to encode areas behind danger lines on navigation charts. (adapted from IHO Dictionary, S-32, 5th Edition, 1915)

7 DD Name: S100 Code: CATOBS_7 Date accepted: 2000-11-01

Name: foul ground

Definition: areas over which it is safe to navigate but which should be avoided for anchoring, taking the ground or ground fishing. (IHO Chart Specifications, M-4, 442.8)

8 DD Name: S100 Code: CATOBS_8 Date accepted: 2000-11-01

Name: ice boom

Definition: floating barriers, anchored to the bottom, used to deflect the path of floating ice in order to prevent the obstruction of locks, intakes, etc., and to prevent damage to bridge piers and other structures. (Canadian Hydrographic Service, Chart specifications).

9 DD Name: S100 Code: CATOBS_9 Date accepted: 2000-11-01

Name: ground tackle

Definition: equipment such as anchors, concrete blocks, chains and cables, etc., used to position floating structures such as trot and mooring buoys etc.

10 DD Name: S100 Code: CATOBS_10 Date accepted: 2000-11-01

Name: boom

Definition: a floating barrier used to protect a river or harbour mouth or to create a sheltered area for storage purposes. (IHO Dictionary, S-32, 5th Edition, 505).

Attribute	Category of oil barrier
-----------	-------------------------

Acronym: **CATOLB**

Code: 44

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATOLB_1 Date accepted: 2000-11-01

Name: oil retention (high pressure pipe)

Definition: a pipe with holes from which air blows. When the air bubbles reach the surface they form a barrier which prevents the spread of oil. (Kort- og Matrikelstyrelsen, Denmark)

2 DD Name: S100 Code: CATOLB_2 Date accepted: 2000-11-01

Name: floating oil barrier

Definition: a floating tube shaped structure, with a curtain (2 metre) hanging under it, below the surface, which prevents the spread of oil. (Kort- og Matrikelstyrelsen, Denmark)

Attribute	Category of pipeline/pipe
-----------	---------------------------

Acronym: **CATPIP**

Code: 47

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: CATPIP_2 Date accepted: 2000-11-01

Name: outfall pipe

Definition: a pipe (generally a sewer or drainage pipe) discharging in to the sea or a river.

3 DD Name: S100 Code: CATPIP_3 Date accepted: 2000-11-01

Name: intake pipe

Definition: a pipe taking water from a river or other body of water, to drive a mill or supply a canal, waterworks, etc. (IHO Dictionary, S-32, 5th Edition, 2468)

4 DD Name: S100 Code: CATPIP_4 Date accepted: 2000-11-01

Name: sewer

Definition: a pipe in a sewage system for carrying water or sewage to a disposal area.

6 DD Name: S100 Code: CATPIP_6 Date accepted: 2000-11-01

Name: supply pipe

Definition: a pipe used for supplying of gas or liquid product.

Attribute	Category of pylon
-----------	-------------------

Acronym: **CATPYL** Code: 49

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATPYL_1 Date accepted: 2000-11-01

Name: power transmission pylon/pole

Definition: a vertical construction consisting, for example, of a steel framework or of pre-stressed concrete, to support a power transmission cable or line. (adapted from Digital Geographic Information Standard - DIGEST FACC 1.2)

2 DD Name: S100 Code: CATPYL_2 Date accepted: 2000-11-01

Name: telephone/telegraph pylon/pole

Definition: a pylon or pole used to support a telephone or telegraph line. (Digital Geographic Information Standard - DIGEST FACC 1.2)

3 DD Name: S100 Code: CATPYL_3 Date accepted: 2000-11-01

Name: aerial cableway/sky pylon

Definition: a tower or pylon supporting steel cables which convey cars, buckets, or other suspended carrier units. (adapted from Digital Geographic Information Standard - DIGEST FACC 1.2)

4 DD Name: S100 Code: CATPYL_4 Date accepted: 2000-11-01

Name: bridge pylon/tower

Value Data Dictionary (DD) Reference

Definition: a tower, abutment or pylon from which a bridge deck is suspended. (adapted from Digital Geographic Information Standard - DIGEST FACC 1.2)

5 DD Name: S100 Code: CATPYL_5 Date accepted: 2000-11-01

Name: bridge pier

Definition: a support in the form of a pillar or pier for the spans of a bridge. (adapted from Digital Geographic Information Standard - DIGEST FACC 1.2)

Attribute	Category of radar station
-----------	---------------------------

Acronym: **CATRAS** Code: 51

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATRAS_1 Date accepted: 2000-11-01

Name: radar surveillance station

Definition: a radar station established for traffic surveillance. (IHO Dictionary, S-32, 5th Edition, 4144)

Attribute	Category of restricted area
-----------	-----------------------------

Acronym: **CATREA**

Code: 56

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

4 DD Name: S100 Code: CATREA_4 Date accepted: 2000-11-01

Name: nature reserve

Definition: a tract of land managed so as to preserve it's flora, fauna, physical features, etc.

5 DD Name: S100 Code: CATREA_5 Date accepted: 2000-11-01

Name: bird sanctuary

Definition: a place where birds are bred and protected.

9 DD Name: S100 Code: CATREA_9 Date accepted: 2000-11-01

Name: military area

Definition: an area controlled by the military in which restrictions may apply. (Hydrographic Service, Royal Australian Navy)

12 DD Name: S100 Code: CATREA_12 Date accepted: 2000-11-01

Name: navigational aid safety zone

Definition: an area around a navigational aid which vessels are prohibited from entering.

19 DD Name: S100 Code: CATREA_19 Date accepted: 2000-11-01

Name: waiting area

Value Data Dictionary (DD) Reference

Definition: an area reserved for vessels waiting to enter a harbour.

22 DD Name: S100 Code: CATREA_22 Date accepted: 2000-11-01

Name: fish sanctuary

Definition: a place where fish are protected.

23 DD Name: S100 Code: CATREA_23 Date accepted: 2000-11-01

Name: ecological reserve

Definition: a tract of land managed so as to preserve the relation of plants and living creatures to each other and to their surroundings.

25 DD Name: S100 Code: CATREA_25 Date accepted: 2000-11-01

Name: swinging area

Definition: an area where vessels turn. (Service Hydrographique et Océanographique de la Marine, France).

26 DD Name: S100 Code: CATREA_26 Date accepted: 2000-11-01

Name: water skiing area

Definition: an area within which people may water ski and therefore vessel movement may be restricted.

Attribute	Category of road
-----------	------------------

Acronym: **CATROD**

Code: 57

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATROD_1 Date accepted: 2000-11-01

Name: motorway

Definition: a main road with separate carriageways and limited access, specially constructed and controlled for fast motor traffic.

2 DD Name: S100 Code: CATROD_2 Date accepted: 2000-11-01

Name: major road

Definition: a hard surfaced (metalled) road; a main through route.

3 DD Name: S100 Code: CATROD_3 Date accepted: 2000-11-01

Name: minor road

Definition: a secondary road for local traffic.

4 DD Name: S100 Code: CATROD_4 Date accepted: 2000-11-01

Name: track/path

Definition: track - a rough path or way formed by use. path - a way or track laid down for walking or made by continual treading.

Attribute	Category of radar transponder beacon
-----------	--------------------------------------

Acronym: **CATRTB** Code: 52

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATRTB_1 Date accepted: 2000-11-01

Name: ramark, radar beacon transmitting continuously

Definition: a radar marker beacon which continuously transmits a signal appearing as a radial line on a radar screen, the line indicating the direction of the beacon. Remarks are intended primarily for marine use. The name 'ramark' is derived from the words radar marker. (IHO Dictionary, S-32, 5th Edition, 4208)

2 DD Name: S100 Code: CATRTB_2 Date accepted: 2000-11-01

Name: racon, radar transponder beacon

Definition: a radar beacon which returns a coded signal which provides identification of the beacon, as well as range and bearing. The range and bearing are indicated by the location of the first character received on the radar screen. The name 'racon' is derived from the words radar beacon. (IHO Dictionary, S-32, 5th Edition, 4132)

3 DD Name: S100 Code: CATRTB_3 Date accepted: 2000-11-01

Name: leading racon/radar transponder beacon

Definition: a radar beacon that may be used (in conjunction with at least one other radar beacon) to indicate a leading line.

Attribute	Category of small craft facility
-----------	----------------------------------

Acronym: **CATSCF**

Code: 65

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATSCF_1 Date accepted: 2000-11-01

Name: visitor's berth

Definition: a berth set aside for the use of visiting vessels.

2 DD Name: S100 Code: CATSCF_2 Date accepted: 2000-11-01

Name: nautical club

Definition: a club for mariners generally associated with other small craft facilities.

3 DD Name: S100 Code: CATSCF_3 Date accepted: 2000-11-01

Name: boat hoist

Definition: a hoist for lifting boats out of the water.

4 DD Name: S100 Code: CATSCF_4 Date accepted: 2000-11-01

Name: sailmaker

Definition: a place where sails are made or may be taken for repair.

5 DD Name: S100 Code: CATSCF_5 Date accepted: 2000-11-01

Name: boatyard

Definition: a place on shore where boats may be built, stored and repaired.

Value Data Dictionary (DD) Reference

- 6 DD Name: S100 Code: CATSCF_6 Date accepted: 2000-11-01
Name: public inn
Definition: a public house providing food, drink and accommodation. (The Collins Reference English Dictionary, 1992)
- 7 DD Name: S100 Code: CATSCF_7 Date accepted: 2000-11-01
Name: restaurant
Definition: a commercial establishment serving food. (The Collins Reference Dictionary, 1992)
- 8 DD Name: S100 Code: CATSCF_8 Date accepted: 2000-11-01
Name: Chandler
Definition: a dealer in ships' supplies. (The Collins Reference Dictionary, 1992)
- 9 DD Name: S100 Code: CATSCF_9 Date accepted: 2000-11-01
Name: provisions
Definition: a place where food and other such supplies are available.
- 10 DD Name: S100 Code: CATSCF_10 Date accepted: 2000-11-01
Name: doctor
Definition: a place where a doctor is available to provide medical attention.
- 11 DD Name: S100 Code: CATSCF_11 Date accepted: 2000-11-01
Name: pharmacy
Definition: a place where medical drugs are dispensed.
- 12 DD Name: S100 Code: CATSCF_12 Date accepted: 2000-11-01
Name: water tap
Definition: a place where fresh water is available.
- 13 DD Name: S100 Code: CATSCF_13 Date accepted: 2000-11-01
Name: fuel station
Definition: a place where fuel is available.
-

Value	Data Dictionary (DD) Reference		
14	DD Name: S100	Code: CATSCF_14	Date accepted: 2000-11-01
	Name: electricity		
	Definition: a place where a connection to an electrical supply is available.		
15	DD Name: S100	Code: CATSCF_15	Date accepted: 2000-11-01
	Name: bottle gas		
	Definition: a place where bottled gas is available.		
16	DD Name: S100	Code: CATSCF_16	Date accepted: 2000-11-01
	Name: showers		
	Definition: a place where showers are available.		
17	DD Name: S100	Code: CATSCF_17	Date accepted: 2000-11-01
	Name: launderette		
	Definition: a place where there are facilities for washing clothes.		
18	DD Name: S100	Code: CATSCF_18	Date accepted: 2000-11-01
	Name: public toilets		
	Definition: a place where toilets are available for public use.		
19	DD Name: S100	Code: CATSCF_19	Date accepted: 2000-11-01
	Name: post box		
	Definition: a place where mail may be posted.		
20	DD Name: S100	Code: CATSCF_20	Date accepted: 2000-11-01
	Name: public telephone		
	Definition: a place where a telephone is available for public use.		
21	DD Name: S100	Code: CATSCF_21	Date accepted: 2000-11-01
	Name: refuse bin		
	Definition: a place where refuse may be dumped.		
22	DD Name: S100	Code: CATSCF_22	Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	car park	
	Definition:	a place where cars may be parked.	
23	DD Name: S100	Code: CATSCF_23	Date accepted: 2000-11-01
	Name:	parking for boats and trailers	
	Definition:	a place on shore where boats and/or trailers may be parked.	
24	DD Name: S100	Code: CATSCF_24	Date accepted: 2000-11-01
	Name:	caravan site	
	Definition:	a place where caravans may be parked or where caravan accommodation is provided.	
25	DD Name: S100	Code: CATSCF_25	Date accepted: 2000-11-01
	Name:	camping site	
	Definition:	a place where visitors may pitch tents and camp.	
26	DD Name: S100	Code: CATSCF_26	Date accepted: 2000-11-01
	Name:	sewerage pump-out station	
	Definition:	a place where sewerage may be pumped off a vessel.	
27	DD Name: S100	Code: CATSCF_27	Date accepted: 2000-11-01
	Name:	emergency telephone	
	Definition:	a place where a telephone is available for emergency use only.	
28	DD Name: S100	Code: CATSCF_28	Date accepted: 2000-11-01
	Name:	landing/launching place for boats	
	Definition:	a place where boats may be landed or launched.	
29	DD Name: S100	Code: CATSCF_29	Date accepted: 2000-11-01
	Name:	visitors mooring	
	Definition:	a mooring set aside for the use of visiting vessels.	
30	DD Name: S100	Code: CATSCF_30	Date accepted: 2000-11-01
	Name:	scrubbing berth	

Value Data Dictionary (DD) Reference

Definition: a place where vessels may berth for the purpose of careening.

31 DD Name: S100 Code: CATSCF_31 Date accepted: 2000-11-01

Name: picnic area

Definition: a place where people may go to eat a picnic.

32 DD Name: S100 Code: CATSCF_32 Date accepted: 2000-11-01

Name: mechanics workshop

Definition: a place where mechanical repairs can be undertaken to engines or other vessel equipment.

33 DD Name: S100 Code: CATSCF_33 Date accepted: 2000-11-01

Name: guard and/or security service

Definition: a place where a vessel is patrolled by a security service or stored in a secure lockup.

Attribute	Category of sea area
-----------	----------------------

Acronym: **CATSEA** Code: 59

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

51 DD Name: S100 Code: CATSEA_51 Date accepted: 2000-11-01

Name: canal

Definition: an artificial water course used for navigation.

53 DD Name: S100 Code: CATSEA_53 Date accepted: 2000-11-01

Name: river

Definition: a relatively large natural stream of water.

Attribute	Category of shoreline construction
-----------	------------------------------------

Acronym: **CATSLC**

Code: 60

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATSLC_1 Date accepted: 2000-11-01

Name: breakwater

Definition: a structure protecting a shore area, harbour, anchorage, or basin from waves. (IHO Dictionary, S-32, 5th Edition, 542)

2 DD Name: S100 Code: CATSLC_2 Date accepted: 2000-11-01

Name: groyne (groin)

Definition: a low artificial wall-like structure of durable material extending from the land to seaward for a particular purpose, such as to prevent coast erosion (adapted from IHO Dictionary, S-32, 5th Edition, 2525 and IHO Chart Specifications, M-4)

4 DD Name: S100 Code: CATSLC_4 Date accepted: 2000-11-01

Name: pier (jetty)

Definition: a long, narrow structure extending into the water to afford a berthing place for vessels, to serve as a promenade, etc. (IHO Dictionary, S-32, 5th Edition, 3833)

5 DD Name: S100 Code: CATSLC_5 Date accepted: 2000-11-01

Name: promenade pier

Definition: a pier built only for recreational purposes. (IHO Chart Specifications, M-4)

Value	Data Dictionary (DD) Reference		
6	DD Name: S100	Code: CATSLC_6	Date accepted: 2000-11-01
	Name: wharf (quay)		
	Definition: a structure serving as a berthing place for vessels. (IHO Dictionary, S-32, 5th Edition, 5985)		
7	DD Name: S100	Code: CATSLC_7	Date accepted: 2000-11-01
	Name: training wall		
	Definition: a wall or bank, often submerged, built to direct or confine the flow of a river or tidal current, or to promote a scour action. (Adapted from IHO Dictionary, S-32, 5th Edition, 5586 and IHO Chart Specifications, M-4).		
8	DD Name: S100	Code: CATSLC_8	Date accepted: 2000-11-01
	Name: rip rap		
	Definition: A layer of broken rock, cobbles, boulders, or fragments of sufficient size to resist the erosive forces of flowing water and wave action. (Adapted from Marine Chart Manual, US National Oceanic and Atmospheric Administration - NOAA, 1992)		
9	DD Name: S100	Code: CATSLC_9	Date accepted: 2000-11-01
	Name: revetment		
	Definition: facing of stone or other material, either permanent or temporary, placed along the edge of a stream, river or canal to stabilize the bank and to protect it from the erosive action of the stream. (Adapted from IHO Dictionary, S-32, 5th Edition, 4379)		
10	DD Name: S100	Code: CATSLC_10	Date accepted: 2000-11-01
	Name: sea wall		
	Definition: an embankment or wall for protection against waves or tidal action along a shore or water front. (IHO Dictionary, S-32, 5th Edition, 4584)		
11	DD Name: S100	Code: CATSLC_11	Date accepted: 2000-11-01
	Name: landing steps		
	Definition: steps at the shoreline as the connection between land and water on different levels.		
12	DD Name: S100	Code: CATSLC_12	Date accepted: 2000-11-01
	Name: ramp		

Value Data Dictionary (DD) Reference

Definition: a sloping structure that can either be used, as a landing place, at variable water levels, for small vessels, landing ships, or a ferry boat, or for hauling a cradle carrying a vessel, which may include rails. (Adapted from IHO Dictionary, S-32, 5th Edition, 4209)

13 DD Name: S100 Code: CATSLC_13 Date accepted: 2000-11-01

Name: slipway

Definition: the prepared and usually reinforced inclined surface on which keel- and bilge-blocks are laid for supporting a vessel under construction. (IHO Dictionary, S-32, 5th Edition, 4775)

14 DD Name: S100 Code: CATSLC_14 Date accepted: 2000-11-01

Name: fender

Definition: a protective structure designed to cushion the impact of a vessel and prevent damage.

15 DD Name: S100 Code: CATSLC_15 Date accepted: 2000-11-01

Name: solid face wharf

Definition: a wharf consisting of a solid wall of concrete, masonry, wood etc., such that the water cannot circulate freely under the wharf. The type of construction affects ship-handling; for example, a solid face wharf may give shelter from tidal streams, but under certain circumstances a cushion of water may build up between such a wharf and a ship attempting to berth at it, causing difficulties in ship handling. (Capt. A. Rae, pilot, Port of Halifax and Mr. R. Morash, wharf building engineer, Transport Canada)

16 DD Name: S100 Code: CATSLC_16 Date accepted: 2000-11-01

Name: open face wharf

Definition: a wharf supported on piles or other structures which allow free circulation of water under the wharf. (Capt. A. Rae, pilot, Port of Halifax and Mr. R. Morash, wharf building engineer, Transport Canada)

Attribute	Category of slope
-----------	-------------------

Acronym: **CATSLO**

Code: 64

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: CATSLO_2 Date accepted: 2000-11-01

Name: embankment

Definition: an artificial elevation constructed from earth, stone, etc. carrying a road, railway or similar or serving to dam water.

3 DD Name: S100 Code: CATSLO_3 Date accepted: 2000-11-01

Name: dune

Definition: a mound, ridge or hill of drifted material on the sea coast or in a desert. (adapted from IHO Dictionary, S-32, 5th Edition, 1496)

Attribute	Category of special purpose mark
-----------	----------------------------------

Acronym: **CATSPM**

Code: 66

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

6 DD Name: S100 Code: CATSPM_6 Date accepted: 2000-11-01

Name: cable mark

Definition: a mark used to indicate the position of submarine cables or the point at which they run on to the land.

10 DD Name: S100 Code: CATSPM_10 Date accepted: 2000-11-01

Name: recording mark

Definition: a mark used to record data for scientific purposes.

12 DD Name: S100 Code: CATSPM_12 Date accepted: 2000-11-01

Name: recreation zone mark

Definition: a mark used to indicate a recreation zone.

37 DD Name: S100 Code: CATSPM_37 Date accepted: 2000-11-01

Name: ferry crossing mark

Definition: a mark indicating that a ferry route crosses the ship route; often used with a 'sound ship's siren' mark.

39 DD Name: S100 Code: CATSPM_39 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	pipeline mark	
	Definition:	a mark used to indicate the position of submarine pipelines or the point at which they run on to the land.	
41	DD Name: S100	Code: CATSPM_41	Date accepted: 2000-11-01
	Name:	clearing mark	
	Definition:	a mark used to indicate a clearing line.	
45	DD Name: S100	Code: CATSPM_45	Date accepted: 2000-11-01
	Name:	foul ground mark	
	Definition:	a mark indicating a foul ground.	
50	DD Name: S100	Code: CATSPM_50	Date accepted: 2000-11-01
	Name:	entry prohibited mark	
	Definition:	a mark indicating that entry is prohibited.	
54	DD Name: S100	Code: CATSPM_54	Date accepted: 2000-11-01
	Name:	channel separation mark	
	Definition:	a mark indicating the point at which a channel divides separately into two channels.	
55	DD Name: S100	Code: CATSPM_55	Date accepted: 2000-11-01
	Name:	marine farm mark	
	Definition:	a mark indicating the existence of a fish, mussel, oyster or pearl farm/ culture.	

Attribute	Category of recommended track
-----------	-------------------------------

Acronym: **CATTRK**

Code: 54

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATTRK_1 Date accepted: 2000-11-01

Name: based on a system of fixed marks

Definition: a straight route (known as a recommended track, range or leading line), which comprises at least two structures (usually beacons or daymarks) and/or natural features, which may carry lights and/or top-marks. The structures/features are positioned so that when observed to be in line, a vessel can follow a known bearing with safety. (adapted from International Association of Lighthouse Authorities - IALA Aids to Navigation Guide, 1990)

2 DD Name: S100 Code: CATTRK_2 Date accepted: 2000-11-01

Name: not based on a system of fixed marks

Definition: a route (known as a recommended track or preferred route) which is not based on a series of structures or features in line.

Attribute	Category of vegetation
-----------	------------------------

Acronym: **CATVEG** Code: 68

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

6 DD Name: S100 Code: CATVEG_6 Date accepted: 2000-11-01

Name: wood in general (inc mixed wood)

Definition: growing trees densely occupying a tract of land. (The Concise Oxford Dictionary)

13 DD Name: S100 Code: CATVEG_13 Date accepted: 2000-11-01

Name: tree in general

Definition: a woody perennial plant, having a self supporting main stem or trunk.

Attribute	Category of wreck
-----------	-------------------

Acronym: **CATWRK** Code: 71

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATWRK_1 Date accepted: 2000-11-01

Name: non-dangerous wreck

Definition: a wreck which is not considered to be dangerous to surface navigation.

2 DD Name: S100 Code: CATWRK_2 Date accepted: 2000-11-01

Name: dangerous wreck

Definition: a wreck which is considered to be dangerous to surface navigation.

Attribute	Category of zone of confidence in data
-----------	--

Acronym: **CATZOC**

Code: 72

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CATZOC_1 Date accepted: 2000-11-01

Name: zone of confidence A1

Definition:

2 DD Name: S100 Code: CATZOC_2 Date accepted: 2000-11-01

Name: zone of confidence A2

Definition:

3 DD Name: S100 Code: CATZOC_3 Date accepted: 2000-11-01

Name: zone of confidence B

Definition:

4 DD Name: S100 Code: CATZOC_4 Date accepted: 2000-11-01

Name: zone of confidence C

Definition:

5 DD Name: S100 Code: CATZOC_5 Date accepted: 2000-11-01

Name: zone of confidence D

Definition:

Value	Data Dictionary (DO) Reference		
6	DO Name S100	Code CATZOC 6	Date accepted 2000-11-01
	Name: zone of confidence U (data not assessed)		
	Definition:		

Attribute	Colour
-----------	--------

Acronym: **COLOUR**

Code: 75

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: COLOUR_1 Date accepted: 2000-11-01

Name: white

Definition:

2 DD Name: S100 Code: COLOUR_2 Date accepted: 2000-11-01

Name: black

Definition:

3 DD Name: S100 Code: COLOUR_3 Date accepted: 2000-11-01

Name: red

Definition:

4 DD Name: S100 Code: COLOUR_4 Date accepted: 2000-11-01

Name: green

Definition:

5 DD Name: S100 Code: COLOUR_5 Date accepted: 2000-11-01

Name: blue

Value	Data Dictionary (DD) Reference		
	Definition:		
6	DD Name: S100 Name: yellow Definition:	Code: COLOUR_6	Date accepted: 2000-11-01
7	DD Name: S100 Name: grey Definition:	Code: COLOUR_7	Date accepted: 2000-11-01
8	DD Name: S100 Name: brown Definition:	Code: COLOUR_8	Date accepted: 2000-11-01
9	DD Name: S100 Name: amber Definition:	Code: COLOUR_9	Date accepted: 2000-11-01
10	DD Name: S100 Name: violet Definition:	Code: COLOUR_10	Date accepted: 2000-11-01
11	DD Name: S100 Name: orange Definition:	Code: COLOUR_11	Date accepted: 2000-11-01
12	DD Name: S100 Name: magenta Definition:	Code: COLOUR_12	Date accepted: 2000-11-01
13	DD Name: S100 Name: pink Definition:	Code: COLOUR_13	Date accepted: 2000-11-01

Attribute	Colour pattern
-----------	----------------

Acronym: **COLPAT**

Code: 76

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: COLPAT_1 Date accepted: 2000-11-01

Name: horizontal stripes

Definition: straight bands or stripes of differing colours painted horizontally.

2 DD Name: S100 Code: COLPAT_2 Date accepted: 2000-11-01

Name: vertical stripes

Definition: straight bands or stripes of differing colours painted vertically.

3 DD Name: S100 Code: COLPAT_3 Date accepted: 2000-11-01

Name: diagonal stripes

Definition: straight bands or stripes of differing colours painted diagonally (ie not horizontally or vertically).

4 DD Name: S100 Code: COLPAT_4 Date accepted: 2000-11-01

Name: squared

Definition: often referred to as checker plate, where alternate colours are used to create squares similar to a chess or draught board. The pattern may be straight or diagonal.

5 DD Name: S100 Code: COLPAT_5 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: stripes (direction unknown)

Definition: straight bands or stripes of differing colours painted in an unknown direction.

6 DD Name: S100 Code: COLPAT_6 Date accepted: 2000-11-01

Name: border stripe

Definition: a band or stripe of colour which is displayed around the outer edge of the object, which may also form a border to an inner pattern or plain colour.

Attribute	Communication channel
-----------	-----------------------

Acronym: **COMCHA** Code: 77

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A channel number assigned to a specific radio frequency, frequencies or frequency band.

Attribute	Conspicuous, radar
-----------	--------------------

Acronym: **CONRAD**

Code: 82

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

3 DD Name: S100 Code: CONRAD_3 Date accepted: 2000-11-01

Name: radar conspicuous (has radar reflector)

Definition: an object which returns a strong radar echo, having a radar reflector.

Attribute	Conspicuous, visually
-----------	-----------------------

Acronym: **CONVIS**

Code: 83

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: CONVIS_1 Date accepted: 2000-11-01

Name: visually conspicuous

Definition: term applied to an object either natural or artificial which is distinctly and notably visible from seaward. (IHO Dictionary, S-32, 5th Edition, 984)

2 DD Name: S100 Code: CONVIS_2 Date accepted: 2000-11-01

Name: not visually conspicuous

Definition: an object which is visible from seaward, but is not conspicuous.

Attribute	Date end
-----------	----------

Acronym: **DATEND**

Code: 85

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The latest date on which an object (e.g., a buoy) will be present.

Attribute	Date start
-----------	------------

Acronym: **DATSTA**

Code: 86

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The earliest date on which an object (e.g., a buoy) will be present.

Attribute	Depth range value 1
-----------	---------------------

Acronym: **DRVAL1** Code: 87

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The minimum (shoalest) value of a depth range.

Attribute	Depth range value 2
-----------	---------------------

Acronym: **DRVAL2**

Code: 88

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The maximum (deepest) value of a depth range.

Attribute	Elevation
-----------	-----------

Acronym: **ELEVAT** Code: 90

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The altitude of the ground level of an object, measured from a specified vertical datum.

Attribute	Exhibition condition of light
-----------	-------------------------------

Acronym: **EXCLIT**

Code: 92

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

- | | | | |
|---|--|----------------|---------------------------|
| 1 | DD Name: S100 | Code: EXCLIT_1 | Date accepted: 2000-11-01 |
| | Name: light shown without change of character | | |
| | Definition: a light shown throughout the 24 hours without change of character. IHO Chart specifications, M-4 | | |
| | | | |
| 2 | DD Name: S100 | Code: EXCLIT_2 | Date accepted: 2000-11-01 |
| | Name: daytime light | | |
| | Definition: a light which is only exhibited by day. | | |
| | | | |
| 3 | DD Name: S100 | Code: EXCLIT_3 | Date accepted: 2000-11-01 |
| | Name: fog light | | |
| | Definition: a light which is exhibited in fog or conditions of reduced visibility. | | |
| | | | |
| 4 | DD Name: S100 | Code: EXCLIT_4 | Date accepted: 2000-11-01 |
| | Name: night light | | |
| | Definition: a light which is only exhibited at night. | | |
-

Attribute	Function
-----------	----------

Acronym: **FUNCTN**

Code: 94

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: FUNCTN_2 Date accepted: 2000-11-01

Name: harbour-master's office

Definition: the office of the local official who has charge of mooring and berthing of vessels, collecting harbour fees, etc. (adapted from IHO Dictionary, S-32, 5th Edition, 2191)

3 DD Name: S100 Code: FUNCTN_3 Date accepted: 2000-11-01

Name: custom office

Definition: an office which is charged with enforcing customs regulations.

4 DD Name: S100 Code: FUNCTN_4 Date accepted: 2000-11-01

Name: health office

Definition: the office which is charged with the administration of health laws and sanitary inspections. (adapted from The New Shorter Oxford English Dictionary, 1993)

5 DD Name: S100 Code: FUNCTN_5 Date accepted: 2000-11-01

Name: hospital

Definition: an institution or establishment providing medical or surgical treatment for the ill or wounded. (The New Shorter Oxford English Dictionary, 1993)

6 DD Name: S100 Code: FUNCTN_6 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: post office

Definition: the public department, agency or organisation responsible primarily for the collection, transmission and distribution of mail. (The New Shorter Oxford English Dictionary, 1993)

7 DD Name: S100 Code: FUNCTN_7 Date accepted: 2000-11-01

Name: hotel

Definition: an establishment, especially of a comfortable or luxurious kind, where paying visitors are provided with accommodation, meals and other services. (The New Shorter Oxford English Dictionary, 1993)

8 DD Name: S100 Code: FUNCTN_8 Date accepted: 2000-11-01

Name: railway station

Definition: a building with platforms where trains arrive, load, discharge and depart. (The New Shorter Oxford English Dictionary, 1993)

9 DD Name: S100 Code: FUNCTN_9 Date accepted: 2000-11-01

Name: police station

Definition: the office of the local police force.

10 DD Name: S100 Code: FUNCTN_10 Date accepted: 2000-11-01

Name: water-police station

Definition: the headquarters of a local water-police force.

11 DD Name: S100 Code: FUNCTN_11 Date accepted: 2000-11-01

Name: pilot office

Definition: the office or headquarters of pilots; the place where the services of a pilot may be obtained. (IHO Dictionary, S-32, 5th Edition, 3845)

12 DD Name: S100 Code: FUNCTN_12 Date accepted: 2000-11-01

Name: pilot lookout

Definition: a distinctive structure on shore from which personnel keep watch upon events at sea or along the coast. (IHO Dictionary, S-32, 5th Edition, 2917)

13 DD Name: S100 Code: FUNCTN_13 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	bank office	
	Definition:	an office for custody, deposit, loan, exchange or issue of money. (adapted from The New Shorter Oxford English Dictionary, 1993)	
14	DD Name: S100	Code: FUNCTN_14	Date accepted: 2000-11-01
	Name:	headquarters for district control	
	Definition:	the quarters of an executive officer (director, manager, etc.) with responsibility for an administrative area.	
15	DD Name: S100	Code: FUNCTN_15	Date accepted: 2000-11-01
	Name:	transit shed/warehouse	
	Definition:	a building or part of a building for storage of wares or goods. (adapted from The New Shorter Oxford English Dictionary, 1993)	
16	DD Name: S100	Code: FUNCTN_16	Date accepted: 2000-11-01
	Name:	factory	
	Definition:	a building or buildings with equipment for manufacturing; a workshop. (The New Shorter Oxford English Dictionary, 1993)	
17	DD Name: S100	Code: FUNCTN_17	Date accepted: 2000-11-01
	Name:	power station	
	Definition:	a stationary plant containing apparatus for large scale conversion of some form of energy (such as hydraulic, steam, chemical or nuclear energy) into electrical energy. (McGraw-Hill Dictionary of Scientific and Technical Terms, 3rd Edition, 1984)	
18	DD Name: S100	Code: FUNCTN_18	Date accepted: 2000-11-01
	Name:	administrative	
	Definition:	a building for the management of affairs. (adapted from The New Shorter Oxford English Dictionary, 1993)	
19	DD Name: S100	Code: FUNCTN_19	Date accepted: 2000-11-01
	Name:	educational facility	
	Definition:	a building concerned with education (eg. school, college, university, etc.)	
20	DD Name: S100	Code: FUNCTN_20	Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	church	
	Definition:	a building for public Christian worship. (The New Shorter Oxford English Dictionary, 1993)	
21	DD Name: S100	Code: FUNCTN_21	Date accepted: 2000-11-01
	Name:	chapel	
	Definition:	a place for Christian worship other than a parish, cathedral or church, especially one attached to a private house or institution. (The New Shorter Oxford English Dictionary, 1993)	
22	DD Name: S100	Code: FUNCTN_22	Date accepted: 2000-11-01
	Name:	temple	
	Definition:	a building for public Jewish worship. (adapted from The New Shorter Oxford English Dictionary, 1993)	
23	DD Name: S100	Code: FUNCTN_23	Date accepted: 2000-11-01
	Name:	pagoda	
	Definition:	a Hindu or Buddhist temple or sacred building. (The New Shorter Oxford English Dictionary, 1993)	
24	DD Name: S100	Code: FUNCTN_24	Date accepted: 2000-11-01
	Name:	shinto shrine	
	Definition:	a building for public Shinto worship. (adapted from The New Shorter Oxford English Dictionary, 1993)	
25	DD Name: S100	Code: FUNCTN_25	Date accepted: 2000-11-01
	Name:	buddhist temple	
	Definition:	see pagoda.	
26	DD Name: S100	Code: FUNCTN_26	Date accepted: 2000-11-01
	Name:	mosque	
	Definition:	a Muslim place of worship. (The New Shorter Oxford English Dictionary, 1993)	
27	DD Name: S100	Code: FUNCTN_27	Date accepted: 2000-11-01
	Name:	marabout	

Value	Data Dictionary (DD) Reference		
	Definition: a shrine marking the burial place of a Muslim holy man. (The New Shorter Oxford English Dictionary, 1993)		
28	DD Name: S100	Code: FUNCTN_28	Date accepted: 2000-11-01
	Name: lookout		
	Definition: keeping a watch upon events at sea or along the coast. (adapted from IHO Dictionary, S-32,5th Edition,2917)		
29	DD Name: S100	Code: FUNCTN_29	Date accepted: 2000-11-01
	Name: communication		
	Definition: transmitting and/or receiving electronic communication signals. (adapted from Digital Geographic Information Standard - DIGEST)		
30	DD Name: S100	Code: FUNCTN_30	Date accepted: 2000-11-01
	Name: television		
	Definition: broadcast of television signals.		
31	DD Name: S100	Code: FUNCTN_31	Date accepted: 2000-11-01
	Name: radio		
	Definition: broadcast of radio signals.		
32	DD Name: S100	Code: FUNCTN_32	Date accepted: 2000-11-01
	Name: radar		
	Definition: a method, system or technique of using beamed, reflected, and timed radio waves for detecting, locating, or tracking objects, and for measuring altitudes. (IHO Dictionary, S-32, 5th Edition,4158)		
33	DD Name: S100	Code: FUNCTN_33	Date accepted: 2000-11-01
	Name: light support		
	Definition: supporting a light		
34	DD Name: S100	Code: FUNCTN_34	Date accepted: 2000-11-01
	Name: microwave		
	Definition: broadcasting and receiving signals using microwaves.		

Value	Data Dictionary (DD) Reference		
35	DD Name: S100	Code: FUNCTN_35	Date accepted: 2000-11-01
	Name: cooling		
	Definition: dissipating heat.		
36	DD Name: S100	Code: FUNCTN_36	Date accepted: 2000-11-01
	Name: observation		
	Definition: a place from which the surroundings can be observed but at which a watch is not habitually maintained. (adapted from IHO Dictionary, S-32, 5th Edition,2917)		
37	DD Name: S100	Code: FUNCTN_37	Date accepted: 2000-11-01
	Name: time ball		
	Definition: a visual time signal in form of a ball		
38	DD Name: S100	Code: FUNCTN_38	Date accepted: 2000-11-01
	Name: clock		
	Definition: visual time signal. (adapted from S-32, 5th Edition, 5536)		
39	DD Name: S100	Code: FUNCTN_39	Date accepted: 2000-11-01
	Name: control		
	Definition: used to control the flow of air, rail, or marine traffic. (Digital Geographic Information Standard - DIGEST)		
40	DD Name: S100	Code: FUNCTN_40	Date accepted: 2000-11-01
	Name: airship mooring		
	Definition: a facility to secure an airship. (adapted from Digital Geographic Information Standard - DIGEST)		
41	DD Name: S100	Code: FUNCTN_41	Date accepted: 2000-11-01
	Name: stadium		
	Definition: a large usually unroofed building with tiers of seats for spectators		
42	DD Name: S100	Code: FUNCTN_42	Date accepted: 2000-11-01
	Name: bus station		
	Definition: a location at which buses arrive and from which they depart.		

Attribute	Height
-----------	--------

Acronym: **HEIGHT** Code: 95

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The value of the vertical distance to the highest point of the object, measured from a specified vertical datum.

Attribute	Horizontal clearance
-----------	----------------------

Acronym: **HORCLR**

Code: 98

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The width of an object, such as a canal or a tunnel, which is available for safe navigation. This may, or may not, be the same as the total physical width of the object.

Attribute	Horizontal length
-----------	-------------------

Acronym: **HORLEN** Code: 99

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A measurement of the longer of two linear axis. (Digital Geographic Information Working Group -DGIWG, Oct.87)

Attribute	Horizontal width
-----------	------------------

Acronym: **HORWID** Code: 100

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: A measurement of the shorter of two linear axis. (Digital Geographic Information Working Group -DGIWG, Oct.87)

Attribute	Information
-----------	-------------

Acronym: **INFORM** Code: 102

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: Textual information about the object.

Attribute	Jurisdiction
-----------	--------------

Acronym: **JRSDTN** Code: 103

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: .

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: JRSDTN_1 Date accepted: 2000-11-01

Name: international

Definition: involving more than one country; covering more than one national area.

2 DD Name: S100 Code: JRSDTN_2 Date accepted: 2000-11-01

Name: national

Definition: an area administered or controlled by a single nation.

3 DD Name: S100 Code: JRSDTN_3 Date accepted: 2000-11-01

Name: national sub-division

Definition: an area smaller than the nation in which it lies.

Attribute	Light characteristic
-----------	----------------------

Acronym: **LITCHR**

Code: 107

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: LITCHR_1 Date accepted: 2000-11-01

Name: fixed

Definition: a signal light that shows continuously, in any given direction, with constant luminous intensity and colour. (IHO Dictionary, S-32, 5th Edition, 2780)

2 DD Name: S100 Code: LITCHR_2 Date accepted: 2000-11-01

Name: flashing

Definition: a rhythmic light in which the total duration of light in a period is clearly shorter than the total duration of darkness and all the appearances of light are of equal duration. (IHO Dictionary, S-32, 5th Edition, 2783)

3 DD Name: S100 Code: LITCHR_3 Date accepted: 2000-11-01

Name: long-flashing

Definition: a flashing light in which a single flash of not less than two seconds duration is regularly repeated. (IHO Dictionary, S-32, 5th Edition, 2796)

4 DD Name: S100 Code: LITCHR_4 Date accepted: 2000-11-01

Name: quick-flashing

Definition: a light exhibiting without interruption very rapid regular alternations of light and darkness. (IHO Dictionary, S-32, 5th Edition, 2803)

Value Data Dictionary (DD) Reference

- 7 DD Name: S100 Code: LITCHR_7 Date accepted: 2000-11-01
Name: isophased
Definition: a light with all durations of light and darkness equal. (IHO Dictionary, S-32, 5th Edition, 2779)
- 9 DD Name: S100 Code: LITCHR_9 Date accepted: 2000-11-01
Name: interrupted quick-flashing
Definition: a quick light in which the sequence of flashes is interrupted by regularly repeated eclipses of constant and long duration. (IHO Dictionary, S-32, 5th Edition, 2790)
-

Attribute	Multiplicity of lights
-----------	------------------------

Acronym: **MLTYLT**

Code: 110

Use Type: F

Value Type: I

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The number of lights of identical character that exist as a co-located group.

Attribute	Nature of construction
-----------	------------------------

Acronym: **NATCON**

Code: 112

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: NATCON_1 Date accepted: 2000-11-01

Name: masonry

Definition: constructed of brick or stone.

2 DD Name: S100 Code: NATCON_2 Date accepted: 2000-11-01

Name: concreted

Definition: constructed of concrete, a material made of sand and gravel that is united by cement into a hardened mass used for roads, foundations, etc. (adapted from the Illustrated Contemporary Dictionary, Encyclopaedic Edition, 1978)

3 DD Name: S100 Code: NATCON_3 Date accepted: 2000-11-01

Name: loose boulders

Definition: constructed from large stones or blocks of concrete, often placed loosely for protection against waves or water turbulence.

4 DD Name: S100 Code: NATCON_4 Date accepted: 2000-11-01

Name: hard surfaced

Definition: constructed with a surface of hard material, usually a term applied to roads surfaced with asphalt or concrete.

Value	Data Dictionary (DD) Reference		
5	DD Name: S100	Code: NATCON_5	Date accepted: 2000-11-01
	Name: unsurfaced		
	Definition: constructed with no extra protection, usually a term applied to roads not surfaced with a hard material.		
6	DD Name: S100	Code: NATCON_6	Date accepted: 2000-11-01
	Name: wooden		
	Definition: constructed from wood.		
7	DD Name: S100	Code: NATCON_7	Date accepted: 2000-11-01
	Name: metal		
	Definition: constructed from metal.		
8	DD Name: S100	Code: NATCON_8	Date accepted: 2000-11-01
	Name: glass reinforced plastic (GRP)		
	Definition: constructed from a plastic material strengthened with fibres of glass.		
9	DD Name: S100	Code: NATCON_9	Date accepted: 2000-11-01
	Name: painted		
	Definition: the application of paint to some other construction or natural feature.		

Attribute	Nationality
-----------	-------------

Acronym: **NATION** Code: 111

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The nationality of the specific objec

Attribute	Information in national language
-----------	----------------------------------

Acronym: **NINFOM**

Code: 300

Use Type: N

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: Textual information in national language characters

Attribute	Object name in national language
-----------	----------------------------------

Acronym: **NOBJNM**

Code: 301

Use Type: N

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: Name of object in national language characters

Attribute	Textual description in national language
-----------	--

Acronym: **NTXTDS** Code: 304

Use Type: N

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The file name of an external text file that contains the text in a national language.

Attribute	Object name
-----------	-------------

Acronym: **OBJNAM** Code: 116

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The individual name of an object.

Attribute	Orientation
-----------	-------------

Acronym: **ORIENT** Code: 117

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The angular distance measured from true north to the major axis of the object. (Digital Geographic Information Working Group -DGIWG, Oct.87)

Attribute	Periodic date end
-----------	-------------------

Acronym: **PEREND**

Code: 118

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The end of the active period for a seasonal object (e.g. a buoy).

Attribute	Periodic date start
-----------	---------------------

Acronym: **PERSTA**

Code: 119

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The start of the active period for a seasonal object (e.g. a buoy).

Attribute	Pictorial representation
-----------	--------------------------

Acronym: **PICREP** Code: 120

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: Indicates whether a pictorial representation of the object is available.

Attribute	Pilot district
-----------	----------------

Acronym: **PILDST** Code: 121

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The area within which a particular pilotage service operates.

Attribute	Positional Accuracy
-----------	---------------------

Acronym: **POSACC**

Code: 401

Use Type: F,S

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The best estimate of the accuracy of a position. The expected input is the maximum of the two-dimensional error. The error is assumed to be positive and negative. The plus/minus character shall not be encoded.

Attribute	Product
-----------	---------

Acronym: **PRODCT**

Code: 123

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: PRODCT_1 Date accepted: 2000-11-01

Name: oil

Definition: a thick, slippery liquid that will not dissolve in water, usually petroleum based in the context of storage tanks. (adapted from the Oxford Minidictionary, Third Edition)

2 DD Name: S100 Code: PRODCT_2 Date accepted: 2000-11-01

Name: gas

Definition: a substance with particles that can move freely, usually a fuel substance in the context of storage tanks. (adapted from the Oxford Minidictionary, Third Edition)

3 DD Name: S100 Code: PRODCT_3 Date accepted: 2000-11-01

Name: water

Definition: a colourless, odourless, tasteless liquid that is a compound of hydrogen and oxygen. (adapted from the Oxford Minidictionary, Third Edition)

4 DD Name: S100 Code: PRODCT_4 Date accepted: 2000-11-01

Name: stone

Definition: a general term for rock fragments. (IHO Dictionary, S-32, 5th Edition, 5059)

5 DD Name: S100 Code: PRODCT_5 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name: coal		
	Definition: a hard black mineral that is burned as fuel. (adapted from the Oxford Minidictionary, Third Edition)		
6	DD Name: S100	Code: PRODCCT_6	Date accepted: 2000-11-01
	Name: ore		
	Definition: a solid rock or mineral from which metal is obtained. (adapted form the Oxford Minidictionary, Third Edition)		
7	DD Name: S100	Code: PRODCCT_7	Date accepted: 2000-11-01
	Name: chemicals		
	Definition: any substance obtained by or used in a chemical process. (adapted from the Oxford Minidictionary, Third Edition)		
8	DD Name: S100	Code: PRODCCT_8	Date accepted: 2000-11-01
	Name: drinking water		
	Definition: water that is suitable for human consumption. (adapted from the Oxford Minidictionary, Third Edition)		
14	DD Name: S100	Code: PRODCCT_14	Date accepted: 2000-11-01
	Name: sand		
	Definition: tiny grains of crushed or worn rock. (adapted from the Oxford Minidictionary, Third Edition)		
15	DD Name: S100	Code: PRODCCT_15	Date accepted: 2000-11-01
	Name: timber		
	Definition: wood prepared for use in building or carpentry. (adapted from the Oxford Minidictionary, Third Edition)		
17	DD Name: S100	Code: PRODCCT_17	Date accepted: 2000-11-01
	Name: scrap metal		
	Definition: discarded metal suitable for being reprocessed. (adapted from the Oxford Minidictionary, Third Edition)		
21	DD Name: S100	Code: PRODCCT_21	Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: cement

Definition: a substance made of powdered lime and clay, mixed with water. (adapted from the Websters New World Dictionary)

22 DD Name: S100 Code: PRODCCT_22 Date accepted: 2000-11-01

Name: grain

Definition: a small hard seed, especially that of any cereal plant such as wheat, rice, corn, rye etc. (adapted from the Websters New World Dictionary)

Attribute	Quality of position
-----------	---------------------

Acronym: **QUAPOS** Code: 402

Use Type: F,S

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

4 DD Name: S100 Code: QUAPOS_4 Date accepted: 2000-11-01

Name: approximate

Definition: a position that is considered to be less than third-order accuracy, but is generally considered to be within 30.5 metres of its correct geographic location. Also may apply to an object whose position does not remain fixed. (adapted from IHO Dictionary, S-32, 213, 3967, and IHO Specifications, M-4, 424.1)

10 DD Name: S100 Code: QUAPOS_10 Date accepted: 2000-11-01

Name: precisely known

Definition: a position that is of a known value, such as the position of an anchor berth or other defined object.

Attribute	Quality of sounding measurement
-----------	---------------------------------

Acronym: **QUASOU**

Code: 125

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: QUASOU_1 Date accepted: 2000-11-01

Name: depth known

Definition: the depth from chart datum to the bottom is a known value.

2 DD Name: S100 Code: QUASOU_2 Date accepted: 2000-11-01

Name: depth unknown

Definition: the depth from chart datum to the bottom is unknown.

8 DD Name: S100 Code: QUASOU_8 Date accepted: 2000-11-01

Name: value reported (not surveyed)

Definition: depth value obtained from a report, but not fully surveyed.

10 DD Name: S100 Code: QUASOU_10 Date accepted: 2000-11-01

Name: maintained depth

Definition: the depth at which a channel is kept by human influence, usually by dredging. (IHO Dictionary, S-32, 5th Edition, 3057)

11 DD Name: S100 Code: QUASOU_11 Date accepted: 2000-11-01

Name: not regularly maintained

Value Data Dictionary (DD) Reference

Definition: depths may be altered by human influence, but will not be routinely maintained.

Attribute	Radar wave length
-----------	-------------------

Acronym: **RADWAL** Code: 126

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The distance between two successive peaks (or other points of identical phase) on an electromagnetic wave in the radar band of the electromagnetic spectrum.

Attribute	Reference year for magnetic variation
-----------	---------------------------------------

Acronym: **RESTRN** Code: 131

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The official legal statute of each kind of restricted area.

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: RESTRN_1 Date accepted: 2000-11-01

Name: anchoring prohibited

Definition: an area within which anchoring is not permitted.

Attribute	Scale minimum
-----------	---------------

Acronym: **SCAMIN** Code: 133

Use Type: F

Value Type: I

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The minimum scale at which the object may be used e.g. for ECDIS presentation.

Attribute	Signal frequency
-----------	------------------

Acronym: **SIGFRQ**

Code: 139

Use Type: F

Value Type: I

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The frequency of a signal.

Attribute	Signal generation
-----------	-------------------

Acronym: **SIGGEN**

Code: 140

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: SIGGEN_1 Date accepted: 2000-11-01

Name: automatically

Definition: signal generation is initiated by a self regulating mechanism such as a timer or light sensor.

2 DD Name: S100 Code: SIGGEN_2 Date accepted: 2000-11-01

Name: by wave action

Definition: the signal is generated by the motion of the sea surface such as a bell in a buoy.

Attribute	Signal group
-----------	--------------

Acronym: **SIGGRP** Code: 141

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The number of signals, the combination of signals or the morse character(s) within one period of full sequence.

Attribute	Signal period
-----------	---------------

Acronym: **SIGPER** Code: 142

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The time occupied by an entire cycle of intervals of light and eclipse.

Attribute	Signal sequence
-----------	-----------------

Acronym: **SIGSEQ**

Code: 143

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The sequence of times occupied by intervals of light and eclipse for all 'light characteristics' except for occulting where the sequence of times is occupied by intervals of eclipse and light.

Attribute	Source date
-----------	-------------

Acronym: **SORDAT** Code: 147

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The production date of the source, e.g. the date of measurement.

Attribute	Source indication
-----------	-------------------

Acronym: **SORIND**

Code: 148

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: Information about the source of the object.

Attribute	Sounding accuracy
-----------	-------------------

Acronym: **SOUACC** Code: 144

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The best estimate of the accuracy of the sounding data. The maximum of the one-dimensional error. The error is assumed to be positive and negative. The plus/minus character shall not be encoded.

Attribute	Status
-----------	--------

Acronym: **STATUS** Code: 149

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value	Data Dictionary (DD) Reference		
2	DD Name: S100	Code: STATUS_2	Date accepted: 2000-11-01
	Name: occasional		
	Definition: acting on special occasions; happening irregularly. (The Concise Oxford Dictionary, 7th Edition)		
3	DD Name: S100	Code: STATUS_3	Date accepted: 2000-11-01
	Name: recommended		
	Definition: presented as worthy of confidence, acceptance, use, etc. (The Macquarie Dictionary, 1988)		
4	DD Name: S100	Code: STATUS_4	Date accepted: 2000-11-01
	Name: not in use		
	Definition: no longer used for the purpose intended; disused.		
8	DD Name: S100	Code: STATUS_8	Date accepted: 2000-11-01
	Name: private		
	Definition: not in public ownership or operation.		
9	DD Name: S100	Code: STATUS_9	Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	mandatory	
	Definition:	compulsory; enforced. (The Concise Oxford Dictionary, 7th Edition)	
12	DD Name: S100	Code: STATUS_12	Date accepted: 2000-11-01
	Name:	illuminated	
	Definition:	lit by floodlights, strip lights, etc.	
14	DD Name: S100	Code: STATUS_14	Date accepted: 2000-11-01
	Name:	public	
	Definition:	belonging to, available to, used or shared by, the community as a whole and not restricted to private use. (adapted from The New Shorter Oxford English Dictionary, 1993)	
16	DD Name: S100	Code: STATUS_16	Date accepted: 2000-11-01
	Name:	watched	
	Definition:	looked at or observed over a period of time especially so as to be aware of any movement or change. (adapted from The New Shorter Oxford English Dictionary, 1993)	
17	DD Name: S100	Code: STATUS_17	Date accepted: 2000-11-01
	Name:	un-watched	
	Definition:	usually automatic in operation, without any permanently-stationed personnel to superintend it. (adapted from IHO Dictionary, S-32, 5th Edition, 2814)	

Attribute	Survey authority
-----------	------------------

Acronym: **SURATH**

Code: 150

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The authority which was responsible for the survey.

Attribute	Survey date - end
-----------	-------------------

Acronym: **SUREND**

Code: 151

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The end date of the survey.

Attribute	Survey date - start
-----------	---------------------

Acronym: **SURSTA** Code: 152

Use Type: F

Value Type: S

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The start date of the survey.

Attribute	Survey type
-----------	-------------

Acronym: **SURTYP** Code: 153

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

2 DD Name: S100 Code: SURTYP_2 Date accepted: 2000-11-01

Name: controlled survey

Definition: a thorough survey usually conducted with reference to guidelines.

Attribute	Technique of sounding measurement
-----------	-----------------------------------

Acronym: **TECSOU**

Code: 156

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: TECSOU_1 Date accepted: 2000-11-01

Name: found by echo-sounder

Definition: the depth was determined by using an instrument that determines depth of water by measuring the time interval between emission of a sonic or ultrasonic signal and return of its echo from the bottom. (adapted from IHO Dictionary, S-32, 1547)

2 DD Name: S100 Code: TECSOU_2 Date accepted: 2000-11-01

Name: found by side-scan-sonar

Definition: the depth was computed from a record produced by active sonar in which fixed acoustic beams are directed into the water perpendicularly to the direction of travel to scan the bottom and generate a record of the bottom configuration. (adapted from IHO Dictionary, S-32, 4710)

3 DD Name: S100 Code: TECSOU_3 Date accepted: 2000-11-01

Name: found by multi-beam

Definition: the depth was determined by using a wide swath echo sounder that uses multiple beams to measure depths directly below and transverse to the ship's track. (adapted from IHO Dictionary, S-32, 3339)

4 DD Name: S100 Code: TECSOU_4 Date accepted: 2000-11-01

Name: found by diver

Value Data Dictionary (DD) Reference

Definition: the depth was determined by a person skilled in the practice of diving. (adapted from IHO Dictionary, S-32, 1422)

5 DD Name: S100 Code: TECSOU_5 Date accepted: 2000-11-01

Name: found by lead-line

Definition: the depth was determined by using a line, graduated with attached marks and fastened to a sounding lead. (adapted from IHO Dictionary, S-32, 2698)

6 DD Name: S100 Code: TECSOU_6 Date accepted: 2000-11-01

Name: swept by wire-drag

Definition: the given area was determined to be free from navigational dangers to a certain depth by towing a buoyed wire at the desired depth by two launches, or a least depth was identified using the same technique. (adapted from IHO Dictionary, S-32, 5248, 6013)

7 DD Name: S100 Code: TECSOU_7 Date accepted: 2000-11-01

Name: found by laser

Definition: the depth was determined by using an instrument that measures distance by emitting timed pulses of laser light and measuring the time between emission and reception of the reflected pulses. (adapted from IHO Dictionary, S-32, 2763)

8 DD Name: S100 Code: TECSOU_8 Date accepted: 2000-11-01

Name: swept by vertical acoustic system

Definition: the given area has been swept using a system comprised of multiple echo sounder transducers attached to booms deployed from the survey vessel.

9 DD Name: S100 Code: TECSOU_9 Date accepted: 2000-11-01

Name: found by electromagnetic sensor

Definition: the depth was determined by using an instrument that compares electromagnetic signals. (adapted from IHO Dictionary, S-32, 1571)

10 DD Name: S100 Code: TECSOU_10 Date accepted: 2000-11-01

Name: photogrammetry

Definition: the depth was determined by applying mathematical techniques to photographs. (adapted from IHO Dictionary, S-32, 3791)

11 DD Name: S100 Code: TECSOU_11 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name:	satellite imagery	
	Definition:	the depth was determined by using instruments placed aboard an artificial satellite. (adapted from IHO Dictionary, S-32, 4509)	
12	DD Name: S100	Code: TECSOU_12	Date accepted: 2000-11-01
	Name:	found by levelling	
	Definition:	the depth was determined by using levelling techniques to find the elevation of the point relative to a datum. (adapted from IHO Dictionary, S-32, 2741)	
13	DD Name: S100	Code: TECSOU_13	Date accepted: 2000-11-01
	Name:	swept by side-scan-sonar	
	Definition:	the given area was determined to be free from navigational dangers to a certain depth by towing a side-scan-sonar. (adapted from IHO Dictionary, S-32, 5248, 4710) [415.2]	
14	DD Name: S100	Code: TECSOU_14	Date accepted: 2000-11-01
	Name:	computer generated	
	Definition:	the sounding was determined from a bottom model constructed using a computer.	

Attribute	Topmark/daymark shape
-----------	-----------------------

Acronym: **TOPSHP**

Code: 171

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: TOPSHP_1 Date accepted: 2000-11-01

Name: cone, point up

Definition: is where the vertex points up.

2 DD Name: S100 Code: TOPSHP_2 Date accepted: 2000-11-01

Name: cone, point down

Definition: is where the vertex points down.

3 DD Name: S100 Code: TOPSHP_3 Date accepted: 2000-11-01

Name: sphere

Definition: a body the surface of which is at all points equidistant from the centre. (The New Shorter Oxford English Dictionary. 1993. vol 2). Spheres are commonly used as International Association of Lighthouse Authorities - IALA topmarks (safe water).

4 DD Name: S100 Code: TOPSHP_4 Date accepted: 2000-11-01

Name: 2 spheres

Definition: two black spheres are commonly used as an International Association of Lighthouse Authorities - IALA topmark (isolated danger).

5 DD Name: S100 Code: TOPSHP_5 Date accepted: 2000-11-01

Value	Data Dictionary (DD) Reference		
	Name: cylinder (can)		
	Definition: a solid geometrical figure generated by straight lines fixed in direction and describing with one of point a closed curve, especially a circle (in which case the figure is circular cylinder, it's ends being parallel circles). (The New Shorter Oxford English Dictionary. 1993. vol 2). Cylinders are commonly used as International Association of Lighthouse Authorities - IALA topmarks (lateral).		
6	DD Name: S100	Code: TOPSHP_6	Date accepted: 2000-11-01
	Name: board		
	Definition: usually of rectangular shape, made from timber or metal and used to provide a contrast with the natural background of a daymark. The actual daymark is often painted on to this board.		
7	DD Name: S100	Code: TOPSHP_7	Date accepted: 2000-11-01
	Name: x-shape (St. Andrew's cross)		
	Definition: having a shape or a cross-section like the capital letter X. (The New Shorter Oxford English Dictionary. 1993. vol 2). An x-shape as an International Association of Lighthouse Authorities - IALA topmark should be 3 dimensional in shape. It is made of at least three crossed bars.		
8	DD Name: S100	Code: TOPSHP_8	Date accepted: 2000-11-01
	Name: upright cross (St George's cross)		
	Definition: a cross with one vertical member and one horizontal member, i.e. similar in shape to the character '+'.		
9	DD Name: S100	Code: TOPSHP_9	Date accepted: 2000-11-01
	Name: cube, point up		
	Definition: a cube standing on one of its vertexes.		
10	DD Name: S100	Code: TOPSHP_10	Date accepted: 2000-11-01
	Name: 2 cones, point to point		
	Definition: 2 cones, one above the other, with their vertices together in the centre.		
11	DD Name: S100	Code: TOPSHP_11	Date accepted: 2000-11-01
	Name: 2 cones, base to base		

Value	Data Dictionary (DD) Reference		
	Definition: 2 cones, one above the other, with their bases together in the centre and their vertices pointing up and down.		
12	DD Name: S100	Code: TOPSHP_12	Date accepted: 2000-11-01
	Name: rhombus (diamond)		
	Definition: a plane figure having four equal sides and equal opposite angles (two acute and two obtuse); an oblique equilateral parallelogram. (The New Shorter Oxford English Dictionary. 1993. vol 2)		
13	DD Name: S100	Code: TOPSHP_13	Date accepted: 2000-11-01
	Name: 2 cones (points upward)		
	Definition: 2 cones, one above the other, with their their vertices pointing up		
14	DD Name: S100	Code: TOPSHP_14	Date accepted: 2000-11-01
	Name: 2 cones (points downward)		
	Definition: 2 cones, one above the other, with their their vertices pointing down		
15	DD Name: S100	Code: TOPSHP_15	Date accepted: 2000-11-01
	Name: besom, point up (broom or perch)		
	Definition: a bundle of rods or twigs. (The New Shorter Oxford English Dictionary. 1993. vol 1)		
16	DD Name: S100	Code: TOPSHP_16	Date accepted: 2000-11-01
	Name: besom, point down (broom or perch)		
	Definition: a bundle of rods or twigs. (The New Shorter Oxford English Dictionary. 1993. vol 1)		
17	DD Name: S100	Code: TOPSHP_17	Date accepted: 2000-11-01
	Name: flag		
	Definition: a flag mounted on a short pole.		
18	DD Name: S100	Code: TOPSHP_18	Date accepted: 2000-11-01
	Name: sphere over rhombus		
	Definition: A sphere located above a rhombus.		

Value	Data Dictionary (DD) Reference		
19	DD Name: S100	Code: TOPSHP_19	Date accepted: 2000-11-01
	Name: square		
	Definition: a plane figure with four right angles and four equal straight sides (The New Shorter Oxford English Dictionary. 1993. vol 2)		
20	DD Name: S100	Code: TOPSHP_20	Date accepted: 2000-11-01
	Name: rectangle, horizontal		
	Definition: a plane figure with four right angles and four straight sides, opposite sides being parallel and equal in length where the two longer opposite sides are standing horizontally (The New Shorter Oxford English Dictionary. 1993. vol 2).		
21	DD Name: S100	Code: TOPSHP_21	Date accepted: 2000-11-01
	Name: rectangle, vertical		
	Definition: a plane figure with four right angles and four straight sides, opposite sides being parallel and equal in length where the two longer opposite sides are standing vertically (The New Shorter Oxford English Dictionary. 1993. vol 2).		
22	DD Name: S100	Code: TOPSHP_22	Date accepted: 2000-11-01
	Name: trapezium, up		
	Definition: a quadrilateral having one pair of opposite sides parallel which stands on its longer parallel side. (The New Shorter Oxford English Dictionary. 1993. vol 2).		
23	DD Name: S100	Code: TOPSHP_23	Date accepted: 2000-11-01
	Name: trapezium, down		
	Definition: a quadrilateral having one pair of opposite sides parallel which stands on its shorter parallel side. (The New Shorter Oxford English Dictionary. 1993. vol 2).		
24	DD Name: S100	Code: TOPSHP_24	Date accepted: 2000-11-01
	Name: triangle, point up		
	Definition: a figure having three angles and three sides with point up. (New Shorter Oxford English Dictionary. 1993. vol 2)		
25	DD Name: S100	Code: TOPSHP_25	Date accepted: 2000-11-01
	Name: triangle, point down		

Value	Data Dictionary (DD) Reference		
	Definition: a figure having three angles and three sides with point down. (New Shorter Oxford English Dictionary. 1993. vol 2)		
26	DD Name: S100	Code: TOPSHP_26	Date accepted: 2000-11-01
	Name: circle		
	Definition: a perfectly round plane figure whose circumference is everywhere equidistant from its centre. (The New Shorter Oxford English Dictionary. 1993. vol 1)		
27	DD Name: S100	Code: TOPSHP_27	Date accepted: 2000-11-01
	Name: two upright crosses (one over the other)		
	Definition: two upright crosses, generally vertically disposed one above the other.		
28	DD Name: S100	Code: TOPSHP_28	Date accepted: 2000-11-01
	Name: T-shape		
	Definition: having a shape like the capital letter T.		
29	DD Name: S100	Code: TOPSHP_29	Date accepted: 2000-11-01
	Name: triangle pointing up over a circle		
	Definition: a triangle, vertex uppermost, located above a circle.		
30	DD Name: S100	Code: TOPSHP_30	Date accepted: 2000-11-01
	Name: upright cross over a circle		
	Definition: an upright cross located above a circle.		
31	DD Name: S100	Code: TOPSHP_31	Date accepted: 2000-11-01
	Name: rhombus over a circle		
	Definition: a rhombus located above a circle.		
32	DD Name: S100	Code: TOPSHP_32	Date accepted: 2000-11-01
	Name: circle over a triangle pointing up		
	Definition: a circle located over a triangle, vertex uppermost.		
33	DD Name: S100	Code: TOPSHP_33	Date accepted: 2000-11-01
	Name: other shape (see INFORM)		

Value Data Dictionary (DD) Reference

Definition:

Attribute	Traffic flow
-----------	--------------

Acronym: **TRAFIC**

Code: 172

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: TRAFIC_1 Date accepted: 2000-11-01

Name: inbound

Definition: traffic flow in a general direction toward a port or similar destination.

2 DD Name: S100 Code: TRAFIC_2 Date accepted: 2000-11-01

Name: outbound

Definition: traffic flow in a general direction away from a port or similar point of origin.

3 DD Name: S100 Code: TRAFIC_3 Date accepted: 2000-11-01

Name: one-way

Definition: traffic flow in one general direction only.

4 DD Name: S100 Code: TRAFIC_4 Date accepted: 2000-11-01

Name: two-way

Definition: traffic flow in two generally opposite directions.

Attribute	Textual description
-----------	---------------------

Acronym: **TXTDSC** Code: 158

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The string encodes the file name of an external text file that contains the text in English

Attribute	Value of depth contour
-----------	------------------------

Acronym: **VALDCO**

Code: 174

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The depth of a sea bottom contour.

Attribute	Value of maximum range
-----------	------------------------

Acronym: **VALMXR**

Code: 177

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The extreme distance at which an object can be seen or a signal detected.

Attribute	Value of sounding
-----------	-------------------

Acronym: **VALSOU**

Code: 179

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The value of the measurement of a sounding relative to the chart datum.

Attribute	Vertical clearance, closed
-----------	----------------------------

Acronym: **VERCCL**

Code: 182

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The vertical clearance of an object in closed condition (e.g. a closed lifting bridge) measured from the plane towards the object overhead.

Attribute	Vertical clearance
-----------	--------------------

Acronym: **VERCLR** Code: 181

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100 Date accepted: 2000-11-01

Definition: The vertical clearance measured from the plane towards the object overhead.

Attribute	Vertical clearance, open
-----------	--------------------------

Acronym: **VERCOP**

Code: 183

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition: The vertical clearance of an object in opened condition (e.g. an opened lifting bridge) measured from the plane towards the object overhead.

Attribute	Water level effect
-----------	--------------------

Acronym: **WATLEV**

Code: 187

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: S100

Date accepted: 2000-11-01

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: S100 Code: WATLEV_1 Date accepted: 2000-11-01

Name: partly submerged at high water

Definition: partially covered and partially dry at high water.

2 DD Name: S100 Code: WATLEV_2 Date accepted: 2000-11-01

Name: always dry

Definition: not covered at high water under average meteorological conditions.

3 DD Name: S100 Code: WATLEV_3 Date accepted: 2000-11-01

Name: always under water/submerged

Definition: remains covered by water at all times under average meteorological conditions.

4 DD Name: S100 Code: WATLEV_4 Date accepted: 2000-11-01

Name: covers and uncovers

Definition: expression intended to indicate an area of a reef or other projection from the bottom of a body of water which periodically extends above and is submerged below the surface. Also referred to as dries or uncovers. (IHO Dictionary, S-32, 5th Edition, 1111)

5 DD Name: S100 Code: WATLEV_5 Date accepted: 2000-11-01

Value Data Dictionary (DD) Reference

Name: awash

Definition: flush with, or washed by the waves at low water under average meteorological conditions. (adapted from IHO Dictionary, S-32, 5th Edition, 308)

Attribute	additional mark
-----------	-----------------

Acronym: **addmrk**

Code: 17050

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: addmrk_1 Date accepted: 2001-05-31

Name: top (board)

Definition: a rectangular board at the top of the main sign

2 DD Name: IENC Code: addmrk_2 Date accepted: 2001-05-31

Name: bottom (board)

Definition: a rectangular board at the bottom of the main sign

3 DD Name: IENC Code: addmrk_3 Date accepted: 2001-05-31

Name: right (triangle to the right)

Definition: a triangular board at the right side of the main sign

4 DD Name: IENC Code: addmrk_4 Date accepted: 2001-05-31

Name: left (triangle to the left)

Definition: a triangular board at the left side of the main sign

5 DD Name: IENC Code: addmrk_5 Date accepted: 2001-05-31

Name: bottom (triangle to the bottom)

Definition: a triangular board at the bottom of the main sign

Attribute	Assemblies of ship (excluding)
-----------	--------------------------------

Acronym: **lc_ase**

Code: 18015

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lc_ase_1 Date accepted: 2001-05-31

Name: all types

Definition:

2 DD Name: IENC Code: lc_ase_2 Date accepted: 2001-05-31

Name: other

Definition:

3 DD Name: IENC Code: lc_ase_3 Date accepted: 2001-05-31

Name: single vessel

Definition:

5 DD Name: IENC Code: lc_ase_5 Date accepted: 2001-05-31

Name: convoy

Definition: a rigid or towed convoy of craft

6 DD Name: IENC Code: lc_ase_6 Date accepted: 2001-05-31

Name: formation

Definition: the manner in which a convoy is assembled

Value	Data Dictionary (DD) Reference		
7	DD Name: IENC	Code: lc_ase_7	Date accepted: 2001-05-31
	Name: rigid convoy		
	Definition: a pushed convoy or breasted up formation		
8	DD Name: IENC	Code: lc_ase_8	Date accepted: 2001-05-31
	Name: pushed convoy		
	Definition: a rigid assembly of craft of which at least one is positioned in front of the craft providing the power for propelling the convoy, known as the "pusher(s)"; a convoy composed of a pusher craft and a pushed craft coupled so as to permit guided articulation is also considered as rigid		
9	DD Name: IENC	Code: lc_ase_9	Date accepted: 2001-05-31
	Name: breasted up formation		
	Definition: an assembly of craft coupled rigidly side by side, none of which is positioned in front of the craft propelling the assembly		
10	DD Name: IENC	Code: lc_ase_10	Date accepted: 2001-05-31
	Name: towed convoy		
	Definition: an assembly of one or more craft, floating establishments or floating installations towed by one or more self-propelled craft forming part of the convoy		

Attribute	Assemblies of ship (including)
-----------	--------------------------------

Acronym: **lc_asi**

Code: 18014

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lc_asi_1 Date accepted: 2001-05-31

Name: all types

Definition:

2 DD Name: IENC Code: lc_asi_2 Date accepted: 2001-05-31

Name: other

Definition:

3 DD Name: IENC Code: lc_asi_3 Date accepted: 2001-05-31

Name: single vessel

Definition:

5 DD Name: IENC Code: lc_asi_5 Date accepted: 2001-05-31

Name: convoy

Definition: a rigid or towed convoy of craft

6 DD Name: IENC Code: lc_asi_6 Date accepted: 2001-05-31

Name: formation

Definition: the manner in which a convoy is assembled

Value	Data Dictionary (DD) Reference		
7	DD Name: IENC	Code: lc_asl_7	Date accepted: 2001-05-31
	Name: rigid convoy		
	Definition: a pushed convoy or breasted up formation		
8	DD Name: IENC	Code: lc_asl_8	Date accepted: 2001-05-31
	Name: pushed convoy		
	Definition: a rigid assembly of craft of which at least one is positioned in front of the craft providing the power for propelling the convoy, known as the "pusher(s)"; a convoy composed of a pusher craft and a pushed craft coupled so as to permit guided articulation is also considered as rigid		
9	DD Name: IENC	Code: lc_asl_9	Date accepted: 2001-05-31
	Name: breasted up formation		
	Definition: an assembly of craft coupled rigidly side by side, none of which is positioned in front of the craft propelling the assembly		
10	DD Name: IENC	Code: lc_asl_10	Date accepted: 2001-05-31
	Name: towed convoy		
	Definition: an assembly of one or more craft, floating establishments or floating installations towed by one or more self-propelled craft forming part of the convoy		

Attribute	Avarage Passing Time Reference
-----------	--------------------------------

Acronym: **aptref**

Code: 17099

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The string encodes the file name of an external file

Attribute	Beam range value 1
-----------	--------------------

Acronym: **lc_bm1**

Code: 18018

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The minimum value of the beam range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Beam range value 2
-----------	--------------------

Acronym: **lc_bm2**

Code: 18019

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum value of the beam range the particular article/clause of the applicable law/regulation is dealing with

Attribute	bunker vessel, availability
-----------	-----------------------------

Acronym: **bunves** Code: 17065

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: bunves_1 Date accepted: 2001-05-31

Name: bunker vessel available

Definition: a bunker vessel is available

2 DD Name: IENC Code: bunves_2 Date accepted: 2001-05-31

Name: no bunker vessel available

Definition: a bunker vessel is not available

Attribute	Category of anchorage
-----------	-----------------------

Acronym: **catach**

Code: 17000

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catach_1 Date accepted: 2001-05-31

Name: unrestricted anchorage

Definition: an area in which vessels anchor or may anchor. (IHO Dictionary, S-32, 5th Edition, 130)

2 DD Name: IENC Code: catach_2 Date accepted: 2001-05-31

Name: deep water anchorage

Definition: an area in which vessels of deep draught anchor or may anchor.

3 DD Name: IENC Code: catach_3 Date accepted: 2001-05-31

Name: tanker anchorage

Definition: an area in which tankers anchor or may anchor.

4 DD Name: IENC Code: catach_4 Date accepted: 2001-05-31

Name: explosives anchorage

Definition: an area set apart for anchored ships discharging or receiving explosives. (IHO Dictionary, S-32, 5th Edition, 1732)

5 DD Name: IENC Code: catach_5 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	quarantine anchorage	
	Definition:	an area where a vessel anchors when satisfying quarantine regulations. (IHO Dictionary, S-32, 5th Edition, 4117)	
6	DD Name: IENC	Code: catach_6	Date accepted: 2001-05-31
	Name:	sea-plane anchorage	
	Definition:	an area in which sea-planes anchor or may anchor.	
7	DD Name: IENC	Code: catach_7	Date accepted: 2001-05-31
	Name:	small craft anchorage	
	Definition:	an area in which yachts and small boats anchor or may anchor.	
9	DD Name: IENC	Code: catach_9	Date accepted: 2001-05-31
	Name:	anchorage for periods up to 24 hours	
	Definition:	an area in which vessels anchor or may anchor for periods of up to 24 hours.	
10	DD Name: IENC	Code: catach_10	Date accepted: 2001-05-31
	Name:	anchorage for pushing-navigation vessels	
	Definition:	an area where pushing-navigation vessels may anchor	
11	DD Name: IENC	Code: catach_11	Date accepted: 2001-05-31
	Name:	anchorage for other vessels than pushing-navigation vessels	
	Definition:	an area where other vessels than pushing-navigation vessels may anchor	

Attribute	category of berth
-----------	-------------------

Acronym: **catbrt**

Code: 17066

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catbrt_1 Date accepted: 2001-05-31

Name: loading

Definition: A place where vessels may berth for loading cargo.

2 DD Name: IENC Code: catbrt_2 Date accepted: 2001-05-31

Name: unloading

Definition: A place where vessels may berth for unloading cargo.

3 DD Name: IENC Code: catbrt_3 Date accepted: 2001-05-31

Name: overnight accommodation

Definition: Berths that are suitable/ meant for berthing overnight.

4 DD Name: IENC Code: catbrt_4 Date accepted: 2001-05-31

Name: berth for pushing-navigation vessels

Definition: an place where pushing-navigation vessels may berth.

5 DD Name: IENC Code: catbrt_5 Date accepted: 2001-05-31

Name: berth for other vessels than pushing-navigation vessels

Definition: an place where other vessels than pushing-navigation vessels may berth.

Value Data Dictionary (DD) Reference

- 6 DD Name: IENC Code: catbrt_6 Date accepted: 2001-05-31
Name: fleeting area
Definition: A legally permitted area in or near the waterway designated for temporary barge mooring.
- 7 DD Name: IENC Code: catbrt_7 Date accepted: 2001-05-31
Name: first class landing
Definition: A federally designated area that provides tie-ups and at least 9 feet (2.7m) of water depth during low water level.
- 8 DD Name: IENC Code: catbrt_8 Date accepted: 2001-05-31
Name: second class landing
Definition: A federally designated area that provides tie-ups and at least 9 feet (2.7m) of water depth normal pool level.
-

Attribute	category of bunker station
-----------	----------------------------

Acronym: **catbun**

Code: 17067

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catbun_1 Date accepted: 2001-05-31

Name: diesel oil

Definition: diesel oil available

2 DD Name: IENC Code: catbun_2 Date accepted: 2001-05-31

Name: water

Definition: water available

3 DD Name: IENC Code: catbun_3 Date accepted: 2001-05-31

Name: ballast

Definition: ballast available

Attribute	Category of cable
-----------	-------------------

Acronym: **catchbl** Code: 17101

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value	Data Dictionary (DD) Reference		
1	DD Name: IENC	Code: catchbl_1	Date accepted: 2001-05-31
	Name: power line		
	Definition: a cable used for the supply of electricity.		
3	DD Name: IENC	Code: catchbl_3	Date accepted: 2001-05-31
	Name: transmission line		
	Definition: multiple un-insulated cables usually supported by steel lattice towers. Such features are generally more prominent than normal power lines.		
4	DD Name: IENC	Code: catchbl_4	Date accepted: 2001-05-31
	Name: telephone		
	Definition: a cable used for the transmission of telephone signals.		
5	DD Name: IENC	Code: catchbl_5	Date accepted: 2001-05-31
	Name: telegraph		
	Definition: a cable used for the transmission of telegraph signals.		
6	DD Name: IENC	Code: catchbl_6	Date accepted: 2001-05-31
	Name: mooring cable/chain		

Value Data Dictionary (DD) Reference

Definition: a cable or chain used to secure a mooring buoy or other floating structure.

7 DD Name: IENC Code: catchl_7 Date accepted: 2001-05-31

Name: ferry cable

Definition: a cable where a cable ferry is connected to

Attribute	Category of cargo (excluding)
-----------	-------------------------------

Acronym: **lc_cce** Code: 18017

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value	Data Dictionary (DD) Reference		
1	DD Name: IENC	Code: lc_cce_1	Date accepted: 2001-05-31
	Name: all types		
	Definition:		
2	DD Name: IENC	Code: lc_cce_2	Date accepted: 2001-05-31
	Name: other		
	Definition:		
4	DD Name: IENC	Code: lc_cce_4	Date accepted: 2001-05-31
	Name: bulk		
	Definition: unpacked homogenous cargo poured loose in a certain space of a vessel e.g. oil or grain		
5	DD Name: IENC	Code: lc_cce_5	Date accepted: 2001-05-31
	Name: dry cargo		
	Definition:		
6	DD Name: IENC	Code: lc_cce_6	Date accepted: 2001-05-31
	Name: liquid cargo		

Value Data Dictionary (DD) Reference

Definition:

7 DD Name: IENC Code: lc_cce_7 Date accepted: 2001-05-31

Name: liquid cargo (type N)

Definition:

8 DD Name: IENC Code: lc_cce_8 Date accepted: 2001-05-31

Name: liquid cargo (type C)

Definition:

9 DD Name: IENC Code: lc_cce_9 Date accepted: 2001-05-31

Name: gas

Definition:

Attribute	Category of cargo (including)
-----------	-------------------------------

Acronym: **lc_cci** Code: 18016

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value	Data Dictionary (DD) Reference		
1	DD Name: IENC Name: all types Definition:	Code: lc_cci_1	Date accepted: 2001-05-31
2	DD Name: IENC Name: other Definition:	Code: lc_cci_2	Date accepted: 2001-05-31
4	DD Name: IENC Name: bulk Definition: unpacked homogenous cargo poured loose in a certain space of a vessel e.g. oil or grain	Code: lc_cci_4	Date accepted: 2001-05-31
5	DD Name: IENC Name: dry cargo Definition:	Code: lc_cci_5	Date accepted: 2001-05-31
6	DD Name: IENC Name: liquid cargo	Code: lc_cci_6	Date accepted: 2001-05-31

Value Data Dictionary (DD) Reference

Definition:

7 DD Name: IENC Code: lc_cci_7 Date accepted: 2001-05-31

Name: liquid cargo (type N)

Definition:

8 DD Name: IENC Code: lc_cci_8 Date accepted: 2001-05-31

Name: liquid cargo (type C)

Definition:

9 DD Name: IENC Code: lc_cci_9 Date accepted: 2001-05-31

Name: gas

Definition:

Attribute	category of CEMT class
-----------	------------------------

Acronym: **catccl** Code: 17068

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catccl_1 Date accepted: 2001-05-31

Name: 0 small vessels and pleasure craft

Definition: designated for small vessels and pleasure crafts only

2 DD Name: IENC Code: catccl_2 Date accepted: 2001-05-31

Name: I peniche

Definition: designated for barges of type "Péniche" (west of river Elbe) or of type "Gross Finow" (east of river Elbe)

3 DD Name: IENC Code: catccl_3 Date accepted: 2001-05-31

Name: II campine barge

Definition: designated for barges of type "Kempenaar" (west of river Elbe) or of type "BM-500" (east of river Elbe)

4 DD Name: IENC Code: catccl_4 Date accepted: 2001-05-31

Name: III Dortmund-Ems barge

Definition: designated for barges of type "Gustav Koenigs" (west of river Elbe) or of a similar type concerning the dimensions (east of river Elbe)

5 DD Name: IENC Code: catccl_5 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	IV Rhine-Herne barge	
	Definition:	designated for barges of type "Johann Welker"	
6	DD Name: IENC	Code: catccl_6	Date accepted: 2001-05-31
	Name:	Va Large Rhine barge; 1-barge push-tow unit	
	Definition:	designated for barges of type "Large Rhine barge" or pushed convoys with one barge	
7	DD Name: IENC	Code: catccl_7	Date accepted: 2001-05-31
	Name:	Vb 2-barge push-tow unit; long formation	
	Definition:	designated for pushed convoys with two barges, long formation	
8	DD Name: IENC	Code: catccl_8	Date accepted: 2001-05-31
	Name:	VIa 2-barge push-tow unit; wide formation	
	Definition:	designated for pushed convoys with two barges, wide formation	
9	DD Name: IENC	Code: catccl_9	Date accepted: 2001-05-31
	Name:	VIb 4-barge push-tow unit	
	Definition:	designated for pushed convoys with four barges	
10	DD Name: IENC	Code: catccl_10	Date accepted: 2001-05-31
	Name:	VIc 6-barge push-tow unit	
	Definition:	designated for pushed convoys with six barges	
11	DD Name: IENC	Code: catccl_11	Date accepted: 2001-05-31
	Name:	No CEMT class	
	Definition:		

Attribute	Category of checkpoint
-----------	------------------------

Acronym: **catchp** Code: 17010

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catchp_1 Date accepted: 2001-05-31

Name: custom

Definition: an office, especially in ports, at which customs dues are collected or administrated. (adapted from The New Shorter Oxford English Dictionary, 1993)

2 DD Name: IENC Code: catchp_2 Date accepted: 2001-05-31

Name: border

Definition: an office, at which immigration control takes place

Attribute	Category of communication
-----------	---------------------------

Acronym: **catcom**

Code: 17069

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catcom_1 Date accepted: 2001-05-31

Name: VTS centre

Definition: The centre from which Vessel Traffic Services are operated. A VTS is a service implemented by a competent authority, designed to improve the safety and efficiency of vessel traffic and to protect the environment. The services should have the capability to interact with the traffic and to respond to traffic situations developing in the area.

2 DD Name: IENC Code: catcom_2 Date accepted: 2001-05-31

Name: VTS sector

Definition: The service area of a VTS centre.

3 DD Name: IENC Code: catcom_3 Date accepted: 2001-05-31

Name: IVS point

Definition: A reporting point of the "Informatie en Volgsysteem voor de Scheepvaart" in the Netherlands.

4 DD Name: IENC Code: catcom_4 Date accepted: 2001-05-31

Name: MID

Definition: A reporting point of the "Melde- und Informationssystem Binnenschifffahrt" in Germany.

Value Data Dictionary (DD) Reference

- 5 DD Name: IENC Code: catcom_5 Date accepted: 2001-05-31
Name: lock
Definition: A reporting point for vessels at a lock.
- 6 DD Name: IENC Code: catcom_6 Date accepted: 2001-05-31
Name: bridge
Definition: A reporting point for vessels at a movable bridge.
- 7 DD Name: IENC Code: catcom_7 Date accepted: 2001-05-31
Name: custom
Definition: A reporting point of the customs services for vessels.
- 8 DD Name: IENC Code: catcom_8 Date accepted: 2001-05-31
Name: harbour
Definition: A reporting point of a harbour.
-

Attribute	Category of exceptional structure
-----------	-----------------------------------

Acronym: **catexs**

Code: 17100

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catexs_1 Date accepted: 2001-05-31

Name: Lift-Lock

Definition: A lock of which the lock chamber itself is lifted vertically to level with the next waterway section

2 DD Name: IENC Code: catexs_2 Date accepted: 2001-05-31

Name: Aqueduct

Definition: A structure (similar to the ancient aqueducts), for conveying a canal over a river or hollow; more properly called an aqueduct bridge. (From Webster's Revised Unabridged Dictionary, 1913)

3 DD Name: IENC Code: catexs_3 Date accepted: 2001-05-31

Name: Sloping plane lock

Definition: A lock of which the lock chamber itself travels over a sloping plane to level with the next waterway section

4 DD Name: IENC Code: catexs_4 Date accepted: 2001-05-31

Name: Water slope lock (Pente d'Eau)

Value Data Dictionary (DD) Reference

Definition: In French "Pente d'Eau". A lock of which the lock chamber is formed by a sloping plane and moving gate, which is pushing a triangular section of water up along the slope to level with the next waterway section

5 DD Name: IENC Code: catexs_5 Date accepted: 2001-05-31

Name: Other

Definition: other categories of an exceptional structure

Attribute	Category of ferry
-----------	-------------------

Acronym: **catfry**

Code: 17007

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

4 DD Name: IENC Code: catfry_4 Date accepted: 2001-05-31

Name: swinging wire ferry

Definition: ferry connected to a fixed point (e.g., an anchor in the middle of the waterway) and swings around this point from shore to shore via a cable to an anchor. The cable runs more or less parallel to the current

Attribute	category of harbour area
-----------	--------------------------

Acronym: **cathbr** Code: 17070

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: cathbr_1 Date accepted: 2001-05-31

Name: custom harbour

Definition: A harbour that is administered by the customs. It may be a free harbour.

2 DD Name: IENC Code: cathbr_2 Date accepted: 2001-05-31

Name: port of refuge

Definition: A harbour that can be used to find shelter for bad environmental conditions or where efforts to mitigate larger damage or threat(s) of damage to either the vessel, her crew or the environment can be rendered.

3 DD Name: IENC Code: cathbr_3 Date accepted: 2001-05-31

Name: yacht harbour/marina

Definition: a harbour with facilities for small boats and yachts (IHO Dictionary, S-32, 5th Edition, 3095).

4 DD Name: IENC Code: cathbr_4 Date accepted: 2001-05-31

Name: fishing harbour

Definition: a harbour with facilities for fishing boats.

Attribute	Category of harbour facility
-----------	------------------------------

Acronym: **cathaf** Code: 17008

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: cathaf_1 Date accepted: 2001-05-31

Name: RoRo-terminal

Definition: a terminal for roll-on roll-off ferries.

3 DD Name: IENC Code: cathaf_3 Date accepted: 2001-05-31

Name: ferry terminal

Definition: a terminal for passenger and vehicle ferries.

4 DD Name: IENC Code: cathaf_4 Date accepted: 2001-05-31

Name: fishing harbour

Definition: a harbour with facilities for fishing boats.

6 DD Name: IENC Code: cathaf_6 Date accepted: 2001-05-31

Name: naval base

Definition: a centre of operations for naval vessels (adapted from The Collins Dictionary).

7 DD Name: IENC Code: cathaf_7 Date accepted: 2001-05-31

Name: tanker terminal

Definition: a terminal for the bulk handling of liquid cargoes.

Value	Data Dictionary (DD) Reference		
8	DD Name: IENC	Code: cathaf_8	Date accepted: 2001-05-31
	Name: passenger terminal		
	Definition: a terminal for the loading and unloading of passengers.		
9	DD Name: IENC	Code: cathaf_9	Date accepted: 2001-05-31
	Name: shipyard		
	Definition: a place where ships are built or repaired (IHO Dictionary, S-32, 5th Edition, 4686).		
10	DD Name: IENC	Code: cathaf_10	Date accepted: 2001-05-31
	Name: container terminal		
	Definition: a terminal for container ships.		
11	DD Name: IENC	Code: cathaf_11	Date accepted: 2001-05-31
	Name: bulk terminal		
	Definition: a terminal for the handling of bulk materials such as iron ore, coal, etc.		
12	DD Name: IENC	Code: cathaf_12	Date accepted: 2001-05-31
	Name: syncrolift		
	Definition: a platform powered by synchronous electric motors used to lift vessels (larger than boats) in and out of the water.		
13	DD Name: IENC	Code: cathaf_13	Date accepted: 2001-05-31
	Name: straddle carrier		
	Definition: a wheeled vehicle designed to lift and carry containers or vessels within its own framework. It is used for moving, and sometimes stacking, shipping containers and vessels.		
16	DD Name: IENC	Code: cathaf_16	Date accepted: 2001-05-31
	Name: service and repair		
	Definition: a place where mechanical services or repairs can be undertaken to engines or other vessel equipment.		
17	DD Name: IENC	Code: cathaf_17	Date accepted: 2001-05-31
	Name: quarantine station		

Value Data Dictionary (DD) Reference

Definition: A medical control center located in an isolated spot ashore where patients with contagious diseases from vessel in quarantine are taken.

Attribute	Category of hulk
-----------	------------------

Acronym: **cathlk** Code: 17102

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

- | | |
|---|--|
| 1 | DD Name: IENC Code: cathlk_1 Date accepted: 2001-05-31

Name: floating restaurant

Definition: a permanently moored floating structure, such as an old ship, used as a restaurant. |
| 2 | DD Name: IENC Code: cathlk_2 Date accepted: 2001-05-31

Name: historic ship

Definition: a ship of historical interest permanently moored as a tourist attraction. |
| 3 | DD Name: IENC Code: cathlk_3 Date accepted: 2001-05-31

Name: museum

Definition: a permanently moored floating structure, such as an old ship, used as a museum. |
| 4 | DD Name: IENC Code: cathlk_4 Date accepted: 2001-05-31

Name: accommodation

Definition: a permanently moored floating structure, such as an old ship, used for accommodation. |
| 5 | DD Name: IENC Code: cathlk_5 Date accepted: 2001-05-31 |
-

Value Data Dictionary (DD) Reference

Name: floating breakwater

Definition: a permanently moored floating structure, often constructed from old ships, used as a breakwater.

6 DD Name: IENC Code: cathlk_6 Date accepted: 2001-05-31

Name: casino boat

Definition: a permanently moored floating structure, such as an old ship, used as a casino boat

Attribute	Category of lateral mark
-----------	--------------------------

Acronym: **catlam**

Code: 17011

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catlam_1 Date accepted: 2001-05-31

Name: port-hand lateral mark

Definition: indicates the port boundary of a navigational channel or suggested route when proceeding in the 'conventional direction of buoyage'.

2 DD Name: IENC Code: catlam_2 Date accepted: 2001-05-31

Name: starboard-hand lateral mark

Definition: indicates the starboard boundary of a navigational channel or suggested route when proceeding in the 'conventional direction of buoyage'.

3 DD Name: IENC Code: catlam_3 Date accepted: 2001-05-31

Name: preferred channel to starboard lateral mark

Definition: at a point where a channel divides, when proceeding in the 'conventional direction of buoyage', the preferred channel (or primary route) is indicated by a modified port-hand lateral mark.

4 DD Name: IENC Code: catlam_4 Date accepted: 2001-05-31

Name: preferred channel to port lateral mark

Value Data Dictionary (DD) Reference

Definition: at a point where a channel divides, when proceeding in the 'conventional direction of buoyage', the preferred channel (or primary route) is indicated by a modified starboard-hand lateral mark.

5 DD Name: IENC Code: catlam_5 Date accepted: 2001-05-31

Name: right-hand side of the waterway

Definition: indicates the right-hand side of the inland waterway

6 DD Name: IENC Code: catlam_6 Date accepted: 2001-05-31

Name: left-hand side of the waterway

Definition: indicates the left-hand side of the inland waterway

7 DD Name: IENC Code: catlam_7 Date accepted: 2001-05-31

Name: right-hand side of the channel

Definition: indicates the right-hand side of a channel of an inland waterway

8 DD Name: IENC Code: catlam_8 Date accepted: 2001-05-31

Name: left-hand side of the channel

Definition: indicates the left-hand side of a channel of an inland waterway

9 DD Name: IENC Code: catlam_9 Date accepted: 2001-05-31

Name: bifurcation of the waterway

Definition: indicates a bifurcation of the inland waterway

10 DD Name: IENC Code: catlam_10 Date accepted: 2001-05-31

Name: bifurcation of the channel

Definition: indicates a bifurcation of a channel of an inland waterway

11 DD Name: IENC Code: catlam_11 Date accepted: 2001-05-31

Name: channel near the right bank

Definition: indicates that the channel is near the right bank

12 DD Name: IENC Code: catlam_12 Date accepted: 2001-05-31

Name: channel near the left bank

Value	Data Dictionary (DD) Reference		
	Definition: indicates that the channel is near the left bank		
13	DD Name: IENC	Code: catlam_13	Date accepted: 2001-05-31
	Name: channel cross-over to the right bank		
	Definition: indicates that the channel crosses from the left to the right bank		
14	DD Name: IENC	Code: catlam_14	Date accepted: 2001-05-31
	Name: channel cross-over to the left bank		
	Definition: indicates that the channel crosses from the right to the left bank		
15	DD Name: IENC	Code: catlam_15	Date accepted: 2001-05-31
	Name: danger point or obstacles at the right-hand side		
	Definition: indicates a danger point or obstacles at the right-hand side		
16	DD Name: IENC	Code: catlam_16	Date accepted: 2001-05-31
	Name: obstruction at the left-hand side		
	Definition: indicates a danger point or obstacles at the right-hand side		
17	DD Name: IENC	Code: catlam_17	Date accepted: 2001-05-31
	Name: turn off at the right-hand side		
	Definition: indicates a turn off at the right-hand side		
18	DD Name: IENC	Code: catlam_18	Date accepted: 2001-05-31
	Name: turn off at the left-hand side		
	Definition: indicates a turn off at the left-hand side		
19	DD Name: IENC	Code: catlam_19	Date accepted: 2001-05-31
	Name: junction at the right-hand side		
	Definition: indicates a junction at the right-hand side		
20	DD Name: IENC	Code: catlam_20	Date accepted: 2001-05-31
	Name: junction at the left-hand side		
	Definition: indicates a junction at the left-hand side		

Value	Data Dictionary (DD) Reference		
21	DD Name: IENC	Code: catlam_21	Date accepted: 2001-05-31
	Name:	harbour entry at the right-hand side	
	Definition:	indicates a harbour entry at the right-hand side	
22	DD Name: IENC	Code: catlam_22	Date accepted: 2001-05-31
	Name:	harbour entry at the left-hand side	
	Definition:	indicates a harbour entry at the left-hand side	
23	DD Name: IENC	Code: catlam_23	Date accepted: 2001-05-31
	Name:	bridge pier mark	
	Definition:	indicates a bridge pier in a inland waterway	

Attribute	category of notice mark
-----------	-------------------------

Acronym: **catnmk**

Code: 17052

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catnmk_1 Date accepted: 2001-05-31

Name: (A.1) no entry

Definition:

2 DD Name: IENC Code: catnmk_2 Date accepted: 2001-05-31

Name: (A.1a) closed area, but small craft boats without engine permitted (only RheinSchPV and Binnenvaatpolitiereglement)

Definition:

3 DD Name: IENC Code: catnmk_3 Date accepted: 2001-05-31

Name: (A.2) no overtaking

Definition:

4 DD Name: IENC Code: catnmk_4 Date accepted: 2001-05-31

Name: (A.3) no overtaking of convoys by convoys

Definition:

5 DD Name: IENC Code: catnmk_5 Date accepted: 2001-05-31

Name: (A.4) no passing or overtaking

Value Data Dictionary (DD) Reference

Definition:

6 DD Name: IENC Code: catnmk_6 Date accepted: 2001-05-31

Name: (A.5) no berthing (i.e. no anchoring or making fast to the bank)

Definition:

7 DD Name: IENC Code: catnmk_7 Date accepted: 2001-05-31

Name: (A.5.1) no berthing within the breadth indicated in meters(measured from the sign)

Definition:

8 DD Name: IENC Code: catnmk_8 Date accepted: 2001-05-31

Name: (A.6) no anchoring or trailing of anchors, cables or chains

Definition:

9 DD Name: IENC Code: catnmk_9 Date accepted: 2001-05-31

Name: (A.7) no making fast to the bank

Definition:

10 DD Name: IENC Code: catnmk_10 Date accepted: 2001-05-31

Name: (A.8) no turning

Definition:

11 DD Name: IENC Code: catnmk_11 Date accepted: 2001-05-31

Name: (A.9) Do not create wash

Definition:

12 DD Name: IENC Code: catnmk_12 Date accepted: 2001-05-31

Name: (A.10) no passing on left side (in openings of bridges or weirs)

Definition:

13 DD Name: IENC Code: catnmk_13 Date accepted: 2001-05-31

Name: (A.10) no passing on right side (in openings of bridges or weirs)

Definition:

Value	Data Dictionary (DD) Reference		
14	DD Name: IENC	Code: catnmk_14	Date accepted: 2001-05-31
	Name:	(A.12) motorized craft prohibited	
	Definition:		
15	DD Name: IENC	Code: catnmk_15	Date accepted: 2001-05-31
	Name:	(A.13) all sports and pleasure craft prohibited	
	Definition:		
16	DD Name: IENC	Code: catnmk_16	Date accepted: 2001-05-31
	Name:	(A.14) water skiing prohibited	
	Definition:		
17	DD Name: IENC	Code: catnmk_17	Date accepted: 2001-05-31
	Name:	(A.15) sailing vessels prohibited	
	Definition:		
18	DD Name: IENC	Code: catnmk_18	Date accepted: 2001-05-31
	Name:	(A.16) all craft other than motorized vessels or sailing craft prohibited	
	Definition:		
19	DD Name: IENC	Code: catnmk_19	Date accepted: 2001-05-31
	Name:	(A.17) use of sailboards prohibited	
	Definition:		
20	DD Name: IENC	Code: catnmk_20	Date accepted: 2001-05-31
	Name:	(A.20) water bikes prohibited	
	Definition:		
21	DD Name: IENC	Code: catnmk_21	Date accepted: 2001-05-31
	Name:	(A.18) end of zone authorized for high speed navigation of small sport and pleasure craft prohibited	
	Definition:		
22	DD Name: IENC	Code: catnmk_22	Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	(A.19) no launching or beaching of vessels	
	Definition:		
23	DD Name: IENC	Code: catnmk_23	Date accepted: 2001-05-31
	Name:	(B.1) proceed in left direction	
	Definition:		
24	DD Name: IENC	Code: catnmk_24	Date accepted: 2001-05-31
	Name:	(B.1) proceed in right direction	
	Definition:		
25	DD Name: IENC	Code: catnmk_25	Date accepted: 2001-05-31
	Name:	(B.2a) move to the side of the channel on your port side	
	Definition:		
26	DD Name: IENC	Code: catnmk_26	Date accepted: 2001-05-31
	Name:	(B.2b) move to the side of the channel on your starboard side	
	Definition:		
27	DD Name: IENC	Code: catnmk_27	Date accepted: 2001-05-31
	Name:	(B.3a) keep on the side of the channel on your portside	
	Definition:		
28	DD Name: IENC	Code: catnmk_28	Date accepted: 2001-05-31
	Name:	(B.3b) keep on the side of the channel on your starboard side	
	Definition:		
29	DD Name: IENC	Code: catnmk_29	Date accepted: 2001-05-31
	Name:	(B.4a) cross channel to port	
	Definition:		
30	DD Name: IENC	Code: catnmk_30	Date accepted: 2001-05-31
	Name:	(B.4b) cross channel to starboard	

Value Data Dictionary (DD) Reference

Definition:

31 DD Name: IENC Code: catnmk_31 Date accepted: 2001-05-31

Name: (B.5) stop as prescribed in the regulations

Definition:

32 DD Name: IENC Code: catnmk_32 Date accepted: 2001-05-31

Name: (B.6) do not exceed the speed indicated (in km/h)

Definition:

33 DD Name: IENC Code: catnmk_33 Date accepted: 2001-05-31

Name: (B.7) give a sound signal

Definition:

34 DD Name: IENC Code: catnmk_34 Date accepted: 2001-05-31

Name: (B.8) keep a particular sharp lookout

Definition:

35 DD Name: IENC Code: catnmk_35 Date accepted: 2001-05-31

Name: (B.9a) do not enter the main waterway until certain that this will not oblige vessels proceeding on it to change their course or speed

Definition:

36 DD Name: IENC Code: catnmk_36 Date accepted: 2001-05-31

Name: (B.9b) do not cross the main waterway until certain that this will not oblige vessels proceeding on it to change their course or speed

Definition:

37 DD Name: IENC Code: catnmk_37 Date accepted: 2001-05-31

Name: (B.11) obligation to enter into a radiotelephone link on the channel as indicated on the board

Definition:

38 DD Name: IENC Code: catnmk_38 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	(C.1) depth of water limited	
	Definition:		
39	DD Name: IENC	Code: catnmk_39	Date accepted: 2001-05-31
	Name:	(C.2) headroom limited	
	Definition:		
40	DD Name: IENC	Code: catnmk_40	Date accepted: 2001-05-31
	Name:	(C.3) width of passage or channel limited	
	Definition:		
41	DD Name: IENC	Code: catnmk_41	Date accepted: 2001-05-31
	Name:	(C.4) there are restrictions on navigation: make inquiries (with additional sign at bottom of main sign)	
	Definition:		
42	DD Name: IENC	Code: catnmk_42	Date accepted: 2001-05-31
	Name:	(C.5) the channel lies at a distance from the left bank	
	Definition:		
43	DD Name: IENC	Code: catnmk_43	Date accepted: 2001-05-31
	Name:	(C.5) the channel lies at a distance from the right bank	
	Definition:		
44	DD Name: IENC	Code: catnmk_44	Date accepted: 2001-05-31
	Name:	(D.1a) recommended channel in both directions	
	Definition:		
45	DD Name: IENC	Code: catnmk_45	Date accepted: 2001-05-31
	Name:	(D.1b) recommended channel only in the direction indicated, passage in the opposite direction prohibited (at bridges)	
	Definition:		
46	DD Name: IENC	Code: catnmk_46	Date accepted: 2001-05-31

Value Data Dictionary (DD) Reference

Name: (D.2) you are recommended to keep on right side (in openings of bridges and weirs)

Definition:

47 DD Name: IENC Code: catnmk_47 Date accepted: 2001-05-31

Name: (D.2) you are recommended to keep on left side (in openings of bridges and weirs)

Definition:

48 DD Name: IENC Code: catnmk_48 Date accepted: 2001-05-31

Name: (D.3) you are recommended to proceed in the left direction

Definition:

49 DD Name: IENC Code: catnmk_49 Date accepted: 2001-05-31

Name: (D.3) you are recommended to proceed in the right direction

Definition:

50 DD Name: IENC Code: catnmk_50 Date accepted: 2001-05-31

Name: (E.1) entry permitted (general sign)

Definition:

51 DD Name: IENC Code: catnmk_51 Date accepted: 2001-05-31

Name: (E.2) overhead cable crossing

Definition:

52 DD Name: IENC Code: catnmk_52 Date accepted: 2001-05-31

Name: (E.3) weir

Definition:

53 DD Name: IENC Code: catnmk_53 Date accepted: 2001-05-31

Name: (E.4a) ferry-boat not moving independently

Definition:

54 DD Name: IENC Code: catnmk_54 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	(E.4b) ferry-boat moving independently	
	Definition:		
55	DD Name: IENC	Code: catnmk_55	Date accepted: 2001-05-31
	Name:	(E.5) berthing (i.e. no anchoring or making fast to the bank) permitted	
	Definition:		
56	DD Name: IENC	Code: catnmk_56	Date accepted: 2001-05-31
	Name:	(E.5.1) berthing permitted on the stretch of water of the breadth measured from, and shown on the board in meters	
	Definition:		
57	DD Name: IENC	Code: catnmk_57	Date accepted: 2001-05-31
	Name:	(E.5.2) berthing permitted on the stretch of water bounded by the distances measured from, and shown on the board in meters	
	Definition:		
58	DD Name: IENC	Code: catnmk_58	Date accepted: 2001-05-31
	Name:	(E.5.3) maximum number of vessels permitted to berth abreast	
	Definition:		
59	DD Name: IENC	Code: catnmk_59	Date accepted: 2001-05-31
	Name:	(E.5.4) berthing area reserved for pushing-navigation vessels that are not required to carry blue lights or blue cones	
	Definition:		
60	DD Name: IENC	Code: catnmk_60	Date accepted: 2001-05-31
	Name:	(E.5.5) berthing area reserved for pushing-navigation vessels that are required to carry one blue light or one blue cone	
	Definition:		
61	DD Name: IENC	Code: catnmk_61	Date accepted: 2001-05-31
	Name:	(E.5.6) berthing area reserved for pushing-navigation vessels that are required to carry two blue lights or two blue cones	

Value Data Dictionary (DD) Reference

Definition:

62 DD Name: IENC Code: catnmk_62 Date accepted: 2001-05-31

Name: (E.5.7) berthing area reserved for pushing-navigation vessels that are required to carry three blue lights or three blue cones

Definition:

63 DD Name: IENC Code: catnmk_63 Date accepted: 2001-05-31

Name: (E.5.8) berthing area reserved for vessels other than pushing-navigation vessels that are not required to carry blue lights or blue cones

Definition:

64 DD Name: IENC Code: catnmk_64 Date accepted: 2001-05-31

Name: (E.5.9) berthing area reserved for vessels other than for pushing-navigation vessels that are required to carry one blue light or one blue cone

Definition:

65 DD Name: IENC Code: catnmk_65 Date accepted: 2001-05-31

Name: (E.5.10) berthing area reserved for vessels other than for pushing-navigation vessels that are required to carry two blue lights or two blue cones

Definition:

66 DD Name: IENC Code: catnmk_66 Date accepted: 2001-05-31

Name: (E.5.11) berthing area reserved for vessels other than for pushing-navigation vessels that are required to carry three blue lights or three blue cones

Definition:

67 DD Name: IENC Code: catnmk_67 Date accepted: 2001-05-31

Name: (E.5.12) berthing area reserved for all vessels that are not required to carry blue lights or blue cones

Definition:

68 DD Name: IENC Code: catnmk_68 Date accepted: 2001-05-31

Name: (E.5.13) berthing area reserved for all vessels that are required to carry one blue light or one blue cone

Value Data Dictionary (DD) Reference

Definition:

- 69 DD Name: IENC Code: catnmk_69 Date accepted: 2001-05-31
Name: (E.5.14) berthing area reserved for all vessels that are required to carry two blue lights or two blue cones
Definition:
- 70 DD Name: IENC Code: catnmk_70 Date accepted: 2001-05-31
Name: (E.5.15) berthing area reserved for all vessels that are required to carry three blue lights or three blue cones
Definition:
- 71 DD Name: IENC Code: catnmk_71 Date accepted: 2001-05-31
Name: (E.6) anchoring or trailing of anchors, cables or chains permitted
Definition:
- 72 DD Name: IENC Code: catnmk_72 Date accepted: 2001-05-31
Name: (E.7) making fast to the bank permitted
Definition:
- 73 DD Name: IENC Code: catnmk_73 Date accepted: 2001-05-31
Name: (E.7.1) berthing area reserved for loading and unloading of vehicles
Definition:
- 74 DD Name: IENC Code: catnmk_74 Date accepted: 2001-05-31
Name: (E.8) turning area
Definition:
- 75 DD Name: IENC Code: catnmk_75 Date accepted: 2001-05-31
Name: (E.9a) crossing with secondary waterway ahead
Definition:
- 76 DD Name: IENC Code: catnmk_76 Date accepted: 2001-05-31
Name: (E.9b) secondary waterway ahead on the right
-

Value Data Dictionary (DD) Reference

Definition:

77 DD Name: IENC Code: catnmk_77 Date accepted: 2001-05-31

Name: (E.9c) secondary waterway ahead on the left

Definition:

78 DD Name: IENC Code: catnmk_78 Date accepted: 2001-05-31

Name: (E.9d) secondary waterway ahead, main waterway on the right

Definition:

79 DD Name: IENC Code: catnmk_79 Date accepted: 2001-05-31

Name: (E.9e) secondary waterway ahead, main waterwar on the left

Definition:

80 DD Name: IENC Code: catnmk_80 Date accepted: 2001-05-31

Name: (E.9f) secondary waterway on the left, main waterway on the right

Definition:

81 DD Name: IENC Code: catnmk_81 Date accepted: 2001-05-31

Name: (E.9g) secondary waterway on the right, main waterway on the left

Definition:

82 DD Name: IENC Code: catnmk_82 Date accepted: 2001-05-31

Name: (E.9h) secondary waterway ahead and on the left, main waterway on the right

Definition:

83 DD Name: IENC Code: catnmk_83 Date accepted: 2001-05-31

Name: (E.9i) secondary waterway ahead and on the right, main waterway on the left

Definition:

84 DD Name: IENC Code: catnmk_84 Date accepted: 2001-05-31

Name: (E.10a) crossing with main waterway ahead

Definition:

Value	Data Dictionary (DD) Reference		
85	DD Name: IENC	Code: catnmk_85	Date accepted: 2001-05-31
	Name: (E.10b) main waterway ahead		
	Definition:		
86	DD Name: IENC	Code: catnmk_86	Date accepted: 2001-05-31
	Name: (E.10c) junction with main waterway ahead and right		
	Definition:		
87	DD Name: IENC	Code: catnmk_87	Date accepted: 2001-05-31
	Name: (E.10d) junction with main waterway ahead and left		
	Definition:		
88	DD Name: IENC	Code: catnmk_88	Date accepted: 2001-05-31
	Name: (E.10e) junction with main waterway ahead and right, secondary waterway on the left		
	Definition:		
89	DD Name: IENC	Code: catnmk_89	Date accepted: 2001-05-31
	Name: (E.10f) junction with main waterway ahead and left, secondary waterway on the right		
	Definition:		
90	DD Name: IENC	Code: catnmk_90	Date accepted: 2001-05-31
	Name: (E.11) end of prohibition or obligation applying to traffic in one direction only, or end of a restriction		
	Definition:		
91	DD Name: IENC	Code: catnmk_91	Date accepted: 2001-05-31
	Name: (E.13) drinking water supply		
	Definition:		
92	DD Name: IENC	Code: catnmk_92	Date accepted: 2001-05-31
	Name: (E.14) telephone		
	Definition:		

Value	Data Dictionary (DD) Reference		
93	DD Name: IENC	Code: catnmk_93	Date accepted: 2001-05-31
	Name: (E.15) motorized vessels permitted		
	Definition:		
94	DD Name: IENC	Code: catnmk_94	Date accepted: 2001-05-31
	Name: (E.16) sport and pleasure craft permitted		
	Definition:		
95	DD Name: IENC	Code: catnmk_95	Date accepted: 2001-05-31
	Name: (E.17) water skiing permitted		
	Definition:		
96	DD Name: IENC	Code: catnmk_96	Date accepted: 2001-05-31
	Name: (E.18) sailing vessels permitted		
	Definition:		
97	DD Name: IENC	Code: catnmk_97	Date accepted: 2001-05-31
	Name: (E.19) craft other than motorized vessels or sailing craft permitted		
	Definition:		
98	DD Name: IENC	Code: catnmk_98	Date accepted: 2001-05-31
	Name: (E.20) use of sailboards permitted		
	Definition:		
99	DD Name: IENC	Code: catnmk_99	Date accepted: 2001-05-31
	Name: (E.23) possibility of obtaining nautical information by radiotelephone on the channel indicated		
	Definition:		
100	DD Name: IENC	Code: catnmk_100	Date accepted: 2001-05-31
	Name: (E.24) water bikes permitted		
	Definition:		

Value	Data Dictionary (DD) Reference		
101	DD Name: IENC	Code: catnmk_101	Date accepted: 2001-05-31
	Name: (E.21) zone authorized for high speed navigation of small sport and pleasure		
	Definition:		
102	DD Name: IENC	Code: catnmk_102	Date accepted: 2001-05-31
	Name: (E.22) launching or beaching of vessels permitted		
	Definition:		

Attribute	category of refuse dump
-----------	-------------------------

Acronym: **catrfd**

Code: 17071

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catrfd_1 Date accepted: 2001-05-31

Name: cargo residue/slop

Definition: A facility where vessels can dispose of cargo residues and/or slops.

2 DD Name: IENC Code: catrfd_2 Date accepted: 2001-05-31

Name: waste oil

Definition: A facility where vessels can dispose of waste oil.

3 DD Name: IENC Code: catrfd_3 Date accepted: 2001-05-31

Name: grey/black water

Definition: A facility where vessels can dispose of grey and/or black waste water.

4 DD Name: IENC Code: catrfd_4 Date accepted: 2001-05-31

Name: domestic refuse

Definition: A facility where vessels can dispose of domestic refuse.

Attribute	category of ship (excluding)
-----------	------------------------------

Acronym: **lc_cse**

Code: 18013

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lc_cse_1 Date accepted: 2001-05-31

Name: all types

Definition:

2 DD Name: IENC Code: lc_cse_2 Date accepted: 2001-05-31

Name: other

Definition:

3 DD Name: IENC Code: lc_cse_3 Date accepted: 2001-05-31

Name: non-motorized vessel

Definition:

5 DD Name: IENC Code: lc_cse_5 Date accepted: 2001-05-31

Name: craft

Definition: a vessel or item of floating equipment

6 DD Name: IENC Code: lc_cse_6 Date accepted: 2001-05-31

Name: vessel

Definition: an inland waterway vessel or sea going ship

Value	Data Dictionary (DD) Reference		
7	DD Name: IENC	Code: lc_cse_7	Date accepted: 2001-05-31
	Name:	inland waterway vessel	
	Definition:	a vessel intended solely or mainly for navigation on inland waterways	
8	DD Name: IENC	Code: lc_cse_8	Date accepted: 2001-05-31
	Name:	sea going ship	
	Definition:	a vessel certificated for sea-going service	
9	DD Name: IENC	Code: lc_cse_9	Date accepted: 2001-05-31
	Name:	motor vessel	
	Definition:	a motor cargo vessel or a motor tanker	
10	DD Name: IENC	Code: lc_cse_10	Date accepted: 2001-05-31
	Name:	motor tanker	
	Definition:	a vessel intended for the carriage of goods in fixed tanks and built to navigate independently under its own motive power	
11	DD Name: IENC	Code: lc_cse_11	Date accepted: 2001-05-31
	Name:	motor cargo vessel	
	Definition:	a vessel, other than a motor tanker, intended for the carriage of goods and built to navigate independently under its own motive power	
12	DD Name: IENC	Code: lc_cse_12	Date accepted: 2001-05-31
	Name:	canal barge	
	Definition:	an inland waterway vessel not exceeding 38.5 m in length and 5.05 m in breadth and usually operating on the Rhine-Rhône-Canal	
13	DD Name: IENC	Code: lc_cse_13	Date accepted: 2001-05-31
	Name:	tug	
	Definition:	a vessel specially built to perform towing operations	
14	DD Name: IENC	Code: lc_cse_14	Date accepted: 2001-05-31
	Name:	pusher	

Value Data Dictionary (DD) Reference

Definition: a vessel specially built to propel a pushed convoy

15 DD Name: IENC Code: lc_cse_15 Date accepted: 2001-05-31

Name: barge

Definition: a dumb barge or tank barge

16 DD Name: IENC Code: lc_cse_16 Date accepted: 2001-05-31

Name: tank barge

Definition: a vessel intended for the carriage of goods in fixed tanks and built to be towed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres

17 DD Name: IENC Code: lc_cse_17 Date accepted: 2001-05-31

Name: dumb barge

Definition: a vessel, other than a tank barge, intended for the carriage of goods and built to be towed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres

18 DD Name: IENC Code: lc_cse_18 Date accepted: 2001-05-31

Name: lighter

Definition: a tank lighter, cargo lighter or ship borne lighter

19 DD Name: IENC Code: lc_cse_19 Date accepted: 2001-05-31

Name: tank lighter

Definition: a vessel intended for the carriage of goods in fixed tanks, built or specially modified to be pushed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres when not part of a pushed convoy

20 DD Name: IENC Code: lc_cse_20 Date accepted: 2001-05-31

Name: cargo lighter

Definition: a vessel, other than a tank lighter, intended for the carriage of goods and built or specially modified to be pushed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres when not part of a pushed convoy

21 DD Name: IENC Code: lc_cse_21 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	ship borne lighter	
	Definition:	a lighter built to be carried aboard sea going ships and to navigate on inland waterways	
22	DD Name: IENC	Code: lc_cse_22	Date accepted: 2001-05-31
	Name:	passenger vessel	
	Definition:	a day trip or cabin vessel constructed and equipped to carry more than 12 passengers	
23	DD Name: IENC	Code: lc_cse_23	Date accepted: 2001-05-31
	Name:	passenger sailing vessel	
	Definition:	a passenger vessel fitted out mainly with a view to propulsion under sail	
24	DD Name: IENC	Code: lc_cse_24	Date accepted: 2001-05-31
	Name:	day trip vessel	
	Definition:	a passenger vessel without overnight passenger cabins	
25	DD Name: IENC	Code: lc_cse_25	Date accepted: 2001-05-31
	Name:	cabin vessel	
	Definition:	a passenger vessel with overnight passenger cabins	
26	DD Name: IENC	Code: lc_cse_26	Date accepted: 2001-05-31
	Name:	High-speed vessel	
	Definition:	a motorised vessel capable of reaching speeds over 40km/h with respect to water	
27	DD Name: IENC	Code: lc_cse_27	Date accepted: 2001-05-31
	Name:	floating equipment	
	Definition:	a floating installation carrying working gear such as cranes, dredging equipment, pile drivers or elevators	
28	DD Name: IENC	Code: lc_cse_28	Date accepted: 2001-05-31
	Name:	worksite craft	
	Definition:	a vessel, appropriately built and equipped for use at worksites, such as a reclamation barge, hopper or pontoon barge, pontoon or stone-dumping vessel	

Value	Data Dictionary (DD) Reference		
29	DD Name: IENC	Code: lc_cse_29	Date accepted: 2001-05-31
	Name: recreational craft		
	Definition: a vessel other than a passenger vessel, intended for sport or pleasure		
30	DD Name: IENC	Code: lc_cse_30	Date accepted: 2001-05-31
	Name: Dinghy		
	Definition: a boat for use in transport, rescue, salvage and work duties		
31	DD Name: IENC	Code: lc_cse_31	Date accepted: 2001-05-31
	Name: floating establishment		
	Definition: any floating installation not normally intended to be moved, such as a swimming bath, dock, jetty or boathouse		
32	DD Name: IENC	Code: lc_cse_32	Date accepted: 2001-05-31
	Name: floating object		
	Definition: a raft or other structure, object or assembly capable of navigation, not being a vessel or floating equipment or establishment		

Attribute	category of ship (including)
-----------	------------------------------

Acronym: **lc_csi**

Code: 18012

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lc_csi_1 Date accepted: 2001-05-31

Name: all types

Definition:

2 DD Name: IENC Code: lc_csi_2 Date accepted: 2001-05-31

Name: other

Definition:

3 DD Name: IENC Code: lc_csi_3 Date accepted: 2001-05-31

Name: non-motorized vessel

Definition:

5 DD Name: IENC Code: lc_csi_5 Date accepted: 2001-05-31

Name: craft

Definition: a vessel or item of floating equipment

6 DD Name: IENC Code: lc_csi_6 Date accepted: 2001-05-31

Name: vessel

Definition: an inland waterway vessel or sea going ship

Value	Data Dictionary (DD) Reference		
7	DD Name: IENC Name: inland waterway vessel Definition: a vessel intended solely or mainly for navigation on inland waterways	Code: lc_csi_7	Date accepted: 2001-05-31
8	DD Name: IENC Name: sea going ship Definition: a vessel certificated for sea-going service	Code: lc_csi_8	Date accepted: 2001-05-31
9	DD Name: IENC Name: motor vessel Definition: a motor cargo vessel or a motor tanker	Code: lc_csi_9	Date accepted: 2001-05-31
10	DD Name: IENC Name: motor tanker Definition: a vessel intended for the carriage of goods in fixed tanks and built to navigate independently under its own motive power	Code: lc_csi_10	Date accepted: 2001-05-31
11	DD Name: IENC Name: motor cargo vessel Definition: a vessel, other than a motor tanker, intended for the carriage of goods and built to navigate independently under its own motive power	Code: lc_csi_11	Date accepted: 2001-05-31
12	DD Name: IENC Name: canal barge Definition: an inland waterway vessel not exceeding 38.5 m in length and 5.05 m in breadth and usually operating on the Rhine-Rhône-Canal	Code: lc_csi_12	Date accepted: 2001-05-31
13	DD Name: IENC Name: tug Definition: a vessel specially built to perform towing operations	Code: lc_csi_13	Date accepted: 2001-05-31
14	DD Name: IENC Name: pusher	Code: lc_csi_14	Date accepted: 2001-05-31

Value Data Dictionary (DD) Reference

Definition: a vessel specially built to propel a pushed convoy

15 DD Name: IENC Code: lc_csi_15 Date accepted: 2001-05-31

Name: barge

Definition: a dumb barge or tank barge

16 DD Name: IENC Code: lc_csi_16 Date accepted: 2001-05-31

Name: tank barge

Definition: a vessel intended for the carriage of goods in fixed tanks and built to be towed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres

17 DD Name: IENC Code: lc_csi_17 Date accepted: 2001-05-31

Name: dumb barge

Definition: a vessel, other than a tank barge, intended for the carriage of goods and built to be towed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres

18 DD Name: IENC Code: lc_csi_18 Date accepted: 2001-05-31

Name: lighter

Definition: a tank lighter, cargo lighter or ship borne lighter

19 DD Name: IENC Code: lc_csi_19 Date accepted: 2001-05-31

Name: tank lighter

Definition: a vessel intended for the carriage of goods in fixed tanks, built or specially modified to be pushed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres when not part of a pushed convoy

20 DD Name: IENC Code: lc_csi_20 Date accepted: 2001-05-31

Name: cargo lighter

Definition: a vessel, other than a tank lighter, intended for the carriage of goods and built or specially modified to be pushed, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres when not part of a pushed convoy

21 DD Name: IENC Code: lc_csi_21 Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	ship borne lighter	
	Definition:	a lighter built to be carried aboard sea going ships and to navigate on inland waterways	
22	DD Name: IENC	Code: lc_csi_22	Date accepted: 2001-05-31
	Name:	passenger vessel	
	Definition:	a day trip or cabin vessel constructed and equipped to carry more than 12 passengers	
23	DD Name: IENC	Code: lc_csi_23	Date accepted: 2001-05-31
	Name:	passenger sailing vessel	
	Definition:	a passenger vessel fitted out mainly with a view to propulsion under sail	
24	DD Name: IENC	Code: lc_csi_24	Date accepted: 2001-05-31
	Name:	day trip vessel	
	Definition:	a passenger vessel without overnight passenger cabins	
25	DD Name: IENC	Code: lc_csi_25	Date accepted: 2001-05-31
	Name:	cabin vessel	
	Definition:	a passenger vessel with overnight passenger cabins	
26	DD Name: IENC	Code: lc_csi_26	Date accepted: 2001-05-31
	Name:	High-speed vessel	
	Definition:	a motorised vessel capable of reaching speeds over 40km/h with respect to water	
27	DD Name: IENC	Code: lc_csi_27	Date accepted: 2001-05-31
	Name:	floating equipment	
	Definition:	a floating installation carrying working gear such as cranes, dredging equipment, pile drivers or elevators	
28	DD Name: IENC	Code: lc_csi_28	Date accepted: 2001-05-31
	Name:	worksite craft	
	Definition:	a vessel, appropriately built and equipped for use at worksites, such as a reclamation barge, hopper or pontoon barge, pontoon or stone-dumping vessel	

Value Data Dictionary (DD) Reference

29 DD Name: IENC Code: lc_csi_29 Date accepted: 2001-05-31

Name: recreational craft

Definition: a vessel other than a passenger vessel, intended for sport or pleasure

30 DD Name: IENC Code: lc_csi_30 Date accepted: 2001-05-31

Name: Dinghy

Definition: a boat for use in transport, rescue, salvage and work duties

31 DD Name: IENC Code: lc_csi_31 Date accepted: 2001-05-31

Name: floating establishment

Definition: any floating installation not normally intended to be moved, such as a swimming bath, dock, jetty or boathouse

32 DD Name: IENC Code: lc_csi_32 Date accepted: 2001-05-31

Name: floating object

Definition: a raft or other structure, object or assembly capable of navigation, not being a vessel or floating equipment or establishment

Attribute	Category of signal station, traffic
-----------	-------------------------------------

Acronym: **catsit** Code: 17002

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value	Data Dictionary (DD) Reference
2	DD Name: IENC Code: catsit_2 Date accepted: 2001-05-31 Name: port entry and departure Definition: a signal station for the control of vessels entering or leaving a port.
6	DD Name: IENC Code: catsit_6 Date accepted: 2001-05-31 Name: lock Definition: a signal station for the control of vessels entering or leaving a lock.
8	DD Name: IENC Code: catsit_8 Date accepted: 2001-05-31 Name: bridge passage Definition: a signal station for the control of vessels wishing to pass under a bridge.
10	DD Name: IENC Code: catsit_10 Date accepted: 2001-05-31 Name: oncomig traffic indication Definition: indicates the oncoming traffic on an inland waterway

Attribute	Category of signal station, warning
-----------	-------------------------------------

Acronym: **catsiw** Code: 17003

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

15 DD Name: IENC Code: catsiw_15 Date accepted: 2001-05-31

Name: high water mark

Definition: An indication of the official high water level.

16 DD Name: IENC Code: catsiw_16 Date accepted: 2001-05-31

Name: vertical clearance indication

Definition: An indication of the vertical clearance of a bridge, overhead cable, etc.

18 DD Name: IENC Code: catsiw_18 Date accepted: 2001-05-31

Name: depth indication

Definition: An indication of the local depth.

Attribute	Category of time and behaviour
-----------	--------------------------------

Acronym: **cattab** Code: 17092

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: cattab_1 Date accepted: 2001-05-31

Name: operational period

Definition: being in a position or adjustment to permit passage or to perform an operation

2 DD Name: IENC Code: cattab_2 Date accepted: 2001-05-31

Name: non-operational period

Definition: being in a position or adjustment to prevent passage

Attribute	Category of vehicle transfer
-----------	------------------------------

Acronym: **catvtr**

Code: 17091

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catvtr_1 Date accepted: 2001-05-31

Name: official

Definition: Of or relating to an office or a post of authority

2 DD Name: IENC Code: catvtr_2 Date accepted: 2001-05-31

Name: private

Definition: Belonging to a particular person or persons, as opposed to the public or the government

3 DD Name: IENC Code: catvtr_3 Date accepted: 2001-05-31

Name: suitable for car cranes

Definition: Vehicle transfer location is suitable for car cranes

4 DD Name: IENC Code: catvtr_4 Date accepted: 2001-05-31

Name: suitable for car planks

Definition: Vehicle transfer location is suitable for car planks

5 DD Name: IENC Code: catvtr_5 Date accepted: 2001-05-31

Name: permission required

Value Data Dictionary (DD) Reference

Definition: The transfer of a vehicle requires permission.

6 DD Name: IENC Code: catvtr_6 Date accepted: 2001-05-31

Name: locked gate

Definition: The access to the public road is locked.

Attribute	Category of waterway gauge
-----------	----------------------------

Acronym: **catgag**

Code: 17078

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: catgag_1 Date accepted: 2001-05-31

Name: water level staff / pole

Definition: level indicator consisting of a calibrated staff/pole and the associated bench mark. (DIN 4049 Section 3, Oct. 1994)

2 DD Name: IENC Code: catgag_2 Date accepted: 2001-05-31

Name: recording water level gauge

Definition: analog or digital water level measuring and recording device. (adopted from DIN 4049 – Section 3, Oct. 1994)

3 DD Name: IENC Code: catgag_3 Date accepted: 2001-05-31

Name: recording water level gauge with remote access

Definition: recording water level gauge providing information remotely by any method (adopted from DIN 4049 – Section 3, Oct. 1994)

4 DD Name: IENC Code: catgag_4 Date accepted: 2001-05-31

Name: recording water level gauge with external indicator

Definition: recording gauge providing information of the water level via a large external indicator (adopted from DIN 4049 – Section 3, Oct. 1994)

Value Data Dictionary (DD) Reference

5 DD Name: IENC Code: catgag_5 Date accepted: 2001-05-31

Name: recording water level gauge with remote access and remote indicator

Definition: recording gauge providing information remotely by any method and providing information of the water level via a large external indicator. (adopted from DIN 4049 – Section 3, Oct. 1994)

Attribute	class of dangerous cargo
-----------	--------------------------

Acronym: **clsdng**

Code: 17055

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

- | | | | |
|---|--|----------------|---------------------------|
| 1 | DD Name: IENC | Code: clsdng_1 | Date accepted: 2001-05-31 |
| | Name: one blue light / cone | | |
| | Definition: Vessels carrying out transport operations involving certain flammable substances | | |
| 2 | DD Name: IENC | Code: clsdng_2 | Date accepted: 2001-05-31 |
| | Name: two blue lights / cones | | |
| | Definition: Vessels carrying out transport operations involving certain substances constituting health hazards | | |
| 3 | DD Name: IENC | Code: clsdng_3 | Date accepted: 2001-05-31 |
| | Name: three blue lights / cones | | |
| | Definition: Vessels carrying out transport operations involving certain explosives | | |
| 4 | DD Name: IENC | Code: clsdng_4 | Date accepted: 2001-05-31 |
| | Name: no blue light / cone | | |
| | Definition: | | |
-

Attribute	Current velocity at high water level
-----------	--------------------------------------

Acronym: **curvhw**

Code: 17095

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The rate of travel of a current at a high water level

Attribute	Current velocity at low water level
-----------	-------------------------------------

Acronym: **curvlw**

Code: 17096

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The rate of travel of a current at a low water level

Attribute	Current velocity at mean water level
-----------	--------------------------------------

Acronym: **curvmw** Code: 17097

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The rate of travel of a current at a mean water level

Attribute	Current velocity at other water level
-----------	---------------------------------------

Acronym: **curvow**

Code: 17098

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The rate of travel of a current at an other water level

Attribute	Description of legal conditions
-----------	---------------------------------

Acronym: **lg_des** Code: 18010

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Additional textual information which is related to the numerical description of the particular article/clause of the applicable law/regulation

Attribute	direction of impact
-----------	---------------------

Acronym: **dirimp**

Code: 17056

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: dirimp_1 Date accepted: 2001-05-31

Name: upstream

Definition: toward the source of a stream

2 DD Name: IENC Code: dirimp_2 Date accepted: 2001-05-31

Name: downstream

Definition: in the direction of flow of a current or stream

3 DD Name: IENC Code: dirimp_3 Date accepted: 2001-05-31

Name: to the left bank

Definition: toward the left side of the bank

4 DD Name: IENC Code: dirimp_4 Date accepted: 2001-05-31

Name: to the right bank

Definition: toward the right side of the bank

Attribute	Distance from notice mark, first
-----------	----------------------------------

Acronym: **disbk1** Code: 17057

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Minimum distance of the impact of an area, which is signed by notice marks. The distance is measured from the notice mark rectangular to the bank

Attribute	Distance from notice mark, second
-----------	-----------------------------------

Acronym: **disbk2** Code: 17058

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Maximum distance of the impact of an area, which is signed by notice marks. The distance is measured from the notice mark rectangular to the bank

Attribute	Distance of impact, downstream
-----------	--------------------------------

Acronym: **disipd** Code: 17060

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Downstream distance of the impact of an area, which is signed by notice marks. The distance is normally given on an additional mark left and/or right of the notice mark

Attribute	Distance of impact, upstream
-----------	------------------------------

Acronym: **disipu**

Code: 17059

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Upstream distance of the impact of an area, which is signed by notice marks. The distance is normally given on an additional mark left and/or right of the notice mark

Attribute	Draught range value 1
-----------	-----------------------

Acronym: **lc_dr1** Code: 18022

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The minimum value of the draught range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Draught range value 2
-----------	-----------------------

Acronym: **lc_dr2**

Code: 18023

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum value of the draught range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Elevation 1 of surface (m)
-----------	----------------------------

Acronym: **eleva1** Code: 17061

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The minimum (shoalest) value of an elevation range.

Attribute	Elevation 2 of surface (m)
-----------	----------------------------

Acronym: **eleva2**

Code: 17062

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum (highest) value of an elevation range

Attribute	Function of legal conditions
-----------	------------------------------

Acronym: **lg_fnc**

Code: 18009

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lg_fnc_1 Date accepted: 2001-05-31

Name: other

Definition:

2 DD Name: IENC Code: lg_fnc_2 Date accepted: 2001-05-31

Name: prohibited

Definition:

3 DD Name: IENC Code: lg_fnc_3 Date accepted: 2001-05-31

Name: prohibited, with exceptions

Definition:

4 DD Name: IENC Code: lg_fnc_4 Date accepted: 2001-05-31

Name: permitted

Definition:

5 DD Name: IENC Code: lg_fnc_5 Date accepted: 2001-05-31

Name: permitted, with exceptions

Definition:

Value	Data Dictionary (DD) Reference		
6	DD Name: IENC	Code: lg_fnc_6	Date accepted: 2001-05-31
	Name: recommended		
	Definition:		
7	DD Name: IENC	Code: lg_fnc_7	Date accepted: 2001-05-31
	Name: not recommended		
	Definition:		

Attribute	Function of notice mark
-----------	-------------------------

Acronym: **fnctnm**

Code: 17063

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: fnctnm_1 Date accepted: 2001-05-31

Name: prohibition mark

Definition: marks which indicate a prohibition

2 DD Name: IENC Code: fnctnm_2 Date accepted: 2001-05-31

Name: regulation mark

Definition: marks which indicate a regulation

3 DD Name: IENC Code: fnctnm_3 Date accepted: 2001-05-31

Name: restriction mark

Definition: marks which indicate a restriction

4 DD Name: IENC Code: fnctnm_4 Date accepted: 2001-05-31

Name: recommendation mark

Definition: marks which indicate a recommendation

5 DD Name: IENC Code: fnctnm_5 Date accepted: 2001-05-31

Name: information mark

Definition: marks with general information

Attribute	Height/length units
-----------	---------------------

Acronym: **hunits**

Code: 17103

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: hunits_1 Date accepted: 2001-05-31

Name: metres

Definition: heights/lengths are specified in metres (SI units of length)

2 DD Name: IENC Code: hunits_2 Date accepted: 2001-05-31

Name: feet

Definition: heights/lengths are specified in feet (imperial units of length)

3 DD Name: IENC Code: hunits_3 Date accepted: 2001-05-31

Name: kilometres

Definition: heights/lengths are specified in kilometres (1000 metres)

4 DD Name: IENC Code: hunits_4 Date accepted: 2001-05-31

Name: hectometres

Definition: heights/lengths are specified in hectometres (100 metres)

5 DD Name: IENC Code: hunits_5 Date accepted: 2001-05-31

Name: statute miles

Definition: heights/lengths are specified in statute (land) miles

Value	Data Dictionary (DO) Reference		
6	DO Name	IENC	Code: hunits 6
	Date accepted	2001-05-31	
	Name:	nautical miles	
	Definition:	heights/lengths are specified in nautical (sea) miles	

Attribute	Horizontal clearance length
-----------	-----------------------------

Acronym: **horcll** Code: 17074

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The length of an object, such as a lock or basin, which is available for safe navigation.
This may, or may not, be the same as the total physical length (HORLEN) of the object

Attribute	Horizontal clearance width
-----------	----------------------------

Acronym: **horclw**

Code: 17075

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The width of an object, such as a lock or basin, which is available for safe navigation.
This may, or may not, be the same as the total physical width (HORWID) of the object

Attribute	Length range value 1
-----------	----------------------

Acronym: **lc_lg1** Code: 18020

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The minimum value of the length range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Length range value 2
-----------	----------------------

Acronym: **lc_lg2**

Code: 18021

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum value of the length range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Marks navigational - System of
-----------	--------------------------------

Acronym: **marsys**

Code: 17009

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: marsys_1 Date accepted: 2001-05-31

Name: IALA A

Definition: navigational aids conform to the International Association of Lighthouse Authorities - IALA A system.

2 DD Name: IENC Code: marsys_2 Date accepted: 2001-05-31

Name: IALA B

Definition: navigational aids conform to the International Association of Lighthouse Authorities - IALA B system.

9 DD Name: IENC Code: marsys_9 Date accepted: 2001-05-31

Name: no system

Definition: navigational aids do not conform to any defined system.

10 DD Name: IENC Code: marsys_10 Date accepted: 2001-05-31

Name: other sytem

Definition: navigational aids conform to a defined system other than International Association of Lighthouse Authorities -IALA.

11 DD Name: IENC Code: marsys_11 Date accepted: 2001-05-31

Value Data Dictionary (DD) Reference

Name: CEVNI

Definition: navigational aids conform to the European Code for Inland Waterways of UN/ECE.

12 DD Name: IENC Code: marsys_12 Date accepted: 2001-05-31

Name: Russian inland waterway regulations

Definition: navigational aids conform to the Russian inland waterway regulations.

Attribute	Maximal permitted beam
-----------	------------------------

Acronym: **lg_bme**

Code: 18003

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximal permitted beam (width of a ship's hull) of a vessel or convoy according to the particular article/clause of the applicable law/regulation

Attribute	Maximal permitted draught
-----------	---------------------------

Acronym: **lg_drt**

Code: 18005

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximal permitted draught of a vessel or convoy according to the particular article/clause of the applicable law/regulation

Attribute	Maximal permitted length
-----------	--------------------------

Acronym: **lg_lgs** Code: 18004

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The maximal permitted length of a vessel or convoy according to the particular article/clause of the applicable law/regulation

Attribute	related issue
-----------	---------------

Acronym: **lg_rel** Code: 18008

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lg_rel_1 Date accepted: 2001-05-31

Name: other

Definition:

2 DD Name: IENC Code: lg_rel_2 Date accepted: 2001-05-31

Name: usage of waterway

Definition:

3 DD Name: IENC Code: lg_rel_3 Date accepted: 2001-05-31

Name: carriage of equipment

Definition:

4 DD Name: IENC Code: lg_rel_4 Date accepted: 2001-05-31

Name: task,operation

Definition:

Attribute	Maximal permitted speed
-----------	-------------------------

Acronym: **lg_spd** Code: 18001

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The maximal permitted vessel speed according to the particular article/clause of the applicable law/regulation

Attribute	Maximal permitted water displacement
-----------	--------------------------------------

Acronym: **lg_wdp**

Code: 18006

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximal permitted water displacement of a vessel or convoy according to the particular article/clause of the applicable law/regulation

Attribute	Name of other locally relevant water level
-----------	--

Acronym: **othnam** Code: 17087

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Name of the water level, which is used for the attribute othwat (value at other locally relevant water level) including version identification, for example year of issue or period

Attribute	Name of relevant high water level
-----------	-----------------------------------

Acronym: **hignam**

Code: 17081

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Name of the water level, which is used for the attribute higwat (value at relevant high water level) including version identification, for example year of issue or period

Attribute	Name of relevant low water level
-----------	----------------------------------

Acronym: **lownam**

Code: 17083

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Name of the water level, which is used for the attribute lowwat (value at relevant low water level) including version identification, for example year of issue or period

Attribute	Name of relevant mean water level
-----------	-----------------------------------

Acronym: **meanam**

Code: 17085

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Name of the water level, which is used for the attribute mawat (value at relevant mean water level) including version identification, for example year of issue or period

Attribute	Name of Sounding datum reference level
-----------	--

Acronym: **sdrlev** Code: 17089

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Name of the water level depth values are referred to

Attribute	Name of vertical river datum reference level
-----------	--

Acronym: **vrlev**

Code: 17090

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Name of the water level vertical clearance values are referred to

Attribute	Publication reference
-----------	-----------------------

Acronym: **lg_pbr** Code: 18011

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: Waterway or waterway section for which a juridical regulation with respect to the maximum permitted vessel dimensions exists

Attribute	Reference gravitational level
-----------	-------------------------------

Acronym: **reflev**

Code: 17088

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: reflev_1 Date accepted: 2001-05-31

Name: Baltic datum

Definition: Baltic Datum (Baltic Heights System) - The unified State system for absolute heights reckoning from Kronshtadt Tide-gauge Datum that is accepted in Russian Federation.(Hydrographic Terminology Dictionary, HDNO, 1984)-

2 DD Name: IENC Code: reflev_2 Date accepted: 2001-05-31

Name: Adriatic level

Definition: The average height of the surface of the Adriatic sea at the tide station of Trieste in Italy.

3 DD Name: IENC Code: reflev_3 Date accepted: 2001-05-31

Name: Amsterdam Ordnance Datum (NAP)

Definition: Dutch gravitational reference level that is approximately the average summer height of the North Sea.

4 DD Name: IENC Code: reflev_4 Date accepted: 2001-05-31

Name: Mean Sea Level

Value Data Dictionary (DD) Reference

Definition: (MSL) - the average height of the surface of the sea at a tide station for all stages of the tide over a 19-year period, usually determined from hourly height readings measured from a fixed predetermined reference level. (IHO Dictionary, S-32, 5th Edition, 3156)

5 DD Name: IENC Code: reflev_5 Date accepted: 2001-05-31

Name: Other datum

Definition:

6 DD Name: IENC Code: reflev_6 Date accepted: 2001-05-31

Name: National Geodetic Vertical Datum - NGVD29

Definition: The name, after May 10, 1973, of the Sea Level Datum of 1929.

7 DD Name: IENC Code: reflev_7 Date accepted: 2001-05-31

Name: North American Vertical Datum - NAVD88

Definition: The vertical control datum established in 1991 by the minimum-constraint adjustment of the Canadian-Mexican-U.S. leveling observations.

8 DD Name: IENC Code: reflev_8 Date accepted: 2001-05-31

Name: Mean sea level 1912

Definition: A vertical control datum established for vertical control in the United States by the general adjustment of 1912.

9 DD Name: IENC Code: reflev_9 Date accepted: 2001-05-31

Name: Mean sea level 1929

Definition: A vertical control datum established for vertical control in the United States by the general adjustment of 1929.

Attribute	Restriction
-----------	-------------

Acronym: **restrn**

Code: 17004

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: restrn_1 Date accepted: 2001-05-31

Name: anchoring prohibited

Definition: an area within which anchoring is not permitted.

2 DD Name: IENC Code: restrn_2 Date accepted: 2001-05-31

Name: anchoring restricted

Definition: a specified area designated by appropriate authority, within which anchoring is restricted in accordance with certain specified conditions.

7 DD Name: IENC Code: restrn_7 Date accepted: 2001-05-31

Name: entry prohibited

Definition: an area within which navigation and/or anchoring is prohibited. (adapted from IHO Dictionary, S-32, 5th Edition, 4044)

8 DD Name: IENC Code: restrn_8 Date accepted: 2001-05-31

Name: entry restricted

Definition: a specified area designated by appropriate authority, within which navigation is restricted in accordance with certain specified conditions. (adapted from IHO Dictionary, S-32, 5th Edition, 4366)

Value	Data Dictionary (DD) Reference		
13	DD Name: IENC	Code: restrn_13	Date accepted: 2001-05-31
	Name: no wake		
	Definition: mariners must adjust the speed of their vessels to reduce the wave or wash which may cause erosion or disturb moored vessels.		
14	DD Name: IENC	Code: restrn_14	Date accepted: 2001-05-31
	Name: area to be avoided		
	Definition: an IMO designated area to be avoided, defined as a routeing measure. (adapted from IHO Chart Specifications, M-4, 435.7)		
27	DD Name: IENC	Code: restrn_27	Date accepted: 2001-05-31
	Name: speed restricted		
	Definition: an area within which speed is restricted.		
28	DD Name: IENC	Code: restrn_28	Date accepted: 2001-05-31
	Name: overtaking prohibited		
	Definition: a specified area designated by appropriate authority, within which overtaking is generally prohibited		
29	DD Name: IENC	Code: restrn_29	Date accepted: 2001-05-31
	Name: overtaking of convoys by convoys prohibited		
	Definition: a specified area designated by appropriate authority, within which overtaking between convoys prohibited		
30	DD Name: IENC	Code: restrn_30	Date accepted: 2001-05-31
	Name: passing or overtaking prohibited		
	Definition: a specified area designated by appropriate authority, within which passing or overtaking is generally prohibited		
31	DD Name: IENC	Code: restrn_31	Date accepted: 2001-05-31
	Name: berthing prohibited		
	Definition: a specified area designated by appropriate authority, within which vessels, assemblies of floating material or floating establishments may not berth.		
32	DD Name: IENC	Code: restrn_32	Date accepted: 2001-05-31

Value	Data Dictionary (DD) Reference		
	Name:	berthing restricted	
	Definition:	a specified area designated by appropriate authority, within which berthing is restricted	
33	DD Name: IENC	Code: restrn_33	Date accepted: 2001-05-31
	Name:	making fast prohibited	
	Definition:	a specified area designated by appropriate authority, within which vessels, assemblies of floating material or floating establishments may not make fast to the bank.	
34	DD Name: IENC	Code: restrn_34	Date accepted: 2001-05-31
	Name:	making fast restricted	
	Definition:	a specified area designated by appropriate authority, within which making fast to the bank is restricted	
35	DD Name: IENC	Code: restrn_35	Date accepted: 2001-05-31
	Name:	turning prohibited	
	Definition:	a specified area designated by appropriate authority, within which all turning is generally prohibited	
36	DD Name: IENC	Code: restrn_36	Date accepted: 2001-05-31
	Name:	restricted fairway depth	
	Definition:	an area within which the fairway depth is restricted.	

Attribute	Type of Ship
-----------	--------------

Acronym: **shptyp** Code: 33066

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: shptyp_1 Date accepted: 2001-05-31

Name: general cargo vessel

Definition: a vessel which is designed for carrying general cargo, e.g. boxes, sacks.

2 DD Name: IENC Code: shptyp_2 Date accepted: 2001-05-31

Name: container vessel

Definition: a vessel which is designed for carrying containers.

3 DD Name: IENC Code: shptyp_3 Date accepted: 2001-05-31

Name: tanker

Definition: a vessel which is designed for carrying liquid goods, e.g. oil or water.

4 DD Name: IENC Code: shptyp_4 Date accepted: 2001-05-31

Name: sailing vessel

Definition: a vessel that is powered by the wind; often having several masts.

5 DD Name: IENC Code: shptyp_5 Date accepted: 2001-05-31

Name: fishing vessel

Definition: a vessel that is used and equipped for the fishing of living aquatic resources.

Value	Data Dictionary (DD) Reference		
6	DD Name: IENC	Code: shptyp_6	Date accepted: 2001-05-31
	Name:	special purpose vessel.	
	Definition:	a vessel that fulfills special purposes e.g. hovercrafts, pilot boats	
7	DD Name: IENC	Code: shptyp_7	Date accepted: 2001-05-31
	Name:	man of War	
	Definition:	armed naval vessel.	
8	DD Name: IENC	Code: shptyp_8	Date accepted: 2001-05-31
	Name:	submarine	
	Definition:	a vessel that is capable of operating for an extended period of time underwater.	
9	DD Name: IENC	Code: shptyp_9	Date accepted: 2001-05-31
	Name:	high speed craft	
	Definition:		
10	DD Name: IENC	Code: shptyp_10	Date accepted: 2001-05-31
	Name:	bulk carrier	
	Definition:	a vessel which is designed for carrying bulk goods, e.g. coal, ore or grain.	
11	DD Name: IENC	Code: shptyp_11	Date accepted: 2001-05-31
	Name:	seaplane	
	Definition:	airplane designed to take off from and alight on water.	
12	DD Name: IENC	Code: shptyp_12	Date accepted: 2001-05-31
	Name:	tugboat	
	Definition:	a powerful small boat designed to pull or push larger ships or powerless barges.	
13	DD Name: IENC	Code: shptyp_13	Date accepted: 2001-05-31
	Name:	passenger vessel	
	Definition:	a vessel which is designed for carrying passengers and which serves mainly as cruise vessel.	

Value Data Dictionary (DD) Reference

- 14 DD Name: IENC Code: shptyp_14 Date accepted: 2001-05-31
Name: ferry
Definition: a vessel which is designed for carrying passengers, and sometimes their vehicles,
on scheduled services.
- 15 DD Name: IENC Code: shptyp_15 Date accepted: 2001-05-31
Name: boat
Definition: a small vessel.
-

Attribute	Speed range value 1
-----------	---------------------

Acronym: **lc_sp1** Code: 18024

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The minimum value of the speed range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Speed range value 2
-----------	---------------------

Acronym: **lc_sp2**

Code: 18025

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum value of the speed range the particular article/clause of the applicable law/regulation is dealing with

Attribute	speed reference
-----------	-----------------

Acronym: **lg_spr** Code: 18002

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lg_spr_1 Date accepted: 2001-05-31

Name: other

Definition:

2 DD Name: IENC Code: lg_spr_2 Date accepted: 2001-05-31

Name: speed over ground

Definition: The vessel's actual speed, determined by dividing the distance between successive fixes by the time between the fixes

3 DD Name: IENC Code: lg_spr_3 Date accepted: 2001-05-31

Name: speed through water

Definition: The vessel's actual speed, determined by subtracting the speed over ground by the current speed

Attribute	Time Schedule Reference
-----------	-------------------------

Acronym: **schref** Code: 17093

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition: The string encodes the file name of an external file

Attribute	transshipping goods
-----------	---------------------

Acronym: **trshgd**

Code: 17076

Use Type: F

Value Type: L

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: trshgd_1 Date accepted: 2001-05-31

Name: containers

Definition: boxes for cargo transport with standardized dimensions.

2 DD Name: IENC Code: trshgd_2 Date accepted: 2001-05-31

Name: bulk goods

Definition: unpacked bulk cargo in the same or a similar kind of nature (homogeneous).

3 DD Name: IENC Code: trshgd_3 Date accepted: 2001-05-31

Name: oil

Definition: Mineral oil or liquid petrolatum, a by-product in the distillation of petroleum to produce gasoline.

4 DD Name: IENC Code: trshgd_4 Date accepted: 2001-05-31

Name: fuel

Definition: liquid fuel, e.g. gasoline, diesel.

5 DD Name: IENC Code: trshgd_5 Date accepted: 2001-05-31

Name: chemicals

Value	Data Dictionary (DD) Reference		
	Definition: any material used in or obtained by a process in chemistry.		
6	DD Name: IENC	Code: trshgd_6	Date accepted: 2001-05-31
	Name: liquid goods		
	Definition: fluids whose shape is usually determined by the container it fills.		
7	DD Name: IENC	Code: trshgd_7	Date accepted: 2001-05-31
	Name: explosive goods		
	Definition: goods that undergoes decomposition or combustion with great rapidity, evolving much heat and producing a large volume of gas.		
8	DD Name: IENC	Code: trshgd_8	Date accepted: 2001-05-31
	Name: fish		
	Definition: marine animals		
9	DD Name: IENC	Code: trshgd_9	Date accepted: 2001-05-31
	Name: cars		
	Definition: wheeled vehicles		
10	DD Name: IENC	Code: trshgd_10	Date accepted: 2001-05-31
	Name: general cargo		
	Definition: general cargo		

Attribute	UN location code
-----------	------------------

Acronym: **unlocd**

Code: 17077

Use Type: F

Value Type: T

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The attribute unlocd should be used to encode the UN Location Code
(<http://www.unece.org/cefact/locode/service/main.htm>) or - in Europe - the Inland Ship
Reporting Standard (ISRS) Code

Attribute	Use of Ship
-----------	-------------

Acronym: **useshp** Code: 17094

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: useshp_1 Date accepted: 2001-05-31

Name: liner trade

Definition: ship is used to carry goods on a scheduled service

2 DD Name: IENC Code: useshp_2 Date accepted: 2001-05-31

Name: occasional professional shipping

Definition: ship is occasional used for professional shipping

3 DD Name: IENC Code: useshp_3 Date accepted: 2001-05-31

Name: leisure

Definition: ship is used for leisure activities

Attribute	Value at other locally relevant water level
-----------	---

Acronym: **othwat**

Code: 17086

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Value at waterway gauge in case of a specific water level, which is locally of importance or of interest for navigation

Attribute	Value at relevant high water level
-----------	------------------------------------

Acronym: **higwat**

Code: 17080

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Value at waterway gauge in case of exact high water level (according to official regulations at the specific section of waterway)

Attribute	Value at relevant low water level
-----------	-----------------------------------

Acronym: **lowwat**

Code: 17082

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Value at waterway gauge in case of exact low water level (according to official regulations at the specific section of waterway)

Attribute	Value at relevant mean water level
-----------	------------------------------------

Acronym: **meawat**

Code: 17084

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: Value at waterway gauge in case of exact mean water level (according to official regulations at the specific section of waterway)

Attribute	Vertical datum
-----------	----------------

Acronym: **verdat**

Code: 17005

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

12 DD Name: IENC Code: verdat_12 Date accepted: 2001-05-31

Name: Mean lower low water

Definition: (MLLW) - the average height of the lower low waters at a place over a 19-year period.
(IHO Dictionary, S-32, 5th Edition, 3145)

31 DD Name: IENC Code: verdat_31 Date accepted: 2001-05-31

Name: Local low water reference level

Definition: low water reference level of the local area

32 DD Name: IENC Code: verdat_32 Date accepted: 2001-05-31

Name: Local high water reference level

Definition: high water reference level of the local area

33 DD Name: IENC Code: verdat_33 Date accepted: 2001-05-31

Name: Local mean water reference level

Definition: mean water reference level of the local area

34 DD Name: IENC Code: verdat_34 Date accepted: 2001-05-31

Name: Equivalent height of water (German GIW)

Value	Data Dictionary (DD) Reference		
	Definition: A low water level which is the result of a defined low water discharge - called "equivalent discharge".		
35	DD Name: IENC	Code: verdat_35	Date accepted: 2001-05-31
	Name: Highest Shipping Height of Water (German HSW)		
	Definition: upper limit of water levels where navigation is allowed		
36	DD Name: IENC	Code: verdat_36	Date accepted: 2001-05-31
	Name: Reference low water level according to Danube Commission		
	Definition: The water level at a discharge, which is exceeded 94 % of the year within a period of 30 years.		
37	DD Name: IENC	Code: verdat_37	Date accepted: 2001-05-31
	Name: Highest shipping height of water according to Danube Commission		
	Definition: The water level at a discharge, which is exceeded 1 % of the year within a period of 30 years.		
38	DD Name: IENC	Code: verdat_38	Date accepted: 2001-05-31
	Name: Dutch river low water reference level (OLR)		
	Definition: The water level at a discharge, which is exceeded 95 % of the year within a period of 20 years.		
39	DD Name: IENC	Code: verdat_39	Date accepted: 2001-05-31
	Name: Russian project water level		
	Definition: Conditional low water level with established probability (Hydrographic Terminology Dictionary, HDNO, 1984).		
40	DD Name: IENC	Code: verdat_40	Date accepted: 2001-05-31
	Name: Russian normal backwater level		
	Definition: Highest water level derived from the upper backwater stream in watercourse or reservoir under the normal operational conditions. (Hydrographic Terminology Dictionary, HDNO, 1984).		
41	DD Name: IENC	Code: verdat_41	Date accepted: 2001-05-31
	Name: Ohio River Datum		

Value	Data Dictionary (DD) Reference
	Definition:

Attribute	Water displacement range value 1
-----------	----------------------------------

Acronym: **lc_wd1**

Code: 18026

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The minimum value of the water displacement range the particular article/clause of the applicable law/regulation is dealing with

Attribute	Water displacement value 2
-----------	----------------------------

Acronym: **lc_wd2**

Code: 18027

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The maximum value of the water displacement range the particular article/clause of the applicable law/regulation is dealing with

Attribute	water displacement unit
-----------	-------------------------

Acronym: **lg_wdu**

Code: 18007

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: lg_wdu_1 Date accepted: 2001-05-31

Name: other

Definition:

2 DD Name: IENC Code: lg_wdu_2 Date accepted: 2001-05-31

Name: cubic meters

Definition:

3 DD Name: IENC Code: lg_wdu_3 Date accepted: 2001-05-31

Name: tonnes

Definition:

Attribute	Water level effect
-----------	--------------------

Acronym: **watlev**

Code: 17104

Use Type: F

Value Type: E

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition:

Enumerations

Value Data Dictionary (DD) Reference

1 DD Name: IENC Code: watlev_1 Date accepted: 2001-05-31

Name: partly submerged at high water

Definition: partially covered and partially dry at high water.

2 DD Name: IENC Code: watlev_2 Date accepted: 2001-05-31

Name: always dry

Definition: not covered at high water under average meteorological conditions.

3 DD Name: IENC Code: watlev_3 Date accepted: 2001-05-31

Name: always under water/submerged

Definition: remains covered by water at all times under average meteorological conditions.

8 DD Name: IENC Code: watlev_8 Date accepted: 2001-05-31

Name: above mean water level

Definition: above a water level called "mean water" which is the arithmetic mean value of all water levels within a certain period of time

9 DD Name: IENC Code: watlev_9 Date accepted: 2001-05-31

Name: below mean water level

Value Data Dictionary (DD) Reference

Definition: below a water level called "mean water" which is the arithmetic mean value of all water levels within a certain period of time

Attribute	waterway distance
-----------	-------------------

Acronym: **wtwdis**

Code: 17064

Use Type: F

Value Type: F

Data Dictionary (DD) Reference:

DD Name: IENC

Date accepted: 2001-05-31

Definition: The distance measured from an origin of a river or canal
